

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1	<i>Ficus hispida</i>	對葉榕	5	159	5	low	poor	average	average	low	c, h	NIL	remove	climbers
T2	<i>Ficus hispida</i>	對葉榕	6	286	6	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks, climbers
T3	<i>Ficus hispida</i>	對葉榕	5	159	5	low	poor	average	average	low	c, h	NIL	remove	lean, co-dominan branches, climbers
T4	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	4	159	5	low	average	average	average	low	h	NIL	remove	
T7	<i>Leucaena leucocephala</i>	銀合歡	7	127	4	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T8	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	159	6	low	average	average	average	low	h	NIL	remove	
T9	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	191	7	low	average	average	average	low	h	NIL	remove	
T10	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	191	6	low	average	average	average	low	h	NIL	remove	
T11	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7	223	7	low	average	average	average	low	h	NIL	remove	
T12	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	159	6	low	average	average	average	low	h	NIL	remove	
T14	<i>Bridelia tomentosa</i>	土蜜樹	5	159	5	medium	average	average	average	medium		NIL	remove	
T16	<i>Leucaena leucocephala</i>	銀合歡	6	191	5	low	average	average	average	low	i	NIL	remove	
T18	<i>Acacia auriculiformis</i>	耳果相思	10	318	8	low	poor	average	average	low	c, h	NIL	remove	lean
T19	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5	159	6	low	poor	average	average	low	c, h	NIL	remove	lean
T20	<i>Acacia mangium</i>	大葉相思	9	159	6	low	average	average	average	low	h	NIL	remove	
T21	<i>Acacia confusa</i>	台灣相思	9	255	7	low	poor	average	average	low	c, h	NIL	remove	lean
T22	<i>Acacia confusa</i>	台灣相思	9	318	12	low	poor	average	average	low	c, h	NIL	remove	lean, climbers
T23	<i>Acacia confusa</i>	台灣相思	9	286	9	low	poor	average	average	low	c, h	NIL	remove	lean, climbers
T34	<i>Alangium chinense</i>	八角楓	5	127	4	medium	average	average	average	medium		NIL	remove	
T36	<i>Acacia confusa</i>	台灣相思	7	223	5	low	poor	poor	poor	low	c, d, e, h	NIL	remove	trunk wound, co-dominan branches, broken leader, climbers
T37	<i>Acacia confusa</i>	台灣相思	7	255	5	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T38	<i>Leucaena leucocephala</i>	銀合歡	8	286	6	low	poor	average	average	low	c, i	NIL	remove	lean, muli-trunk, climbers
T39	<i>Leucaena leucocephala</i>	銀合歡	9	159	5	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T40	<i>Leucaena leucocephala</i>	銀合歡	8	255	6	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T41	<i>Leucaena leucocephala</i>	銀合歡	8	95	4	low	average	average	average	low	i	NIL	remove	
T42	<i>Sterculia lanceolata</i>	假蘋婆	5	159	6	medium	average	average	average	medium		NIL	remove	
T43	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	medium	average	average	average	medium		NIL	remove	
T44	<i>Acacia confusa</i>	台灣相思	10	286	10	low	poor	average	average	low	c, h	NIL	remove	lean
T45	<i>Acacia mangium</i>	大葉相思	8	414	7	low	poor	poor	average	low	c, d, h	NIL	remove	climbers
T46	Dead tree	死樹	8	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T47	<i>Corymbia torelliana</i>	毛葉桉	16	318	6	low	average	average	average	low	b, h	NIL	remove	
T48	Dead tree	死樹	7	191	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T49	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7	255	5	low	poor	average	average	low	c, h	NIL	remove	lean
T50	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5	127	7	low	poor	average	average	low	c, h	NIL	remove	lean
T51	<i>Aporosa dioica</i>	銀柴	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T52	<i>Machilus pauhoi</i>	刨花潤楠	8	255	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T53	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	average	average	low	c	NIL	remove	lean, co-dominan trunks, climbers
T54	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	127	5	low	average	average	average	low	h	NIL	remove	
T55	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	7	191	7	low	average	average	average	low	h	NIL	remove	
T56	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	4	127	5	low	poor	poor	poor	low	c, d, e, h	NIL	remove	lean, uprooed, broken trunk
T57	<i>Leucaena leucocephala</i>	銀合歡	7	127	4	low	poor	average	poor	low	c, e, i	NIL	remove	lean, uprooed
T58	<i>Ligustrum sinense</i>	山指甲	4	223	5	low	poor	average	average	low	c, h	NIL	remove	muli-trunk
T59	<i>Schefflera heptaphylla</i>	鴨腳木	6	127	4	medium	average	average	average	medium		NIL	remove	
T60	<i>Machilus pauhoi</i>	刨花潤楠	7	191	9	medium	average	average	average	medium		NIL	remove	
T61	<i>Machilus pauhoi</i>	刨花潤楠	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T62	<i>Leucaena leucocephala</i>	銀合歡	7	223	8	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T63	<i>Leucaena leucocephala</i>	銀合歡	7	191	5	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T64	<i>Leucaena leucocephala</i>	銀合歡	7	223	5	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T70	<i>Leucaena leucocephala</i>	銀合歡	7	223	5	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T71	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	6	255	9	low	poor	average	average	low	c, h	NIL	remove	lean, co-dominant branches
T72	<i>Leucaena leucocephala</i>	銀合歡	7	127	4	low	poor	average	average	low	c, i	NIL	remove	muli-trunk
T79	<i>Sterculia lanceolata</i>	假蘋婆	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T80	<i>Sterculia lanceolata</i>	假蘋婆	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T181	<i>Sapium discolor</i>	山烏桕	6	159	4	low	poor	average	average	low	c	NIL	remove	climbers
T182	Dead tree	死樹	4	446	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T183	<i>Schefflera heptaphylla</i>	鴨腳木	5	223	5	low	poor	average	average	low	c	NIL	remove	lean, broken leader
T184	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T185	<i>Aporosa dioica</i>	銀柴	4	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T203	<i>Sterculia lanceolata</i>	假蘋婆	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T205	<i>Sterculia lanceolata</i>	假蘋婆	4	95	3	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T332	<i>Corymbia torelliana</i>	毛葉桉	18	286	6	low	poor	average	average	low	c, h	NIL	remove	climbers
T333	<i>Acacia auriculiformis</i>	耳果相思	7	191	6	low	poor	average	average	low	c, h	NIL	remove	lean
T334	<i>Alangium chinense</i>	八角楓	6	223	10	low	poor	average	average	low	c	NIL	remove	lean
T335	<i>Corymbia torelliana</i>	毛葉桉	15	286	5	low	poor	average	average	low	c, h	NIL	remove	broken leader
T336	Dead tree	死樹	18	255	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T337	<i>Alangium chinense</i>	八角楓	8	159	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T338	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	8	191	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T339	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T340	<i>Alangium chinense</i>	八角楓	7	191	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T341	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T342	<i>Alangium chinense</i>	八角楓	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T343	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T344	<i>Alangium chinense</i>	八角楓	6	95	3	low	poor	average	average	low	c	NIL	remove	climbers
T345	Dead tree	死樹	18	223	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T346	<i>Corymbia torelliana</i>	毛葉桉	18	223	5	low	poor	average	average	low	c, h	NIL	remove	climbers
T347	<i>Acacia confusa</i>	台灣相思	8	286	8	low	poor	poor	poor	low	c, d, e, h	NIL	remove	climbers, dieback, dead branch
T348	Dead tree	死樹	10	255	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T349	<i>Acacia confusa</i>	台灣相思	9	159	6	low	poor	average	average	low	c, h	NIL	remove	lean
T350	<i>Acacia confusa</i>	台灣相思	5	159	8	low	poor	average	poor	low	c, e, h	NIL	remove	lean, trunk crack
T351	<i>Acacia confusa</i>	台灣相思	8	95	4	low	poor	average	average	low	c, h	NIL	remove	lean
T352	<i>Lophostemon confertus</i>	紅膠木	7	127	4	low	poor	average	average	low	c, h	NIL	remove	trunk wound
T353	<i>Lophostemon confertus</i>	紅膠木	4	286	7	low	poor	average	poor	low	c, e, h	NIL	remove	lean, uprooed
T354	<i>Lophostemon confertus</i>	紅膠木	9	350	7	low	poor	average	average	low	c, h	NIL	remove	lean
T355	<i>Lophostemon confertus</i>	紅膠木	10	255	7	low	average	average	average	low	h	NIL	remove	
T356	<i>Acacia confusa</i>	台灣相思	9	318	8	low	poor	average	average	low	c, h	NIL	remove	lean, co-dominan trunks
T357	<i>Acacia confusa</i>	台灣相思	7	127	4	low	poor	average	average	low	c, h	NIL	remove	lean
T358	Dead tree	死樹	6	95	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T359	<i>Lophostemon confertus</i>	紅膠木	10	191	6	low	poor	average	average	low	c, h	NIL	remove	trunk wound
T360	<i>Acacia confusa</i>	台灣相思	8	95	3	low	average	average	average	low	h	NIL	remove	
T361	<i>Acacia confusa</i>	台灣相思	7	255	7	low	poor	average	average	low	c, h	NIL	remove	lean
T362	<i>Rhus succedanea</i>	野漆樹	5	95	4	low	poor	average	average	low	c	NIL	remove	lean
T363	<i>Schima superba</i>	木荷	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T364	<i>Acacia confusa</i>	台灣相思	9	159	5	low	poor	poor	average	low	c, d, h	NIL	remove	dieback
T365	<i>Acacia confusa</i>	台灣相思	7	159	6	low	poor	average	average	low	c, h	NIL	remove	lean
T366	<i>Acacia confusa</i>	台灣相思	4	127	7	low	poor	poor	poor	low	c, d, e, h	NIL	remove	collapsed
T367	<i>Schefflera heptaphylla</i>	鴨腳木	5	95	3	medium	average	average	average	medium		NIL	remove	
T368	<i>Acacia confusa</i>	台灣相思	8	255	8	low	poor	average	average	low	c, h	NIL	remove	lean
T369	<i>Acacia confusa</i>	台灣相思	9	255	8	low	poor	average	average	low	c, h	NIL	remove	climbers
T370	<i>Lophostemon confertus</i>	紅膠木	8	127	4	low	average	average	average	low	h	NIL	remove	
T464	<i>Acacia confusa</i>	台灣相思	5	318	6	low	poor	average	average	low	c, h	NIL	remove	lean, multi-trunk
T465	<i>Acacia confusa</i>	台灣相思	6	191	5	low	poor	average	average	low	c, h	NIL	remove	lean, co-dominan trunks
T466	<i>Acacia confusa</i>	台灣相思	7	255	7	low	average	average	average	low	h	NIL	remove	
T467	Dead tree	死樹	5	191	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T468	<i>Acacia confusa</i>	台灣相思	7	223	5	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T469	<i>Acacia confusa</i>	台灣相思	6	159	5	low	poor	average	average	low	c, h	NIL	remove	lean
T470	<i>Acacia confusa</i>	台灣相思	8	191	5	low	poor	average	average	low	c, h	NIL	remove	lean
T471	<i>Acacia confusa</i>	台灣相思	6	191	6	low	poor	average	average	low	c, h	NIL	remove	lean
T472	<i>Acacia confusa</i>	台灣相思	8	127	4	low	average	average	average	low	h	NIL	remove	
T473	<i>Acacia confusa</i>	台灣相思	6	127	4	low	average	average	average	low	h	NIL	remove	
T474	<i>Acacia confusa</i>	台灣相思	7	159	5	low	poor	poor	average	low	c, d, h	NIL	remove	dieback
T475	<i>Acacia confusa</i>	台灣相思	4	127	4	low	poor	poor	average	low	c, d, h	NIL	remove	dieback
T476	<i>Acacia confusa</i>	台灣相思	5	286	8	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T477	<i>Acacia confusa</i>	台灣相思	8	191	5	low	poor	average	average	low	c, h	NIL	remove	lean
T478	<i>Lophostemon confertus</i>	紅膠木	10	350	8	low	poor	average	average	low	c, h	NIL	remove	imbalanced crown
T479	<i>Acacia confusa</i>	台灣相思	4	223	8	low	poor	average	poor	low	c, e, h	NIL	remove	lean, co-dominan trunks, broken trunk
T480	<i>Acacia confusa</i>	台灣相思	8	191	8	low	poor	average	average	low	c, h	NIL	remove	lean
T481	<i>Rhus succedanea</i>	野漆樹	6	127	5	low	poor	average	average	low	c	NIL	remove	crook
T482	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	5	95	4	low	poor	average	average	low	c	NIL	remove	crook
T483	<i>Garcinia oblongifolia</i>	嶺南山竹子	6	95	4	medium	average	average	average	medium		NIL	remove	
T484	<i>Acacia confusa</i>	台灣相思	5	95	3	low	poor	poor	average	low	c, d, h	NIL	remove	lean, dieback
T485	<i>Acacia confusa</i>	台灣相思	5	95	3	low	poor	average	average	low	c, h	NIL	remove	lean
T486	<i>Acacia confusa</i>	台灣相思	6	127	5	low	poor	poor	average	low	c, d, h	NIL	remove	dieback
T487	<i>Daphniphyllum calycinum</i>	牛耳楓	5	127	3	medium	average	average	average	medium		NIL	remove	
T488	<i>Rhus succedanea</i>	野漆樹	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T489	<i>Garcinia oblongifolia</i>	嶺南山竹子	5	95	4	medium	average	average	average	medium		NIL	remove	
T490	<i>Aporosa dioica</i>	銀柴	4	95	3	low	poor	average	average	low	c	NIL	remove	climbers
T491	<i>Acacia confusa</i>	台灣相思	6	191	6	low	poor	average	por	low	c, e, h	NIL	remove	co-dominan trunks, dead trunk
T492	<i>Acacia confusa</i>	台灣相思	7	127	4	low	poor	average	average	low	c, h	NIL	remove	lean
T493	<i>Acacia confusa</i>	台灣相思	7	127	4	low	poor	average	average	low	c, h	NIL	remove	lean
T494	<i>Acacia confusa</i>	台灣相思	4	191	5	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T495	<i>Acacia confusa</i>	台灣相思	5	95	3	low	poor	average	average	low	c, h	NIL	remove	lean
T496	<i>Acacia confusa</i>	台灣相思	7	159	5	low	poor	average	average	low	c, h	NIL	remove	lean
T497	<i>Machilus breviflora</i>	短序潤楠	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	dieback
T498	<i>Schima superba</i>	木荷	7	159	5	medium	average	average	average	medium		NIL	remove	
T499	<i>Acacia confusa</i>	台灣相思	5	223	5	low	poor	poor	average	low	c, d, h	NIL	remove	co-dominan trunks, dieback
T500	<i>Acacia confusa</i>	台灣相思	4	127	4	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T501	<i>Acacia auriculiformis</i>	耳果相思	7	318	6	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T502	<i>Acacia confusa</i>	台灣相思	5	159	4	low	poor	poor	average	low	c, d, h	NIL	remove	dieback
T545	<i>Schima superba</i>	木荷	5	127	4	medium	average	average	average	medium		NIL	remove	
T549	<i>Acronychia pedunculata</i>	山油柑	4	95	3	low	poor	average	average	low	c	NIL	remove	broken branch
T564	<i>Endospermum chinense</i>	黃桐	8	318	7	medium	average	average	average	medium		NIL	retain	
T1523	<i>Microcos nervosa</i>	布渣葉	8	191	7	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T1524	<i>Ligustrum sinense</i>	山指甲	4	127	5	low	poor	poor	poor	low	c, d, e, h	NIL	remove	trunk cavity, trunk split
T1525	<i>Ligustrum sinense</i>	山指甲	8	255	5	low	poor	average	poor	low	c, e, h	NIL	remove	lean, uprood
T1526	<i>Alangium chinense</i>	八角楓	7	318	8	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1527	<i>Schefflera heptaphylla</i>	鴨腳木	8	191	7	low	poor	average	average	low	c	NIL	remove	climbers
T1528	<i>Machilus pauhoi</i>	刨花潤楠	10	223	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1529	<i>Zanthoxylum avicennae</i>	筍櫟花椒	6	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1530	<i>Alangium chinense</i>	八角楓	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1531	<i>Ligustrum sinense</i>	山指甲	7	255	5	low	poor	average	average	low	c, h	NIL	remove	multi-trunk, climbers
T1532	<i>Ficus variegata</i>	青果榕	12	573	7	low	poor	average	average	low	c, h	NIL	remove	climbers
T1533	<i>Macaranga tanarius var. tomentosa</i>	血桐	5	159	5	low	poor	poor	average	low	c, d, h	NIL	remove	lean, climbers
T1534	<i>Ligustrum sinense</i>	山指甲	4	127	5	low	poor	poor	average	low	c, d, h	NIL	remove	lean, climbers
T1535	<i>Sterculia lanceolata</i>	假蘋婆	8	191	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1536	<i>Schefflera heptaphylla</i>	鴨腳木	7	286	7	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1537	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1538	<i>Machilus pauhoi</i>	刨花潤楠	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1539	<i>Bridelia tomentosa</i>	土蜜樹	8	477	12	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1540	<i>Alangium chinense</i>	八角楓	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1541	<i>Machilus pauhoi</i>	刨花潤楠	9	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1542	<i>Alangium chinense</i>	八角楓	7	191	5	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1543	<i>Aporosa dioica</i>	銀柴	5	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1544	<i>Schefflera heptaphylla</i>	鴨腳木	7	191	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1545	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1546	<i>Machilus chekiangensis</i>	浙江潤楠	10	286	7	low	poor	average	average	low	c	NIL	remove	climbers
T1547	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	medium	average	average	average	medium		NIL	remove	
T1548	<i>Machilus pauhoi</i>	刨花潤楠	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1549	<i>Cratoxylum cochinchinense</i>	黃牛木	6	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1550	<i>Aporosa dioica</i>	銀柴	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1551	<i>Sterculia lanceolata</i>	假蘋婆	8	191	6	medium	average	average	average	medium		NIL	remove	
T1552	<i>Ligustrum sinense</i>	山指甲	4	127	6	low	poor	poor	poor	low	c, d, e, h	NIL	remove	lean, uprooed, climbers
T1553	<i>Sterculia lanceolata</i>	假蘋婆	7	191	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1554	<i>Alangium chinense</i>	八角楓	7	286	6	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1555	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1556	<i>Microcos nervosa</i>	布渣葉	7	255	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1557	<i>Celtis sinensis</i>	朴樹	4	127	6	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooed, climbers
T1558	<i>Sterculia lanceolata</i>	假蘋婆	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1559	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1560	<i>Aporosa dioica</i>	銀柴	7	191	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1561	<i>Bridelia tomentosa</i>	土蜜樹	5	159	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1562	<i>Bridelia tomentosa</i>	土蜜樹	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1563	<i>Litsea monopetala</i>	假柿木薑子	8	223	7	medium	average	average	average	medium		NIL	remove	
T1564	<i>Rhus succedanea</i>	野漆樹	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1565	<i>Sterculia lanceolata</i>	假蘋婆	6	127	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1566	<i>Rhus succedanea</i>	野漆樹	4	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1567	<i>Mallotus paniculatus</i>	白楸	8	223	8	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1568	<i>Sterculia lanceolata</i>	假蘋婆	6	191	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1569	Dead tree	死樹	5	127	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1570	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1571	<i>Aporosa dioica</i>	銀柴	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1572	<i>Bridelia tomentosa</i>	土蜜樹	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1573	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8	509	10	low	poor	poor	poor	low	c, d, e, h	NIL	remove	multi-trunk, dead trunk, broken trunk
T1574	Dead tree	死樹	5	159	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1575	<i>Bridelia tomentosa</i>	土蜜樹	5	191	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1576	<i>Alangium chinense</i>	八角楓	5	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1577	<i>Microcos nervosa</i>	布渣葉	7	255	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1578	<i>Acronychia pedunculata</i>	山油柑	5	159	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1579	<i>Acronychia pedunculata</i>	山油柑	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1580	<i>Acronychia pedunculata</i>	山油柑	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1581	<i>Sterculia lanceolata</i>	假蘋婆	7	191	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1582	<i>Machilus velutina</i>	絨毛潤楠	5	159	5	low	poor	average	average	low	c	NIL	remove	lean, co-dominan trunks, climbers
T1583	<i>Microcos nervosa</i>	布渣葉	7	159	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1584	<i>Zanthoxylum avicennae</i>	筍櫨花椒	8	255	10	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1585	<i>Alangium chinense</i>	八角楓	7	223	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1586	Dead tree	死樹	6	191	6	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1587	<i>Aporosa dioica</i>	銀柴	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1588	<i>Aporosa dioica</i>	銀柴	6	159	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1589	<i>Cratoxylum cochinchinense</i>	黃牛木	7	191	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1590	<i>Sterculia lanceolata</i>	假蘋婆	6	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1591	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1592	<i>Alangium chinense</i>	八角楓	6	127	4	low	poor	average	average	low	c	NIL	remove	lean
T1593	<i>Alangium chinense</i>	八角楓	7	159	5	medium	average	average	average	medium		NIL	remove	
T1594	<i>Machilus pauhoi</i>	刨花潤楠	6	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1595	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1596	<i>Aporosa dioica</i>	銀柴	4	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1597	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1598	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1599	<i>Aporosa dioica</i>	銀柴	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1600	<i>Ficus hispida</i>	對葉榕	7	286	7	low	poor	average	average	low	c, h	NIL	remove	co-dominan branches, climbers
T1601	<i>Vitex quinata</i>	山牡荊	8	286	8	low	poor	average	average	low	c	NIL	remove	climbers
T1602	<i>Rhus succedanea</i>	野漆樹	5	127	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1603	<i>Rhus succedanea</i>	野漆樹	4	127	4	low	poor	average	poor	low	c, e	NIL	remove	lean, uprood, climbers
T1604	Dead tree	死樹	5	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1605	<i>Sterculia lanceolata</i>	假蘋婆	5	95	4	medium	average	average	average	medium		NIL	remove	
T1606	<i>Alangium chinense</i>	八角楓	7	191	5	medium	average	average	average	medium		NIL	remove	
T1607	<i>Acronychia pedunculata</i>	山油柑	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1608	<i>Microcos nervosa</i>	布渣葉	8	286	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1609	<i>Microcos nervosa</i>	布渣葉	7	255	5	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1610	<i>Microcos nervosa</i>	布渣葉	7	255	5	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, basal wound, climbers
T1611	<i>Sterculia lanceolata</i>	假蘋婆	6	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1612	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan branches, climbers
T1613	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	co-dominan branches, climbers
T1614	<i>Aporosa dioica</i>	銀柴	6	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1615	<i>Alangium chinense</i>	八角楓	7	255	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1616	<i>Sterculia lanceolata</i>	假蘋婆	6	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1617	<i>Microcos nervosa</i>	布渣葉	4	95	5	low	poor	average	average	low	c	NIL	remove	climbers
T1618	<i>Sterculia lanceolata</i>	假蘋婆	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1619	Dead tree	死樹	4	127	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1620	<i>Machilus pauhoi</i>	刨花潤楠	5	95	3	low	poor	average	average	low	c	NIL	remove	broken leader, climbers
T1621	<i>Sterculia lanceolata</i>	假蘋婆	6	159	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1622	<i>Aporosa dioica</i>	銀柴	6	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1623	<i>Aporosa dioica</i>	銀柴	4	127	3	low	poor	average	average	low	c	NIL	remove	climbers
T1624	<i>Aporosa dioica</i>	銀柴	4	191	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1625	<i>Cratogeomys cochinchinense</i>	黃牛木	6	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1626	<i>Cratogeomys cochinchinense</i>	黃牛木	4	159	4	low	poor	poor	average	low	c, d	NIL	remove	lean, co-dominan trunks, climbers
T1627	<i>Alangium chinense</i>	八角楓	7	255	5	low	poor	average	average	low	c	NIL	remove	climbers
T1628	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1629	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1630	<i>Gnetum luofuense</i>	羅浮買麻藤	5	95	5	low	average	average	average	low	g	NIL	remove	climbing plant
T1631	<i>Acronychia pedunculata</i>	山油柑	5	95	4	medium	average	average	average	medium		NIL	remove	
T1632	<i>Celtis sinensis</i>	朴樹	4	127	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1633	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1634	<i>Schefflera heptaphylla</i>	鴨腳木	7	223	7	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1635	<i>Rhus succedanea</i>	野漆樹	6	286	6	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1636	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1637	<i>Aquilaria sinensis</i>	土沉香	7	223	6	medium	poor	poor	poor	low	c, d, e	Cap. 586	remove	lean, basal decay, climbers
T1638	<i>Sterculia lanceolata</i>	假蘋婆	5	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1639	<i>Schefflera heptaphylla</i>	鴨腳木	7	223	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1640	<i>Sterculia lanceolata</i>	假蘋婆	7	127	5	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1641	<i>Sterculia lanceolata</i>	假蘋婆	7	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1642	<i>Sterculia lanceolata</i>	假蘋婆	4	95	6	low	poor	average	average	low	c	NIL	remove	climbers
T1643	<i>Schefflera heptaphylla</i>	鴨腳木	7	191	6	low	poor	average	poor	low	c, e	NIL	remove	cross with T1644, climbers
T1644	<i>Zanthoxylum avicennae</i>	筍欖花椒	6	191	5	low	poor	average	poor	low	c, e	NIL	remove	cross with T1643, climbers
T1645	<i>Acronychia pedunculata</i>	山油柑	6	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1646	<i>Acronychia pedunculata</i>	山油柑	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1647	<i>Acronychia pedunculata</i>	山油柑	5	223	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1648	<i>Alangium chinense</i>	八角楓	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1649	<i>Sterculia lanceolata</i>	假蘋婆	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1650	Dead tree	死樹	5	127	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1651	<i>Acronychia pedunculata</i>	山油柑	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1652	<i>Acronychia pedunculata</i>	山油柑	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1653	<i>Acronychia pedunculata</i>	山油柑	7	223	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1654	<i>Rhus succedanea</i>	野漆樹	4	95	3	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1655	<i>Mallotus paniculatus</i>	白楸	7	127	6	low	poor	average	average	low	c	NIL	remove	lean
T1656	<i>Cratoxylum cochinchinense</i>	黃牛木	5	95	4	low	poor	average	average	low	c	NIL	remove	lean, broken leader, climbers
T1657	<i>Aporosa dioica</i>	銀柴	7	95	4	medium	average	average	average	medium		NIL	remove	
T1658	Dead tree	死樹	5	159	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1659	<i>Alangium chinense</i>	八角楓	4	95	2	low	poor	average	average	low	c	NIL	remove	broken leader, climbers
T1660	<i>Bridelia tomentosa</i>	土蜜樹	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1661	<i>Aporosa dioica</i>	銀柴	6	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1662	<i>Bridelia tomentosa</i>	土蜜樹	4	159	5	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1663	<i>Bridelia tomentosa</i>	土蜜樹	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1664	Dead tree	死樹	5	318	6	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1665	<i>Acronychia pedunculata</i>	山油柑	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1666	Dead tree	死樹	5	255	6	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1667	<i>Sterculia lanceolata</i>	假蘋婆	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1668	<i>Bridelia tomentosa</i>	土蜜樹	6	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1669	<i>Aporosa dioica</i>	銀柴	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1670	<i>Acronychia pedunculata</i>	山油柑	4	127	5	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1671	<i>Aporosa dioica</i>	銀柴	7	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1672	<i>Ficus hispida</i>	對葉榕	5	127	4	low	poor	poor	average	low	c, d, e, f, h	NIL	remove	attached to structure, climbers
T1673	<i>Microcos nervosa</i>	布渣葉	4	191	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1674	<i>Rhus succedanea</i>	野漆樹	8	350	8	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1675	<i>Aporosa dioica</i>	銀柴	4	159	6	low	poor	poor	average	low	c, d	NIL	remove	co-dominant trunks, crook, climbers
T1676	<i>Aporosa dioica</i>	銀柴	7	159	6	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1677	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1678	<i>Aporosa dioica</i>	銀柴	7	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1679	<i>Aporosa dioica</i>	銀柴	8	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1680	<i>Aporosa dioica</i>	銀柴	7	286	6	low	poor	average	average	low	c	NIL	remove	climbers
T1681	<i>Aporosa dioica</i>	銀柴	7	191	6	low	poor	average	average	low	c	NIL	remove	climbers
T1682	<i>Aporosa dioica</i>	銀柴	8	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1683	<i>Machilus velutina</i>	絨毛潤楠	8	191	6	low	poor	average	average	low	c	NIL	remove	climbers
T1684	<i>Acronychia pedunculata</i>	山油柑	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1685	<i>Sterculia lanceolata</i>	假蘋婆	6	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1686	<i>Rhus succedanea</i>	野漆樹	7	191	6	low	poor	average	average	low	c	NIL	remove	climbers, trunk wound
T1687	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1688	<i>Sterculia lanceolata</i>	假蘋婆	8	191	8	low	poor	average	average	low	c	NIL	remove	climbers
T1689	<i>Ficus variegata</i>	青果榕	10	509	12	low	poor	average	average	low	c, h	NIL	remove	co-dominant trunks, climbers
T1690	<i>Ficus variegata</i>	青果榕	9	255	7	low	poor	average	average	low	c, h	NIL	remove	climbers
T1691	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1692	<i>Sterculia lanceolata</i>	假蘋婆	7	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1693	<i>Microcos nervosa</i>	布渣葉	6	191	5	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1694	<i>Sterculia lanceolata</i>	假蘋婆	6	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1695	<i>Ficus variegata</i>	青果榕	10	350	8	low	poor	average	average	low	c, h	NIL	remove	climbers
T1696	<i>Schefflera heptaphylla</i>	鴨腳木	8	446	10	low	poor	average	average	low	c	NIL	remove	climbers
T1697	<i>Ficus variegata</i>	青果榕	10	318	8	low	poor	average	average	low	c, h	NIL	remove	climbers
T1698	<i>Bridelia tomentosa</i>	土蜜樹	5	159	6	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1699	<i>Schefflera heptaphylla</i>	鴨腳木	6	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1700	<i>Sterculia lanceolata</i>	假蘋婆	6	127	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1701	<i>Sterculia lanceolata</i>	假蘋婆	8	255	7	low	poor	average	average	low	c	NIL	remove	climbers
T1702	<i>Sterculia lanceolata</i>	假蘋婆	6	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1703	<i>Microcos nervosa</i>	布渣葉	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1704	<i>Microcos nervosa</i>	布渣葉	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers, dieback
T1705	<i>Sterculia lanceolata</i>	假蘋婆	7	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1706	<i>Machilus chekiangensis</i>	浙江潤楠	10	541	12	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1707	<i>Sterculia lanceolata</i>	假蘋婆	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1708	<i>Sterculia lanceolata</i>	假蘋婆	8	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1709	<i>Sterculia lanceolata</i>	假蘋婆	8	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1710	<i>Schefflera heptaphylla</i>	鴨腳木	10	255	8	medium	average	average	average	medium		NIL	remove	
T1711	<i>Microcos nervosa</i>	布渣葉	8	127	5	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1712	<i>Sterculia lanceolata</i>	假蘋婆	9	159	6	medium	average	average	average	medium		NIL	remove	
T1713	<i>Sterculia lanceolata</i>	假蘋婆	8	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1714	<i>Sterculia lanceolata</i>	假蘋婆	8	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1715	<i>Machilus chekiangensis</i>	浙江潤楠	12	446	12	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1716	<i>Sterculia lanceolata</i>	假蘋婆	7	127	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1717	<i>Sterculia lanceolata</i>	假蘋婆	5	95	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1718	<i>Sapium discolor</i>	山烏柏	6	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1719	<i>Sapium discolor</i>	山烏柏	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1720	<i>Sterculia lanceolata</i>	假蘋婆	4	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1721	<i>Rhus succedanea</i>	野漆樹	4	95	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1722	<i>Machilus velutina</i>	絨毛潤楠	4	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1723	<i>Sterculia lanceolata</i>	假蘋婆	4	95	3	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1724	<i>Sterculia lanceolata</i>	假蘋婆	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers, dieback
T1725	<i>Sterculia lanceolata</i>	假蘋婆	4	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1726	<i>Sterculia lanceolata</i>	假蘋婆	5	127	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1727	<i>Sterculia lanceolata</i>	假蘋婆	7	127	6	low	poor	average	average	low	c	NIL	remove	lean
T1728	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1729	<i>Sterculia lanceolata</i>	假蘋婆	7	95	5	medium	average	average	average	medium		NIL	remove	
T1730	<i>Machilus pauhoi</i>	刨花潤楠	9	509	9	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1731	<i>Machilus pauhoi</i>	刨花潤楠	8	477	10	low	poor	average	average	low	c	NIL	remove	lean, multi-trunk, climbers
T1732	<i>Schima superba</i>	木荷	22	891	20	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1733	<i>Machilus pauhoi</i>	刨花潤楠	7	286	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1734	<i>Machilus pauhoi</i>	刨花潤楠	8	318	7	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1735	<i>Aporosa dioica</i>	銀柴	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1736	<i>Schefflera heptaphylla</i>	鴨腳木	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1737	<i>Schima superba</i>	木荷	16	828	16	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1738	<i>Bridelia tomentosa</i>	土蜜樹	4	127	5	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1739	<i>Microcos nervosa</i>	布渣葉	8	350	8	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1740	<i>Machilus pauhoi</i>	刨花潤楠	9	446	9	low	poor	poor	average	low	c, d	NIL	remove	multi-trunks, climbers
T1741	<i>Alangium chinense</i>	八角楓	9	159	7	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1742	<i>Sterculia lanceolata</i>	假蘋婆	8	159	6	low	poor	average	average	low	c	NIL	remove	climbers
T1743	<i>Machilus pauhoi</i>	刨花潤楠	8	286	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1744	<i>Sterculia lanceolata</i>	假蘋婆	8	159	6	low	poor	average	average	low	c	NIL	remove	climbers
T1745	<i>Cratoxylum cochinchinense</i>	黃牛木	6	127	4	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1746	<i>Machilus breviflora</i>	短序潤楠	7	286	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1747	<i>Machilus pauhoi</i>	刨花潤楠	7	350	6	low	poor	poor	poor	low	c, d, e	NIL	remove	multi-trunk, dead trunk, climbers
T1748	<i>Acronychia pedunculata</i>	山油柑	4	127	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1749	<i>Aporosa dioica</i>	銀柴	8	159	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1750	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1751	<i>Sterculia lanceolata</i>	假蘋婆	8	127	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1752	<i>Sterculia lanceolata</i>	假蘋婆	6	95	3	medium	average	average	average	medium		NIL	remove	
T1753	<i>Cratoxylum cochinchinense</i>	黃牛木	7	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1754	<i>Sterculia lanceolata</i>	假蘋婆	6	159	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1755	<i>Sterculia lanceolata</i>	假蘋婆	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1756	<i>Carallia brachiata</i>	竹節樹	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1757	<i>Endospermum chinense</i>	黃桐	8	318	7	low	poor	average	average	low	c	NIL	remove	broken leader
T1758	<i>Bridelia tomentosa</i>	土蜜樹	5	127	4	low	poor	average	average	low	c	NIL	remove	lean
T1759	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1760	<i>Acronychia pedunculata</i>	山油柑	6	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1761	<i>Cratoxylum cochinchinense</i>	黃牛木	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1762	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1763	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1764	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	4	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1765	<i>Sterculia lanceolata</i>	假蘋婆	5	95	4	low	poor	average	poor	low	c, e	NIL	remove	lean, trunk wound
T1766	<i>Aporosa dioica</i>	銀柴	7	286	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1767	<i>Carallia brachiata</i>	竹節樹	10	286	7	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T1768	<i>Schima superba</i>	木荷	10	191	6	low	poor	average	average	low	c	NIL	remove	climbers
T1769	<i>Schefflera heptaphylla</i>	鴨腳木	9	191	6	medium	average	average	average	medium		NIL	remove	
T1770	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	average	average	low	c	NIL	remove	lean
T1771	<i>Aporosa dioica</i>	銀柴	7	255	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1772	<i>Schefflera heptaphylla</i>	鴨腳木	8	191	6	medium	average	average	average	medium		NIL	remove	
T1773	<i>Aporosa dioica</i>	銀柴	9	127	6	medium	average	average	average	medium		NIL	remove	
T1774	<i>Aporosa dioica</i>	銀柴	9	191	7	medium	average	average	average	medium		NIL	remove	
T1775	<i>Sterculia lanceolata</i>	假蘋婆	7	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1776	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1778	<i>Aporosa dioica</i>	銀柴	9	191	5	medium	average	average	average	medium		NIL	remove	
T1779	<i>Aporosa dioica</i>	銀柴	9	255	6	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1780	<i>Cinnamomum camphora</i>	樟樹	12	477	14	low	poor	average	average	low	c	NIL	remove	climbers
T1781	<i>Aporosa dioica</i>	銀柴	7	127	3	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1782	<i>Sterculia lanceolata</i>	假蘋婆	4	127	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1783	<i>Aporosa dioica</i>	銀柴	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1784	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1785	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1786	Dead tree	死樹	5	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1787	<i>Alangium chinense</i>	八角楓	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1789	<i>Carallia brachiata</i>	竹節樹	9	382	8	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1790	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1791	<i>Microcos nervosa</i>	布渣葉	8	318	8	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1792	<i>Acronychia pedunculata</i>	山油柑	6	223	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1793	<i>Aporosa dioica</i>	銀柴	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1794	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1795	<i>Aporosa dioica</i>	銀柴	6	127	5	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1796	<i>Cratoxylum cochinchinense</i>	黃牛木	8	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1797	<i>Aporosa dioica</i>	銀柴	8	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1798	<i>Cratoxylum cochinchinense</i>	黃牛木	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1799	<i>Aporosa dioica</i>	銀柴	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1800	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1801	Dead tree	死樹	5	127	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1802	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1803	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1804	<i>Aporosa dioica</i>	銀柴	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1805	<i>Aporosa dioica</i>	銀柴	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1806	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1807	<i>Aporosa dioica</i>	銀柴	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1808	<i>Sterculia lanceolata</i>	假蘋婆	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1809	<i>Aporosa dioica</i>	銀柴	8	223	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1810	Dead tree	死樹	6	223	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1811	<i>Aporosa dioica</i>	銀柴	4	95	3	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1812	<i>Cratoxylum cochinchinense</i>	黃牛木	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1813	<i>Rhus succedanea</i>	野漆樹	5	286	6	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1814	<i>Cratoxylum cochinchinense</i>	黃牛木	4	95	3	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1815	<i>Machilus velutina</i>	絨毛潤楠	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1816	<i>Acronychia pedunculata</i>	山油柑	3	127	4	low	poor	poor	poor	low	c, d, e	NIL	remove	severe lean, climbers
T1817	Dead tree	死樹	4	127	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1818	<i>Alangium chinense</i>	八角楓	5	127	6	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1819	Dead tree	死樹	6	95	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1820	<i>Alangium chinense</i>	八角楓	7	414	7	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1821	<i>Celtis sinensis</i>	朴樹	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1822	<i>Celtis sinensis</i>	朴樹	4	127	5	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1823	<i>Bridelia tomentosa</i>	土蜜樹	5	95	4	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooed, climbers
T1824	Dead tree	死樹	4	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1825	<i>Rhus succedanea</i>	野漆樹	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1826	<i>Acronychia pedunculata</i>	山油柑	4	255	5	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooed, multi-trunk, climbers
T1827	<i>Aporosa dioica</i>	銀柴	5	191	5	low	poor	poor	average	low	c, d	NIL	remove	lean, co-dominan trunks, climbers
T1828	<i>Acronychia pedunculata</i>	山油柑	5	191	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1829	<i>Alangium chinense</i>	八角楓	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1830	Dead tree	死樹	4	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1831	Dead tree	死樹	5	127	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1832	<i>Machilus pauhoi</i>	刨花潤楠	12	668	14	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1833	<i>Machilus velutina</i>	絨毛潤楠	9	318	8	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1834	<i>Aporosa dioica</i>	銀柴	7	191	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1835	<i>Aporosa dioica</i>	銀柴	4	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1836	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1837	<i>Cinnamomum parthenoxylon</i>	黃樟	12	955	14	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, dead trunk, climbers
T1838	<i>Aporosa dioica</i>	銀柴	9	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1839	<i>Aporosa dioica</i>	銀柴	8	191	6	low	poor	average	average	low	c	NIL	remove	climbers
T1840	<i>Aporosa dioica</i>	銀柴	8	159	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1841	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1842	<i>Acronychia pedunculata</i>	山油柑	7	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1843	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1844	<i>Aporosa dioica</i>	銀柴	8	286	8	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1845	<i>Aporosa dioica</i>	銀柴	6	127	5	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1846	<i>Garcinia oblongifolia</i>	嶺南山竹子	6	127	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T1848	<i>Sterculia lanceolata</i>	假蘋婆	5	159	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, cross trunks, climbers
T1849	<i>Sterculia lanceolata</i>	假蘋婆	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1850	<i>Syzygium levinei</i>	山蒲桃	7	286	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1851	<i>Acronychia pedunculata</i>	山油柑	7	382	8	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1852	<i>Aporosa dioica</i>	銀柴	8	286	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T1853	<i>Sterculia lanceolata</i>	假蘋婆	8	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1854	<i>Rhus succedanea</i>	野漆樹	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1855	<i>Acronychia pedunculata</i>	山油柑	5	223	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1856	<i>Melicope pteleifolia</i>	三椏苦	7	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1857	<i>Aporosa dioica</i>	銀柴	7	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1858	<i>Acronychia pedunculata</i>	山油柑	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1859	<i>Sterculia lanceolata</i>	假蘋婆	7	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1860	<i>Daphniphyllum calycinum</i>	牛耳楓	4	127	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1861	<i>Microcos nervosa</i>	布渣葉	7	223	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1862	<i>Cinnamomum camphora</i>	樟樹	14	446	14	low	poor	average	average	low	c	NIL	remove	climbers
T1863	<i>Sterculia lanceolata</i>	假蘋婆	8	127	4	low	poor	average	average	low	c	NIL	remove	co-dominant branches, climbers
T1864	<i>Sterculia lanceolata</i>	假蘋婆	4	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1865	<i>Cratoxylum cochinchinense</i>	黃牛木	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1866	<i>Alangium chinense</i>	八角楓	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1867	<i>Sterculia lanceolata</i>	假蘋婆	5	159	5	low	poor	poor	average	low	c, d	NIL	remove	co-dominant trunks, climbers
T1868	<i>Aporosa dioica</i>	銀柴	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1869	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominant trunks, climbers
T1870	<i>Bridelia tomentosa</i>	土蜜樹	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1871	<i>Cratoxylum cochinchinense</i>	黃牛木	7	127	4	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooted, climbers
T1874	<i>Aporosa dioica</i>	銀柴	8	223	6	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1875	<i>Aporosa dioica</i>	銀柴	7	127	5	low	poor	average	average	low	c	NIL	remove	co-dominant branches, climbers
T1876	<i>Sterculia lanceolata</i>	假蘋婆	7	95	5	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1877	<i>Sterculia lanceolata</i>	假蘋婆	7	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1878	<i>Rhus succedanea</i>	野漆樹	4	191	4	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1879	<i>Sterculia lanceolata</i>	假蘋婆	5	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1880	<i>Sterculia lanceolata</i>	假蘋婆	7	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1881	<i>Sterculia lanceolata</i>	假蘋婆	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1882	<i>Scolopia chinensis</i>	刺柃	5	95	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1883	<i>Cratoxylum cochinchinense</i>	黃牛木	4	191	5	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1884	<i>Aporosa dioica</i>	銀柴	6	191	5	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1885	<i>Cratoxylum cochinchinense</i>	黃牛木	6	95	3	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1886	<i>Cratoxylum cochinchinense</i>	黃牛木	6	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1887	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1888	<i>Syzygium levinei</i>	山蒲桃	10	350	8	low	poor	average	average	low	c	NIL	retain	multi-trunk, climbers
T1889	<i>Cratoxylum cochinchinense</i>	黃牛木	8	191	5	low	poor	average	average	low	c	NIL	retain	co-dominant trunks, climbers
T1890	<i>Aquilaria sinensis</i>	土沉香	8	382	8	medium	poor	average	average	low	c	Cap. 586	remove	co-dominant trunks, climbers
T1891	<i>Acronychia pedunculata</i>	山油柑	4	191	5	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1892	<i>Cratoxylum cochinchinense</i>	黃牛木	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1893	<i>Sterculia lanceolata</i>	假蘋婆	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominant trunks, climbers
T1894	<i>Acronychia pedunculata</i>	山油柑	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominant trunks, climbers
T1895	<i>Schima superba</i>	木荷	8	159	6	low	poor	average	average	low	c	NIL	remove	lean
T1896	<i>Rhus succedanea</i>	野漆樹	5	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1897	<i>Schefflera heptaphylla</i>	鴨腳木	7	191	6	low	poor	average	average	low	c	NIL	remove	climbers
T1898	<i>Aporosa dioica</i>	銀柴	7	159	6	low	poor	average	average	low	c	NIL	remove	co-dominant trunks
T1899	<i>Rhus succedanea</i>	野漆樹	6	286	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1900	<i>Endospermum chinense</i>	黃桐	10	255	7	medium	average	average	average	medium		NIL	remove	
T1901	<i>Endospermum chinense</i>	黃桐	10	255	7	medium	average	average	average	medium		NIL	remove	
T1902	<i>Bridelia tomentosa</i>	土蜜樹	6	95	4	medium	average	average	average	medium		NIL	retain	
T1903	Dead tree	死樹	6	95	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1904	<i>Cratoxylum cochinchinense</i>	黃牛木	7	127	5	medium	average	average	average	medium		NIL	remove	
T1905	<i>Cratoxylum cochinchinense</i>	黃牛木	7	127	5	low	poor	average	average	low	c	NIL	retain	multi-trunk
T1906	<i>Schima superba</i>	木荷	4	95	2	medium	average	average	average	medium		NIL	retain	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T1907	<i>Endospermum chinense</i>	黃桐	8	255	7	medium	average	average	average	medium		NIL	retain	
T1908	<i>Endospermum chinense</i>	黃桐	9	223	10	medium	average	average	average	medium		NIL	retain	
T1909	<i>Carallia brachiata</i>	竹節樹	7	127	5	medium	average	average	average	medium		NIL	remove	
T1910	<i>Garcinia oblongifolia</i>	嶺南山竹子	4	127	3	medium	average	average	average	medium		NIL	retain	
T1911	<i>Aporosa dioica</i>	銀柴	4	127	4	medium	average	average	average	medium		NIL	retain	
T1912	<i>Carallia brachiata</i>	竹節樹	4	95	4	medium	average	average	average	medium		NIL	remove	
T1913	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	5	127	4	medium	average	average	average	medium		NIL	remove	
T1914	Dead tree	死樹	4	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1915	<i>Sapium discolor</i>	山烏柏	5	127	4	low	poor	average	average	low	c	NIL	Remove	climbers
T1916	<i>Cratoxylum cochinchinense</i>	黃牛木	5	127	4	low	poor	average	average	low	c	NIL	retain	co-dominant trunks
T1917	<i>Cratoxylum cochinchinense</i>	黃牛木	4	223	4	low	poor	average	average	low	c	NIL	retain	multi-trunk
T1918	<i>Cratoxylum cochinchinense</i>	黃牛木	5	159	4	low	poor	average	average	low	c	NIL	remove	co-dominant trunks
T1919	<i>Garcinia oblongifolia</i>	嶺南山竹子	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1920	<i>Rhus succedanea</i>	野漆樹	4	159	4	low	poor	average	average	low	c	NIL	remove	co-dominant trunks
T1921	<i>Carallia brachiata</i>	竹節樹	5	95	3	medium	average	average	average	medium		NIL	remove	
T1922	<i>Schefflera heptaphylla</i>	鴨腳木	5	159	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1923	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1924	<i>Liquidambar formosana</i>	楓香	6	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1925	<i>Liquidambar formosana</i>	楓香	7	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1926	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	7	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1927	<i>Liquidambar formosana</i>	楓香	10	223	8	low	poor	average	average	low	c	NIL	remove	climbers
T1928	<i>Liquidambar formosana</i>	楓香	7	191	9	low	poor	average	average	low	c	NIL	remove	climbers
T1929	Dead tree	死樹	5	127	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1930	<i>Sterculia lanceolata</i>	假蘋婆	4	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1931	<i>Schefflera heptaphylla</i>	鴨腳木	4	127	4	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1932	<i>Garcinia oblongifolia</i>	嶺南山竹子	4	95	3	low	poor	average	average	low	c	NIL	remove	climbers
T1933	<i>Rhus succedanea</i>	野漆樹	6	191	4	low	poor	average	average	low	c	NIL	remove	co-dominant trunks
T1934	<i>Endospermum chinense</i>	黃桐	9	446	10	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1935	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	7	95	5	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1936	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	7	318	6	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1937	<i>Carallia brachiata</i>	竹節樹	7	159	6	low	poor	average	average	low	c	NIL	remove	co-dominant branches, climbers
T1938	<i>Bridelia tomentosa</i>	土蜜樹	5	159	5	low	poor	average	average	low	c	NIL	remove	climbers
T1939	<i>Endospermum chinense</i>	黃桐	6	95	4	medium	average	average	average	medium		NIL	remove	
T1940	<i>Acronychia pedunculata</i>	山油柑	4	127	4	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1941	<i>Acronychia pedunculata</i>	山油柑	4	159	5	low	poor	average	average	low	c	NIL	remove	lean, multi-trunk, climbers
T1942	<i>Rhus succedanea</i>	野漆樹	5	159	5	low	poor	average	average	low	c	NIL	remove	lean, multi-trunk, climbers
T1943	<i>Acronychia pedunculata</i>	山油柑	4	286	6	low	poor	poor	poor	low	c, d, e	NIL	remove	collapsed
T1944	<i>Aporosa dioica</i>	銀柴	5	159	5	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1945	<i>Acronychia pedunculata</i>	山油柑	6	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1946	<i>Cratoxylum cochinchinense</i>	黃牛木	6	95	5	low	poor	average	average	low	c	NIL	remove	lean
T1947	<i>Sapium discolor</i>	山烏柏	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1948	<i>Endospermum chinense</i>	黃桐	8	255	7	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1949	<i>Rhus succedanea</i>	野漆樹	4	95	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1950	<i>Acronychia pedunculata</i>	山油柑	5	286	6	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1951	<i>Aporosa dioica</i>	銀柴	5	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1952	<i>Garcinia oblongifolia</i>	嶺南山竹子	5	95	5	medium	average	average	average	medium		NIL	remove	
T1953	<i>Garcinia oblongifolia</i>	嶺南山竹子	7	255	7	medium	average	average	average	medium		NIL	remove	
T1954	<i>Acronychia pedunculata</i>	山油柑	7	286	7	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1955	<i>Machilus velutina</i>	絨毛潤楠	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	lean, climbers
T1956	<i>Sapium discolor</i>	山烏柏	4	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1957	<i>Schima superba</i>	木荷	12	286	8	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T1958	<i>Machilus pauhoi</i>	刨花潤楠	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T1959	<i>Machilus breviflora</i>	短序潤楠	6	127	4	low	poor	average	average	low	c	NIL	remove	lean
T1960	<i>Schima superba</i>	木荷	9	191	7	medium	average	average	average	medium		NIL	remove	
T1961	<i>Schima superba</i>	木荷	8	191	5	low	poor	average	average	low	c	NIL	remove	climbers
T1962	<i>Polyspora axillaris</i>	大頭茶	4	286	5	low	poor	poor	average	low	c, d	NIL	remove	multi-trunk, climbers
T1963	<i>Rhus succedanea</i>	野漆樹	5	95	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1964	<i>Carallia brachiata</i>	竹節樹	6	127	4	low	poor	average	average	low	c	NIL	remove	climbers
T1965	<i>Cratoxylum cochinchinense</i>	黃牛木	4	191	4	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1966	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	8	127	5	medium	average	average	average	medium		NIL	remove	
T1967	<i>Schima superba</i>	木荷	10	318	9	medium	average	average	average	medium		NIL	remove	
T1968	<i>Acacia mangium</i>	大葉相思	5	159	8	low	poor	poor	poor	low	c, d, e, h	NIL	remove	collapsed
T1969	<i>Carallia brachiata</i>	竹節樹	5	95	4	medium	average	average	average	medium		NIL	remove	
T1970	<i>Schima superba</i>	木荷	5	95	4	medium	average	average	average	medium		NIL	remove	
T1971	<i>Carallia brachiata</i>	竹節樹	6	127	5	low	poor	average	average	low	c	NIL	remove	climbers
T1972	<i>Schima superba</i>	木荷	6	159	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T1973	<i>Garcinia oblongifolia</i>	嶺南山竹子	5	127	5	medium	average	average	average	medium		NIL	remove	
T1974	<i>Schima superba</i>	木荷	6	127	4	medium	average	average	average	medium		NIL	remove	
T1975	<i>Schima superba</i>	木荷	12	255	8	medium	average	average	average	medium		NIL	remove	
T1976	<i>Acronychia pedunculata</i>	山油柑	4	477	6	low	poor	average	poor	low	c, e	NIL	remove	multi-trunk, dead trunk
T1977	<i>Syzygium levinei</i>	山蒲桃	7	318	6	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1978	<i>Zanthoxylum avicennae</i>	筍欖花椒	5	95	4	medium	average	average	average	medium		NIL	remove	
T1979	<i>Machilus breviflora</i>	短序潤楠	4	446	6	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1980	<i>Cratoxylum cochinchinense</i>	黃牛木	4	127	4	medium	average	average	average	medium		NIL	remove	
T1981	Dead tree	死樹	7	159	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T1982	<i>Rhus succedanea</i>	野漆樹	5	159	4	low	poor	average	average	low	c	NIL	remove	lean
T1983	<i>Rhus succedanea</i>	野漆樹	4	159	5	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooed
T1984	<i>Rhus succedanea</i>	野漆樹	6	159	5	low	poor	average	poor	low	c, e	NIL	remove	lean, uprooed
T1985	<i>Acronychia pedunculata</i>	山油柑	5	191	5	low	poor	average	poor	low	c, e	NIL	remove	lean, exposed root, climbers
T1986	<i>Machilus velutina</i>	絨毛潤楠	5	159	4	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1987	<i>Acronychia pedunculata</i>	山油柑	4	95	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1988	<i>Acronychia pedunculata</i>	山油柑	4	127	4	low	poor	average	average	low	c	NIL	remove	lean, co-dominan trunks, climbers
T1989	<i>Rhus succedanea</i>	野漆樹	7	127	6	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1990	<i>Carallia brachiata</i>	竹節樹	8	255	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T1991	<i>Rhus succedanea</i>	野漆樹	6	127	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1992	<i>Acronychia pedunculata</i>	山油柑	6	159	5	low	poor	average	average	low	c	NIL	remove	lean, climbers
T1993	<i>Schefflera heptaphylla</i>	鴨腳木	4	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1994	<i>Syzygium levinei</i>	山蒲桃	7	159	5	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T1995	<i>Syzygium levinei</i>	山蒲桃	9	350	8	low	poor	average	average	low	c	NIL	remove	multi-trunk, climbers
T1996	<i>Acronychia pedunculata</i>	山油柑	4	127	4	low	poor	poor	average	low	c, d	NIL	remove	climbers
T1997	<i>Bridelia tomentosa</i>	土蜜樹	7	318	6	low	poor	average	average	low	c	NIL	remove	multi-trunk
T1998	<i>Cratoxylum cochinchinense</i>	黃牛木	4	95	4	low	poor	average	average	low	c	NIL	remove	climbers
T1999	<i>Cratoxylum cochinchinense</i>	黃牛木	5	100	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T2000	<i>Aporosa dioica</i>	銀柴	5	120	4	low	poor	average	average	low	c	NIL	remove	climbers
T2001	<i>Carallia brachiata</i>	竹節樹	5	130	4	low	poor	average	average	low	c	NIL	remove	climbers
T2002	<i>Cratoxylum cochinchinense</i>	黃牛木	5	130	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T2003	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	8	220	8	low	poor	average	average	low	c	NIL	remove	climbers
T2004	<i>Endospermum chinense</i>	黃桐	10	325	12	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T2005	<i>Schefflera heptaphylla</i>	鴨腳木	5	160	4	low	poor	average	average	low	c	NIL	remove	lean, climbers
T2006	<i>Syzygium levinei</i>	山蒲桃	7	170	5	low	poor	average	average	low	c	NIL	remove	climbers
T2007	<i>Aporosa dioica</i>	銀柴	5	155	6	low	poor	poor	average	low	c, d	NIL	remove	co-dominan trunks, climbers
T2008	<i>Aporosa dioica</i>	銀柴	4	145	4	medium	average	average	average	medium		NIL	remove	
T2009	<i>Cratoxylum cochinchinense</i>	黃牛木	5	135	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks, climbers
T2010	<i>Schefflera heptaphylla</i>	鴨腳木	6	150	6	low	poor	average	average	low	c	NIL	remove	climbers

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T2011	<i>Aporosa dioica</i>	銀柴	7	145	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T2027	<i>Acacia confusa</i>	台灣相思	7	130	4	low	average	average	average	low	h	NIL	remove	
T2028	<i>Celtis sinensis</i>	朴樹	8	140	7	medium	average	average	average	medium		NIL	remove	
T2029	<i>Corymbia torelliana</i>	毛葉桉	15	250	6	low	average	average	average	low	h	NIL	remove	
T2030	<i>Corymbia citriodora</i>	檸檬桉	16	270	6	low	average	average	average	low	h	NIL	remove	
T2031	<i>Cinnamomum camphora</i>	樟樹	6	190	5	medium	average	average	average	medium		NIL	remove	
T2032	<i>Acacia auriculiformis</i>	耳果相思	12	280	7	low	average	average	average	low	h	NIL	remove	
T2033	<i>Acacia auriculiformis</i>	耳果相思	7	345	12	low	poor	average	average	low	c, h	NIL	remove	multi-trunk
T2034	<i>Bischofia javanica</i>	秋楓	6	140	4	medium	average	average	average	medium		NIL	remove	
T2035	<i>Corymbia torelliana</i>	毛葉桉	14	240	6	low	average	average	average	low	h	NIL	remove	
T2036	<i>Acacia auriculiformis</i>	耳果相思	7	210	7	low	poor	average	average	low	c, h	NIL	remove	lean
T2037	<i>Corymbia torelliana</i>	毛葉桉	12	280	5	low	average	average	average	low	h	NIL	remove	
T2038	<i>Bischofia javanica</i>	秋楓	6	160	5	medium	average	average	average	medium		NIL	remove	
T2039	<i>Eucalyptus exserta</i>	窿緣桉	8	180	5	low	average	average	average	low	h	NIL	remove	
T2040	<i>Bischofia javanica</i>	秋楓	5	150	4	medium	average	average	average	medium		NIL	remove	
T2041	<i>Acacia confusa</i>	台灣相思	5	140	4	low	average	average	average	low	h	NIL	remove	
T2042	<i>Acacia auriculiformis</i>	耳果相思	5	150	5	low	average	average	average	low	h	NIL	remove	
T2043	<i>Corymbia citriodora</i>	檸檬桉	7	160	5	low	average	average	average	low	h	NIL	remove	
T2044	<i>Acacia auriculiformis</i>	耳果相思	9	220	5	low	average	average	average	low	h	NIL	remove	
T2045	<i>Acacia auriculiformis</i>	耳果相思	8	325	8	low	average	average	average	low	h	NIL	remove	
T2046	<i>Acacia auriculiformis</i>	耳果相思	10	335	8	low	average	average	average	low	h	NIL	remove	
T2047	<i>Acacia auriculiformis</i>	耳果相思	9	290	7	low	average	average	average	low	h	NIL	remove	
T2048	<i>Acacia confusa</i>	台灣相思	3	230	5	low	average	average	average	low	h	NIL	remove	
T2049	<i>Acacia auriculiformis</i>	耳果相思	8	265	10	low	poor	poor	poor	low	c, d, e, h	NIL	remove	dead branch, dieback
T2050	<i>Acacia auriculiformis</i>	耳果相思	8	320	8	low	average	average	average	low	h	NIL	remove	
T2051	<i>Acacia confusa</i>	台灣相思	8	150	6	low	average	average	average	low	h	NIL	remove	
T2052	<i>Acacia auriculiformis</i>	耳果相思	12	310	8	low	average	average	average	low	h	NIL	remove	
T2053	<i>Acacia confusa</i>	台灣相思	4	140	5	low	average	average	average	low	h	NIL	remove	
T2054	<i>Corymbia torelliana</i>	毛葉桉	8	270	6	low	average	average	average	low	h	NIL	remove	
T2055	<i>Acacia auriculiformis</i>	耳果相思	6	200	10	low	average	average	average	low	h	NIL	remove	
T2056	<i>Acacia auriculiformis</i>	耳果相思	13	270	8	low	average	average	average	low	h	NIL	remove	
T2057	<i>Corymbia torelliana</i>	毛葉桉	12	170	4	low	average	average	average	low	h	NIL	remove	
T2058	<i>Acacia auriculiformis</i>	耳果相思	9	300	8	low	average	average	average	low	h	NIL	remove	
T2059	<i>Acacia auriculiformis</i>	耳果相思	5	265	3	low	average	average	average	low	h	NIL	remove	
T2060	<i>Acacia auriculiformis</i>	耳果相思	8	200	8	low	average	average	average	low	h	NIL	remove	
T2061	<i>Acacia auriculiformis</i>	耳果相思	4	180	4	low	average	average	average	low	h	NIL	remove	
T2062	<i>Acacia auriculiformis</i>	耳果相思	6	160	4	low	poor	average	average	low	c, h	NIL	remove	climbers
T2063	<i>Eucalyptus exserta</i>	窿緣桉	8	180	8	low	average	average	average	low	h	NIL	remove	
T2064	<i>Bischofia javanica</i>	秋楓	4	140	4	medium	average	average	average	medium		NIL	remove	
T2065	<i>Acacia mangium</i>	大葉相思	13	210	7	low	average	average	average	low	h	NIL	remove	
T2066	<i>Machilus chekiangensis</i>	浙江潤楠	4	125	4	medium	average	average	average	medium		NIL	remove	
T2067	<i>Corymbia torelliana</i>	毛葉桉	9	180	6	low	average	average	average	low	h	NIL	remove	
T2068	Dead tree	死樹	9	200	5	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2069	<i>Alangium chinense</i>	八角楓	5	130	3	medium	average	average	average	medium		NIL	remove	
T2070	Dead tree	死樹	8	140	4	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2071	<i>Corymbia torelliana</i>	毛葉桉	8	140	3	low	average	average	average	low	h	NIL	remove	
T2072	<i>Alangium chinense</i>	八角楓	4	130	4	medium	average	average	average	medium		NIL	remove	
T2073	Dead tree	死樹	10	180	8	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2074	<i>Acacia mangium</i>	大葉相思	8	200	4	low	average	average	average	low	h	NIL	remove	
T2075	<i>Corymbia torelliana</i>	毛葉桉	12	170	3	low	average	average	average	low	h	NIL	remove	
T2076	<i>Acacia mangium</i>	大葉相思	12	300	7	low	average	average	average	low	h	NIL	remove	
T2077	Dead tree	死樹	10	230	3	low	poor	poor	poor	low	c, d, e	-	remove	Dead

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T2078	<i>Alangium chinense</i>	八角楓	6	130	4	medium	average	average	average	medium		NIL	remove	
T2079	<i>Sapium discolor</i>	山烏柏	8	220	7	medium	average	average	average	medium		NIL	remove	
T2080	<i>Acacia mangium</i>	大葉相思	4	110	4	low	average	average	average	low	h	NIL	remove	
T2081	<i>Acacia auriculiformis</i>	耳果相思	9	160	5	low	poor	average	poor	low	c, e, h	NIL	remove	lean, uprooted, dead branch
T2082	<i>Acacia auriculiformis</i>	耳果相思	9	190	8	low	poor	average	average	low	c, h	NIL	remove	lean
T2083	<i>Acacia auriculiformis</i>	耳果相思	10	220	6	low	average	average	average	low	h	NIL	remove	
T2084	<i>Corymbia torelliana</i>	毛葉桉	10	240	3	low	average	average	average	low	h	NIL	remove	
T2085	<i>Acacia auriculiformis</i>	耳果相思	9	280	12	low	average	average	average	low	h	NIL	remove	
T2086	<i>Acacia auriculiformis</i>	耳果相思	8	180	6	low	average	average	average	low	h	NIL	remove	
T2087	<i>Acacia auriculiformis</i>	耳果相思	9	250	10	low	average	average	average	low	h	NIL	remove	
T2088	<i>Acacia auriculiformis</i>	耳果相思	7	140	5	low	average	average	average	low	h	NIL	remove	
T2089	<i>Acacia auriculiformis</i>	耳果相思	10	310	9	low	poor	average	poor	low	c, e, h	NIL	remove	dead branch
T2090	<i>Acacia auriculiformis</i>	耳果相思	8	290	12	low	poor	average	average	low	c, h	NIL	remove	lean
T2091	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	4	100	4	low	poor	average	average	low	c, h	NIL	remove	lean
T2092	<i>Acacia auriculiformis</i>	耳果相思	8	270	13	low	poor	average	average	low	c, h	NIL	remove	lean
T2093	<i>Acacia auriculiformis</i>	耳果相思	10	280	8	low	average	average	average	low	h	NIL	remove	
T2094	<i>Acacia auriculiformis</i>	耳果相思	6	160	8	low	poor	average	average	low	h	NIL	remove	lean
T2095	<i>Corymbia torelliana</i>	毛葉桉	9	230	3	low	poor	poor	poor	low	c, d, e, h	NIL	remove	dead branch, dieback
T2096	<i>Acacia auriculiformis</i>	耳果相思	12	280	7	low	average	average	average	low	h	NIL	remove	
T2097	<i>Corymbia torelliana</i>	毛葉桉	12	190	4	low	average	average	average	low	h	NIL	remove	
T2098	<i>Acacia auriculiformis</i>	耳果相思	12	240	3	low	average	average	average	low	h	NIL	remove	
T2099	<i>Eucalyptus exserta</i>	窿緣桉	9	180	7	low	average	average	average	low	h	NIL	remove	
T2100	<i>Acacia auriculiformis</i>	耳果相思	8	190	5	low	average	average	average	low	h	NIL	remove	
T2101	<i>Celtis sinensis</i>	朴樹	6	170	5	medium	average	average	average	medium		NIL	remove	
T2102	<i>Acacia auriculiformis</i>	耳果相思	10	280	8	low	average	average	average	low	h	NIL	remove	
T2103	<i>Lophostemon confertus</i>	紅膠木	10	130	5	low	average	average	average	low	h	NIL	remove	
T2104	<i>Acacia auriculiformis</i>	耳果相思	10	300	9	low	average	average	average	low	h	NIL	remove	
T2105	<i>Acacia auriculiformis</i>	耳果相思	9	300	9	low	average	average	average	low	h	NIL	remove	
T2106	<i>Corymbia torelliana</i>	毛葉桉	14	270	5	low	average	average	average	low	h	NIL	remove	
T2107	<i>Alangium chinense</i>	八角楓	7	130	4	medium	average	average	average	medium		NIL	remove	
T2108	<i>Corymbia torelliana</i>	毛葉桉	10	140	2	low	average	average	average	low	h	NIL	remove	
T2109	<i>Corymbia torelliana</i>	毛葉桉	14	180	3	low	average	average	average	low	h	NIL	remove	
T2110	<i>Corymbia torelliana</i>	毛葉桉	15	250	5	low	average	average	average	low	h	NIL	remove	
T2111	<i>Corymbia torelliana</i>	毛葉桉	13	160	3	low	average	average	average	low	h	NIL	remove	
T2112	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2113	<i>Corymbia torelliana</i>	毛葉桉	13	170	3	low	average	average	average	low	h	NIL	remove	
T2114	<i>Corymbia torelliana</i>	毛葉桉	15	190	4	low	average	average	average	low	h	NIL	remove	
T2115	<i>Corymbia torelliana</i>	毛葉桉	12	180	2	low	average	average	average	low	h	NIL	remove	
T2116	<i>Corymbia torelliana</i>	毛葉桉	13	210	4	low	average	average	average	low	h	NIL	remove	
T2117	<i>Corymbia torelliana</i>	毛葉桉	16	270	5	low	average	average	average	low	h	NIL	remove	
T2118	<i>Corymbia torelliana</i>	毛葉桉	16	280	5	low	average	average	average	low	h	NIL	remove	
T2119	<i>Corymbia torelliana</i>	毛葉桉	7	120	2	low	average	average	average	low	h	NIL	remove	
T2120	<i>Sapium discolor</i>	山烏柏	4	130	3	medium	average	average	average	medium		NIL	remove	
T2121	<i>Corymbia torelliana</i>	毛葉桉	9	140	2	low	average	average	average	low	h	NIL	remove	
T2122	<i>Alangium chinense</i>	八角楓	8	130	4	medium	average	average	average	medium		NIL	remove	
T2123	<i>Corymbia torelliana</i>	毛葉桉	8	130	4	low	average	average	average	low	h	NIL	remove	
T2124	<i>Corymbia torelliana</i>	毛葉桉	13	200	4	low	average	average	average	low	h	NIL	remove	
T2125	<i>Corymbia torelliana</i>	毛葉桉	7	100	5	low	average	average	average	low	h	NIL	remove	
T2126	<i>Corymbia torelliana</i>	毛葉桉	14	200	4	low	average	average	average	low	h	NIL	remove	
T2127	<i>Corymbia torelliana</i>	毛葉桉	18	220	5	low	average	average	average	low	h	NIL	remove	
T2128	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2129	<i>Corymbia torelliana</i>	毛葉桉	14	200	3	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T2130	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2131	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2132	<i>Corymbia torelliana</i>	毛葉桉	18	280	5	low	average	average	average	low	h	NIL	remove	
T2133	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2134	<i>Corymbia torelliana</i>	毛葉桉	9	110	2	low	average	average	average	low	h	NIL	remove	
T2135	<i>Corymbia torelliana</i>	毛葉桉	17	220	4	low	average	average	average	low	h	NIL	remove	
T2136	<i>Alangium chinense</i>	八角楓	5	130	5	low	poor	average	average	low	c	NIL	remove	co-dominant trunks, climbers
T2137	<i>Corymbia torelliana</i>	毛葉桉	17	220	4	low	average	average	average	low	h	NIL	remove	
T2138	<i>Ficus hispida</i>	對葉榕	8	130	5	low	average	average	average	low	h	NIL	remove	
T2139	<i>Corymbia torelliana</i>	毛葉桉	10	130	3	low	average	average	average	low	h	NIL	remove	
T2140	<i>Corymbia torelliana</i>	毛葉桉	13	150	2	low	average	average	average	low	h	NIL	remove	
T2141	<i>Corymbia torelliana</i>	毛葉桉	20	280	5	low	average	average	average	low	h	NIL	remove	
T2142	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5	110	6	low	average	average	average	low	h	NIL	remove	
T2143	<i>Corymbia torelliana</i>	毛葉桉	14	260	5	low	average	average	average	low	h	NIL	remove	
T2144	<i>Sapium discolor</i>	山烏柏	8	140	5	medium	average	average	average	medium		NIL	remove	
T2145	<i>Alangium chinense</i>	八角楓	5	130	4	medium	average	average	average	medium		NIL	remove	
T2146	<i>Corymbia torelliana</i>	毛葉桉	23	290	5	low	average	average	average	low	h	NIL	remove	
T2147	<i>Alangium chinense</i>	八角楓	6	150	4	medium	average	average	average	medium		NIL	remove	
T2148	<i>Ficus hispida</i>	對葉榕	7	130	6	low	average	average	average	low	h	NIL	remove	
T2149	<i>Corymbia torelliana</i>	毛葉桉	23	280	5	low	average	average	average	low	h	NIL	remove	
T2150	<i>Corymbia torelliana</i>	毛葉桉	20	200	5	low	average	average	average	low	h	NIL	remove	
T2151	<i>Corymbia torelliana</i>	毛葉桉	23	300	5	low	average	average	average	low	h	NIL	remove	
T2152	<i>Corymbia torelliana</i>	毛葉桉	16	245	4	low	poor	average	average	low	c, h	NIL	remove	co-dominant trunks
T2153	<i>Corymbia torelliana</i>	毛葉桉	23	260	5	low	average	average	average	low	h	NIL	remove	
T2154	<i>Corymbia torelliana</i>	毛葉桉	23	270	6	low	average	average	average	low	h	NIL	remove	
T2155	<i>Cratoxylum cochinchinense</i>	黃牛木	5	100	4	medium	average	average	average	medium		NIL	remove	
T2156	<i>Corymbia torelliana</i>	毛葉桉	23	200	4	low	average	average	average	low	h	NIL	remove	
T2157	<i>Corymbia torelliana</i>	毛葉桉	14	150	4	low	average	average	average	low	h	NIL	remove	
T2158	<i>Corymbia torelliana</i>	毛葉桉	14	140	3	low	average	average	average	low	h	NIL	remove	
T2159	<i>Corymbia torelliana</i>	毛葉桉	22	190	4	low	average	average	average	low	h	NIL	remove	
T2160	<i>Corymbia torelliana</i>	毛葉桉	18	160	4	low	average	average	average	low	h	NIL	remove	
T2161	<i>Corymbia torelliana</i>	毛葉桉	23	280	6	low	average	average	average	low	h	NIL	remove	
T2162	<i>Corymbia torelliana</i>	毛葉桉	18	250	4	low	average	average	average	low	h	NIL	remove	
T2163	<i>Corymbia torelliana</i>	毛葉桉	14	240	2	low	average	average	average	low	h	NIL	remove	
T2164	<i>Corymbia torelliana</i>	毛葉桉	13	170	2	low	average	average	average	low	h	NIL	remove	
T2165	<i>Corymbia torelliana</i>	毛葉桉	16	200	5	low	average	average	average	low	h	NIL	remove	
T2166	<i>Corymbia torelliana</i>	毛葉桉	21	220	4	low	average	average	average	low	h	NIL	remove	
T2167	<i>Corymbia torelliana</i>	毛葉桉	20	200	4	low	average	average	average	low	h	NIL	remove	
T2168	<i>Corymbia torelliana</i>	毛葉桉	21	270	5	low	average	average	average	low	h	NIL	remove	
T2169	<i>Corymbia torelliana</i>	毛葉桉	21	300	10	low	average	average	average	low	h	NIL	remove	
T2170	<i>Corymbia torelliana</i>	毛葉桉	21	260	5	low	average	average	average	low	h	NIL	remove	
T2171	<i>Corymbia torelliana</i>	毛葉桉	21	300	8	low	average	average	average	low	h	NIL	remove	
T2172	<i>Corymbia torelliana</i>	毛葉桉	21	250	5	low	average	average	average	low	h	NIL	remove	
T2173	<i>Corymbia torelliana</i>	毛葉桉	15	140	3	low	average	average	average	low	h	NIL	remove	
T2174	<i>Corymbia torelliana</i>	毛葉桉	15	130	4	low	average	average	average	low	h	NIL	remove	
T2175	<i>Corymbia torelliana</i>	毛葉桉	15	140	4	low	average	average	average	low	h	NIL	remove	
T2176	<i>Corymbia torelliana</i>	毛葉桉	21	250	5	low	average	average	average	low	h	NIL	remove	
T2177	<i>Corymbia torelliana</i>	毛葉桉	21	310	5	low	average	average	average	low	h	NIL	remove	
T2178	<i>Corymbia torelliana</i>	毛葉桉	21	330	5	low	average	average	average	low	h	NIL	remove	
T2179	<i>Corymbia torelliana</i>	毛葉桉	15	180	4	low	average	average	average	low	h	NIL	remove	
T2180	<i>Corymbia torelliana</i>	毛葉桉	21	190	5	low	average	average	average	low	h	NIL	remove	
T2181	<i>Corymbia torelliana</i>	毛葉桉	21	260	5	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T2182	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2183	<i>Corymbia torelliana</i>	毛葉桉	20	210	5	low	average	average	average	low	h	NIL	remove	
T2184	<i>Corymbia torelliana</i>	毛葉桉	18	250	4	low	average	average	average	low	h	NIL	remove	
T2185	<i>Corymbia torelliana</i>	毛葉桉	16	260	4	low	average	average	average	low	h	NIL	remove	
T2186	<i>Corymbia torelliana</i>	毛葉桉	14	150	4	low	average	average	average	low	h	NIL	remove	
T2187	<i>Corymbia torelliana</i>	毛葉桉	15	160	3	low	average	average	average	low	h	NIL	remove	
T2188	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2189	<i>Corymbia torelliana</i>	毛葉桉	12	140	3	low	average	average	average	low	h	NIL	remove	
T2190	<i>Corymbia torelliana</i>	毛葉桉	8	130	2	low	average	average	average	low	h	NIL	remove	
T2191	<i>Corymbia torelliana</i>	毛葉桉	18	230	4	low	average	average	average	low	h	NIL	remove	
T2192	<i>Corymbia torelliana</i>	毛葉桉	18	250	4	low	average	average	average	low	h	NIL	remove	
T2193	<i>Corymbia torelliana</i>	毛葉桉	20	300	5	low	average	average	average	low	h	NIL	remove	
T2194	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	5	180	7	low	average	average	average	low	h	NIL	remove	
T2195	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2196	<i>Corymbia torelliana</i>	毛葉桉	12	160	3	low	average	average	average	low	h	NIL	remove	
T2197	<i>Corymbia torelliana</i>	毛葉桉	20	300	5	low	average	average	average	low	h	NIL	remove	
T2198	<i>Corymbia torelliana</i>	毛葉桉	20	310	5	low	average	average	average	low	h	NIL	remove	
T2199	<i>Corymbia torelliana</i>	毛葉桉	20	270	4	low	average	average	average	low	h	NIL	remove	
T2200	<i>Corymbia torelliana</i>	毛葉桉	20	280	4	low	average	average	average	low	h	NIL	remove	
T2201	<i>Corymbia torelliana</i>	毛葉桉	20	280	4	low	average	average	average	low	h	NIL	remove	
T2202	<i>Corymbia torelliana</i>	毛葉桉	20	280	4	low	average	average	average	low	h	NIL	remove	
T2203	<i>Corymbia torelliana</i>	毛葉桉	10	110	2	low	average	average	average	low	h	NIL	remove	
T2204	<i>Corymbia torelliana</i>	毛葉桉	20	270	4	low	average	average	average	low	h	NIL	remove	
T2205	<i>Corymbia torelliana</i>	毛葉桉	10	150	2	low	average	average	average	low	h	NIL	remove	
T2206	<i>Corymbia torelliana</i>	毛葉桉	10	160	2	low	average	average	average	low	h	NIL	remove	
T2207	<i>Corymbia torelliana</i>	毛葉桉	18	280	5	low	average	average	average	low	h	NIL	remove	
T2208	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2209	<i>Corymbia torelliana</i>	毛葉桉	13	160	6	low	average	average	average	low	h	NIL	remove	
T2210	<i>Corymbia torelliana</i>	毛葉桉	13	160	5	low	average	average	average	low	h	NIL	remove	
T2211	<i>Corymbia torelliana</i>	毛葉桉	16	170	4	low	average	average	average	low	h	NIL	remove	
T2212	<i>Corymbia torelliana</i>	毛葉桉	18	240	7	low	average	average	average	low	h	NIL	remove	
T2213	<i>Corymbia torelliana</i>	毛葉桉	14	250	5	low	average	average	average	low	h	NIL	retain	
T2214	<i>Corymbia torelliana</i>	毛葉桉	14	250	4	low	average	average	average	low	h	NIL	retain	
T2215	<i>Corymbia torelliana</i>	毛葉桉	14	260	5	low	average	average	average	low	h	NIL	retain	
T2216	<i>Corymbia torelliana</i>	毛葉桉	14	240	4	low	average	average	average	low	h	NIL	remove	
T2217	<i>Corymbia torelliana</i>	毛葉桉	12	180	3	low	average	average	average	low	h	NIL	retain	
T2218	<i>Corymbia torelliana</i>	毛葉桉	18	300	7	low	average	average	average	low	h	NIL	retain	
T2277	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2278	<i>Corymbia torelliana</i>	毛葉桉	16	270	5	low	average	average	average	low	h	NIL	remove	
T2279	<i>Corymbia torelliana</i>	毛葉桉	16	270	5	low	average	average	average	low	h	NIL	remove	
T2280	<i>Corymbia torelliana</i>	毛葉桉	9	180	2	low	average	average	average	low	h	NIL	remove	
T2281	<i>Corymbia torelliana</i>	毛葉桉	13	220	3	low	average	average	average	low	h	NIL	remove	
T2282	<i>Schefflera heptaphylla</i>	鴨腳木	8	160	3	medium	average	average	average	medium		NIL	remove	
T2283	<i>Corymbia torelliana</i>	毛葉桉	12	150	2	low	average	average	average	low	h	NIL	remove	
T2284	<i>Corymbia torelliana</i>	毛葉桉	16	210	4	low	average	average	average	low	h	NIL	remove	
T2285	<i>Corymbia torelliana</i>	毛葉桉	10	150	2	low	average	average	average	low	h	NIL	remove	
T2288	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	9	130	4	medium	average	average	average	medium		NIL	remove	
T2289	<i>Corymbia torelliana</i>	毛葉桉	12	130	3	low	average	average	average	low	h	NIL	remove	
T2290	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2291	<i>Corymbia torelliana</i>	毛葉桉	20	270	5	low	poor	average	average	low	c, d, e, h	NIL	remove	broken leader
T2292	<i>Corymbia torelliana</i>	毛葉桉	18	260	9	low	average	average	average	low	h	NIL	remove	
T2293	<i>Corymbia torelliana</i>	毛葉桉	12	140	3	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T2294	<i>Corymbia torelliana</i>	毛葉桉	13	140	2	low	average	average	average	low	h	NIL	remove	
T2295	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2296	<i>Corymbia torelliana</i>	毛葉桉	13	140	3	low	average	average	average	low	h	NIL	remove	
T2297	<i>Corymbia torelliana</i>	毛葉桉	15	150	4	low	average	average	average	low	h	NIL	remove	
T2298	<i>Corymbia torelliana</i>	毛葉桉	20	220	4	low	average	average	average	low	h	NIL	remove	
T2299	<i>Corymbia torelliana</i>	毛葉桉	16	230	4	low	average	average	average	low	h	NIL	remove	
T2300	<i>Corymbia torelliana</i>	毛葉桉	15	150	4	low	average	average	average	low	h	NIL	remove	
T2301	<i>Corymbia torelliana</i>	毛葉桉	20	200	5	low	average	average	average	low	h	NIL	remove	
T2302	<i>Corymbia torelliana</i>	毛葉桉	20	240	4	low	average	average	average	low	h	NIL	remove	
T2303	<i>Corymbia torelliana</i>	毛葉桉	14	190	4	low	average	average	average	low	h	NIL	remove	
T2304	Dead tree	死樹	9	110	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2305	<i>Corymbia torelliana</i>	毛葉桉	14	140	2	low	average	average	average	low	h	NIL	remove	
T2306	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2307	<i>Corymbia torelliana</i>	毛葉桉	15	140	3	low	average	average	average	low	h	NIL	remove	
T2308	<i>Corymbia torelliana</i>	毛葉桉	15	150	4	low	average	average	average	low	h	NIL	remove	
T2309	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2310	Dead tree	死樹	14	140	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2311	<i>Corymbia torelliana</i>	毛葉桉	18	170	4	low	average	average	average	low	h	NIL	remove	
T2312	<i>Corymbia torelliana</i>	毛葉桉	18	180	4	low	average	average	average	low	h	NIL	remove	
T2313	<i>Corymbia torelliana</i>	毛葉桉	18	220	4	low	average	average	average	low	h	NIL	remove	
T2314	<i>Corymbia torelliana</i>	毛葉桉	15	150	2	low	average	average	average	low	h	NIL	remove	
T2315	<i>Corymbia torelliana</i>	毛葉桉	15	150	2	low	average	average	average	low	h	NIL	remove	
T2316	<i>Corymbia torelliana</i>	毛葉桉	18	170	4	low	average	average	average	low	h	NIL	remove	
T2317	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2318	<i>Corymbia torelliana</i>	毛葉桉	14	140	2	low	average	average	average	low	h	NIL	remove	
T2319	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2320	<i>Corymbia torelliana</i>	毛葉桉	18	140	4	low	average	average	average	low	h	NIL	remove	
T2321	<i>Corymbia torelliana</i>	毛葉桉	16	140	3	low	average	average	average	low	h	NIL	remove	
T2322	<i>Corymbia torelliana</i>	毛葉桉	10	120	2	low	average	average	average	low	h	NIL	remove	
T2323	<i>Corymbia torelliana</i>	毛葉桉	20	200	4	low	average	average	average	low	h	NIL	remove	
T2324	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	poor	average	average	low	c, h	NIL	remove	climbers
T2325	<i>Sapium discolor</i>	山烏桉	9	130	5	medium	average	average	average	medium		NIL	remove	
T2326	<i>Corymbia torelliana</i>	毛葉桉	15	190	4	low	average	average	average	low	h	NIL	remove	
T2327	<i>Corymbia torelliana</i>	毛葉桉	18	150	4	low	average	average	average	low	h	NIL	remove	
T2328	<i>Corymbia torelliana</i>	毛葉桉	14	150	3	low	average	average	average	low	h	NIL	remove	
T2329	<i>Corymbia torelliana</i>	毛葉桉	10	120	2	low	average	average	average	low	h	NIL	remove	
T2330	<i>Corymbia torelliana</i>	毛葉桉	13	130	4	low	average	average	average	low	h	NIL	remove	
T2331	<i>Corymbia torelliana</i>	毛葉桉	20	140	4	low	average	average	average	low	h	NIL	remove	
T2332	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2333	<i>Corymbia torelliana</i>	毛葉桉	16	140	5	low	average	average	average	low	h	NIL	remove	
T2334	<i>Corymbia torelliana</i>	毛葉桉	9	130	3	low	poor	average	poor	low	c, e, h	NIL	remove	climbers, broken branch
T2335	<i>Corymbia torelliana</i>	毛葉桉	8	120	3	low	average	average	average	low	h	NIL	remove	
T2336	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2337	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2338	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2339	<i>Corymbia torelliana</i>	毛葉桉	7	110	2	low	poor	average	poor	low	h	NIL	remove	climbers
T2340	<i>Corymbia torelliana</i>	毛葉桉	12	170	5	low	average	average	average	low	h	NIL	remove	
T2341	Dead tree	死樹	9	110	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2342	Dead tree	死樹	8	120	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2343	<i>Corymbia torelliana</i>	毛葉桉	10	140	3	low	average	average	average	low	h	NIL	remove	
T2344	<i>Corymbia torelliana</i>	毛葉桉	9	140	2	low	average	average	average	low	h	NIL	remove	
T2345	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T2346	<i>Corymbia torelliana</i>	毛葉桉	9	130	3	low	average	average	average	low	h	NIL	remove	
T2347	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	5	120	6	medium	average	average	average	medium		NIL	remove	
T2348	<i>Corymbia torelliana</i>	毛葉桉	15	160	4	low	average	average	average	low	h	NIL	remove	
T2349	<i>Machilus pauhoi</i>	刨花潤楠	7	125	5	medium	average	average	average	medium		NIL	remove	
T2350	<i>Machilus pauhoi</i>	刨花潤楠	7	110	4	medium	average	average	average	medium		NIL	remove	
T2351	<i>Corymbia torelliana</i>	毛葉桉	18	210	6	low	average	average	average	low	h	NIL	remove	
T2352	<i>Corymbia torelliana</i>	毛葉桉	8	130	2	low	average	average	average	low	h	NIL	remove	
T2353	<i>Corymbia torelliana</i>	毛葉桉	9	140	2	low	average	average	average	low	h	NIL	remove	
T2354	<i>Corymbia torelliana</i>	毛葉桉	9	140	6	low	average	average	average	low	h	NIL	remove	
T2355	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2356	<i>Corymbia torelliana</i>	毛葉桉	12	140	3	low	average	average	average	low	h	NIL	remove	
T2357	<i>Corymbia torelliana</i>	毛葉桉	15	150	4	low	average	average	average	low	h	NIL	remove	
T2358	<i>Corymbia torelliana</i>	毛葉桉	12	130	2	low	average	average	average	low	h	NIL	remove	
T2359	<i>Corymbia torelliana</i>	毛葉桉	12	140	8	low	average	average	average	low	h	NIL	remove	
T2360	<i>Corymbia torelliana</i>	毛葉桉	10	120	2	low	average	average	average	low	h	NIL	remove	
T2361	<i>Corymbia torelliana</i>	毛葉桉	12	130	2	low	average	average	average	low	h	NIL	remove	
T2362	<i>Machilus chekiangensis</i>	浙江潤楠	4	130	4	low	poor	poor	average	low	c, d	NIL	remove	climbers, dieback
T2363	<i>Corymbia torelliana</i>	毛葉桉	10	130	3	low	average	average	average	low	h	NIL	remove	
T2364	<i>Corymbia torelliana</i>	毛葉桉	10	130	5	low	average	average	average	low	h	NIL	remove	
T2365	<i>Corymbia torelliana</i>	毛葉桉	10	140	5	low	average	average	average	low	h	NIL	remove	
T2366	<i>Corymbia torelliana</i>	毛葉桉	10	120	2	low	poor	average	average	low	c, h	NIL	remove	dead branch
T2367	<i>Machilus chekiangensis</i>	浙江潤楠	5	150	5	medium	average	average	average	medium		NIL	remove	
T2368	<i>Corymbia torelliana</i>	毛葉桉	16	160	3	low	average	average	average	low	h	NIL	remove	
T2369	<i>Corymbia torelliana</i>	毛葉桉	12	170	3	low	average	average	average	low	h	NIL	remove	
T2389	<i>Lophostemon confertus</i>	紅膠木	14	180	4	low	average	average	average	low	h	NIL	remove	
T2390	<i>Acacia auriculiformis</i>	耳果相思	15	260	7	low	poor	poor	average	low	c, d, h	NIL	remove	dead branch
T2391	<i>Lophostemon confertus</i>	紅膠木	13	140	5	low	average	average	average	low	h	NIL	remove	
T2392	<i>Acacia auriculiformis</i>	耳果相思	6	150	4	low	average	average	average	low	h	NIL	remove	
T2393	<i>Acacia mangium</i>	大葉相思	7	130	4	low	average	average	average	low	h	NIL	remove	
T2394	<i>Acacia mangium</i>	大葉相思	10	140	4	low	average	average	average	low	h	NIL	remove	
T2395	<i>Acacia mangium</i>	大葉相思	10	140	5	low	average	average	average	low	h	NIL	remove	
T2396	<i>Acacia auriculiformis</i>	耳果相思	12	170	6	low	average	average	average	low	h	NIL	remove	
T2397	<i>Acacia auriculiformis</i>	耳果相思	10	140	7	low	average	average	average	low	h	NIL	remove	
T2398	<i>Acacia auriculiformis</i>	耳果相思	10	150	5	low	average	average	average	low	h	NIL	remove	
T2399	<i>Corymbia torelliana</i>	毛葉桉	13	305	5	low	poor	average	average	low	c, h	NIL	remove	multi-trunk
T2400	<i>Corymbia torelliana</i>	毛葉桉	18	320	7	low	average	average	average	low	h	NIL	remove	
T2401	<i>Acacia confusa</i>	台灣相思	9	270	8	low	poor	poor	average	low	c, d, h	NIL	remove	dead branch
T2402	<i>Acacia auriculiformis</i>	耳果相思	16	300	4	low	average	average	average	low	h	NIL	remove	
T2403	<i>Acacia confusa</i>	台灣相思	9	150	5	low	average	average	average	low	h	NIL	remove	
T2404	<i>Acacia auriculiformis</i>	耳果相思	9	200	4	low	average	average	average	low	h	NIL	remove	
T2405	<i>Acacia auriculiformis</i>	耳果相思	5	130	6	low	average	average	average	low	h	NIL	remove	
T2406	<i>Acacia auriculiformis</i>	耳果相思	9	230	8	low	average	average	average	low	h	NIL	remove	
T2407	<i>Acacia auriculiformis</i>	耳果相思	10	240	5	low	average	average	average	low	h	NIL	remove	
T2408	<i>Acacia auriculiformis</i>	耳果相思	12	240	4	low	average	average	average	low	h	NIL	remove	
T2409	<i>Acacia auriculiformis</i>	耳果相思	9	130	5	low	average	average	average	low	h	NIL	remove	
T2410	<i>Corymbia citriodora</i>	檸檬桉	18	180	5	low	average	average	average	low	h	NIL	remove	
T2411	<i>Acacia auriculiformis</i>	耳果相思	12	150	6	low	average	average	average	low	h	NIL	remove	
T2412	<i>Corymbia citriodora</i>	檸檬桉	9	110	2	low	average	average	average	low	h	NIL	remove	
T2413	<i>Corymbia citriodora</i>	檸檬桉	14	170	4	low	average	average	average	low	h	NIL	remove	
T2414	<i>Acacia auriculiformis</i>	耳果相思	14	240	5	low	average	average	average	low	h	NIL	remove	
T2415	<i>Acacia auriculiformis</i>	耳果相思	14	270	7	low	average	average	average	low	h	NIL	remove	
T2416	<i>Acacia auriculiformis</i>	耳果相思	5	130	6	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))			(high(H)/medium(M)/low(L))	Remarks		(retain/transplant/remove)	
T2417	<i>Acacia auriculiformis</i>	耳果相思	8	180	6	low	average	average	average	low	h	NIL	remove	
T2418	<i>Acacia auriculiformis</i>	耳果相思	5	130	4	low	average	average	average	low	h	NIL	remove	
T2419	<i>Acacia auriculiformis</i>	耳果相思	10	260	8	low	average	average	average	low	h	NIL	remove	
T2420	<i>Acacia auriculiformis</i>	耳果相思	12	270	7	low	average	average	average	low	h	NIL	remove	
T2421	<i>Acacia auriculiformis</i>	耳果相思	7	110	3	low	average	average	average	low	h	NIL	remove	
T2422	<i>Corymbia torelliana</i>	毛葉桉	8	110	2	low	average	average	average	low	h	NIL	remove	
T2423	<i>Acacia auriculiformis</i>	耳果相思	8	120	4	low	average	average	average	low	h	NIL	remove	
T2424	<i>Acacia auriculiformis</i>	耳果相思	10	200	3	low	average	average	average	low	h	NIL	remove	
T2425	<i>Acacia auriculiformis</i>	耳果相思	16	260	6	low	average	average	average	low	h	NIL	remove	
T2426	<i>Corymbia torelliana</i>	毛葉桉	18	220	5	low	average	average	average	low	h	NIL	remove	
T2427	<i>Corymbia torelliana</i>	毛葉桉	18	240	5	low	average	average	average	low	h	NIL	remove	
T2428	<i>Corymbia torelliana</i>	毛葉桉	15	230	5	low	average	average	average	low	h	NIL	remove	
T2429	<i>Acacia auriculiformis</i>	耳果相思	7	120	4	low	average	average	average	low	h	NIL	remove	
T2430	<i>Corymbia citriodora</i>	檸檬桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2431	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2432	<i>Corymbia torelliana</i>	毛葉桉	9	170	5	low	average	average	average	low	h	NIL	remove	
T2433	<i>Corymbia torelliana</i>	毛葉桉	14	170	3	low	average	average	average	low	h	NIL	remove	
T2434	<i>Schefflera heptaphylla</i>	鴨腳木	7	140	5	medium	average	average	average	medium		NIL	remove	
T2435	<i>Corymbia torelliana</i>	毛葉桉	15	170	4	low	average	average	average	low	h	NIL	remove	
T2436	<i>Machilus chekiangensis</i>	浙江潤楠	6	120	4	medium	average	average	average	medium		NIL	remove	
T2437	<i>Corymbia torelliana</i>	毛葉桉	10	160	2	low	average	average	average	low	h	NIL	remove	
T2438	<i>Corymbia torelliana</i>	毛葉桉	9	160	2	low	average	average	average	low	h	NIL	remove	
T2439	<i>Tetradium glabrifolium</i>	棟葉吳茱萸	8	160	5	medium	average	average	average	medium		NIL	remove	
T2440	<i>Sapium discolor</i>	山烏柏	5	120	4	medium	average	average	average	medium		NIL	remove	
T2441	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2442	<i>Machilus chekiangensis</i>	浙江潤楠	9	140	5	medium	average	average	average	medium		NIL	remove	
T2443	Dead tree	死樹	9	130	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2444	<i>Machilus chekiangensis</i>	浙江潤楠	8	120	5	medium	average	average	average	medium		NIL	remove	
T2445	<i>Lophostemon confertus</i>	紅膠木	7	120	5	low	average	average	average	low	h	NIL	remove	
T2446	<i>Aporosa dioica</i>	銀柴	5	110	4	low	poor	average	average	low	c	NIL	remove	co-dominant trunks
T2447	<i>Schefflera heptaphylla</i>	鴨腳木	8	130	6	medium	average	average	average	medium		NIL	remove	
T2448	<i>Cratogeomys cochinchinense</i>	黃牛木	7	110	4	medium	average	average	average	medium		NIL	remove	
T2449	<i>Sapium discolor</i>	山烏柏	7	120	4	medium	average	average	average	medium		NIL	remove	
T2450	<i>Corymbia torelliana</i>	毛葉桉	9	120	4	low	average	average	average	low	h	NIL	remove	
T2451	<i>Cratogeomys cochinchinense</i>	黃牛木	7	110	3	medium	average	average	average	medium		NIL	remove	
T2452	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	poor	poor	average	low	c, d, h	NIL	remove	dead branch
T2453	<i>Acacia confusa</i>	台灣相思	12	280	15	low	average	average	average	low	h	NIL	remove	
T2454	<i>Corymbia torelliana</i>	毛葉桉	18	190	4	low	average	average	average	low	h	NIL	remove	
T2455	<i>Corymbia torelliana</i>	毛葉桉	10	160	2	low	poor	poor	average	low	c, d, h	NIL	remove	dead branch, dieback
T2456	Dead tree	死樹	10	150	2	low	poor	poor	poor	low	c, d, e	-	remove	Dead
T2457	<i>Acacia confusa</i>	台灣相思	7	190	5	low	poor	average	average	low	c, h	NIL	remove	co-dominant trunks
T2458	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2459	<i>Acacia confusa</i>	台灣相思	8	305	12	low	poor	average	average	low	c, h	NIL	remove	multi-trunk
T2460	<i>Sterculia lanceolata</i>	假蘋婆	8	120	3	medium	average	average	average	medium		NIL	remove	
T2461	<i>Acacia confusa</i>	台灣相思	10	345	12	low	poor	average	average	low	c, h	NIL	remove	multi-trunk
T2462	<i>Sterculia lanceolata</i>	假蘋婆	8	120	4	medium	average	average	average	medium		NIL	remove	
T2463	<i>Corymbia torelliana</i>	毛葉桉	10	130	4	low	average	average	average	low	h	NIL	remove	
T2464	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2465	<i>Corymbia torelliana</i>	毛葉桉	14	280	7	low	average	average	average	low	h	NIL	remove	
T2466	<i>Rhus succedanea</i>	野漆樹	5	140	5	medium	average	average	average	medium		NIL	remove	
T2467	<i>Corymbia torelliana</i>	毛葉桉	12	150	3	low	average	average	average	low	h	NIL	remove	
T2468	<i>Sterculia lanceolata</i>	假蘋婆	6	130	5	medium	average	average	average	medium		NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T2469	<i>Sapium discolor</i>	山烏柏	6	130	4	medium	average	average	average	medium		NIL	remove	
T2470	<i>Syzygium levinei</i>	山蒲桃	5	120	4	medium	average	average	average	medium		NIL	remove	
T2471	<i>Corymbia torelliana</i>	毛葉桉	8	130	5	low	average	average	average	low	h	NIL	remove	
T2472	<i>Corymbia torelliana</i>	毛葉桉	9	130	3	low	average	average	average	low	h	NIL	remove	
T2473	<i>Corymbia torelliana</i>	毛葉桉	6	120	4	low	poor	average	average	low	c, h	NIL	remove	crook
T2474	<i>Corymbia torelliana</i>	毛葉桉	9	130	4	low	average	average	average	low	h	NIL	remove	
T2475	<i>Schima superba</i>	木荷	10	185	8	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T2476	<i>Corymbia torelliana</i>	毛葉桉	12	280	7	low	average	average	average	low	h	NIL	remove	
T2477	<i>Acacia confusa</i>	台灣相思	9	130	5	low	average	average	average	low	h	NIL	remove	
T2478	<i>Corymbia torelliana</i>	毛葉桉	13	140	3	low	poor	poor	average	low	c, d, h	NIL	remove	dead branch
T2479	<i>Cratoxylum cochinchinense</i>	黃牛木	6	100	4	medium	average	average	average	medium		NIL	remove	
T2481	<i>Corymbia torelliana</i>	毛葉桉	13	160	6	low	average	average	average	low	h	NIL	remove	
T2482	<i>Corymbia torelliana</i>	毛葉桉	8	130	2	low	average	average	average	low	h	NIL	remove	
T2483	<i>Corymbia torelliana</i>	毛葉桉	14	170	5	low	average	average	average	low	h	NIL	remove	
T2484	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2485	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2486	<i>Corymbia torelliana</i>	毛葉桉	9	130	4	low	average	average	average	low	h	NIL	remove	
T2487	<i>Corymbia torelliana</i>	毛葉桉	10	130	4	low	average	average	average	low	h	NIL	remove	
T2488	<i>Corymbia torelliana</i>	毛葉桉	13	140	4	low	average	average	average	low	h	NIL	remove	
T2489	<i>Corymbia torelliana</i>	毛葉桉	9	120	3	low	average	average	average	low	h	NIL	remove	
T2490	<i>Corymbia torelliana</i>	毛葉桉	12	140	3	low	average	average	average	low	h	NIL	remove	
T2491	<i>Schima superba</i>	木荷	6	120	4	medium	average	average	average	medium		NIL	remove	
T2492	<i>Corymbia torelliana</i>	毛葉桉	10	140	2	low	average	average	average	low	h	NIL	remove	
T2493	<i>Schima superba</i>	木荷	8	130	5	medium	average	average	average	medium		NIL	remove	
T2494	<i>Schima superba</i>	木荷	13	150	5	medium	average	average	average	medium		NIL	remove	
T2495	<i>Eucalyptus exserta</i>	窿緣桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2496	<i>Corymbia torelliana</i>	毛葉桉	12	140	4	low	average	average	average	low	h	NIL	remove	
T2497	<i>Sapium discolor</i>	山烏柏	5	130	5	medium	average	average	average	medium		NIL	remove	
T2498	<i>Corymbia torelliana</i>	毛葉桉	8	130	2	low	average	average	average	low	h	NIL	remove	
T2499	<i>Aporosa dioica</i>	銀柴	4	120	4	medium	average	average	average	medium		NIL	remove	
T2500	<i>Corymbia torelliana</i>	毛葉桉	5	120	3	low	average	average	average	low	h	NIL	remove	
T2504	<i>Schima superba</i>	木荷	9	180	8	low	poor	average	average	low	c	NIL	remove	multi-trunk
T2505	<i>Corymbia torelliana</i>	毛葉桉	10	150	3	low	average	average	average	low	h	NIL	remove	
T2506	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2507	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2508	<i>Schima superba</i>	木荷	10	275	6	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T2509	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2510	<i>Corymbia torelliana</i>	毛葉桉	9	130	2	low	average	average	average	low	h	NIL	remove	
T2511	<i>Corymbia torelliana</i>	毛葉桉	8	120	3	low	average	average	average	low	h	NIL	remove	
T2512	<i>Acacia auriculiformis</i>	耳果相思	10	300	7	low	average	average	average	low	h	NIL	remove	
T2513	<i>Corymbia torelliana</i>	毛葉桉	9	140	2	low	average	average	average	low	h	NIL	remove	
T2514	<i>Corymbia torelliana</i>	毛葉桉	8	130	3	low	average	average	average	low	h	NIL	remove	
T2515	<i>Corymbia torelliana</i>	毛葉桉	7	130	2	low	average	average	average	low	h	NIL	remove	
T2516	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2517	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2518	<i>Acacia confusa</i>	台灣相思	6	130	5	low	average	average	average	low	h	NIL	remove	
T2519	<i>Corymbia torelliana</i>	毛葉桉	7	110	3	low	average	average	average	low	h	NIL	remove	
T2520	<i>Corymbia torelliana</i>	毛葉桉	9	110	3	low	average	average	average	low	h	NIL	remove	
T2521	<i>Corymbia torelliana</i>	毛葉桉	13	140	3	low	average	average	average	low	h	NIL	remove	
T2522	<i>Corymbia torelliana</i>	毛葉桉	10	130	3	low	average	average	average	low	h	NIL	remove	
T2523	<i>Corymbia torelliana</i>	毛葉桉	8	120	3	low	average	average	average	low	h	NIL	remove	
T2524	<i>Corymbia torelliana</i>	毛葉桉	8	120	3	low	average	average	average	low	h	NIL	remove	

Tree Assessment Schedule

Project Title: Wong Yue Tan Land Sharing Pilot Scheme

Date of Tree Survey: 17, 18, 19, 23, 24, 25 & 29 Jan 2022

Surveyed by: Man Chi Kwan

Tree No.	Species		Measurements			Amenity value	Form	Health condition	Structural condition	Suitability for transplanting		Conservation status	Recommendation	Additional Remarks
	Scientific name	Chinese name	height (m)	DBH (mm)	crown spread (m)	(high(H)/medium(M)/low(L))	(good (G)/average (A)/poor (P))	(high(H)/medium(M)/low(L))	Remarks	(retain/transplant/remove)				
T2525	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2526	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2527	<i>Corymbia torelliana</i>	毛葉桉	8	130	2	low	average	average	average	low	h	NIL	remove	
T2528	<i>Corymbia torelliana</i>	毛葉桉	9	120	3	low	average	average	average	low	h	NIL	remove	
T2529	<i>Corymbia torelliana</i>	毛葉桉	9	120	2	low	average	average	average	low	h	NIL	remove	
T2561	<i>Corymbia torelliana</i>	毛葉桉	7	140	5	low	average	average	average	low	h	NIL	remove	
T2570	<i>Schima superba</i>	木荷	6	145	5	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T2571	<i>Corymbia torelliana</i>	毛葉桉	8	120	2	low	average	average	average	low	h	NIL	remove	
T2572	<i>Schima superba</i>	木荷	5	135	4	low	poor	average	average	low	c	NIL	remove	co-dominan trunks
T2573	<i>Corymbia torelliana</i>	毛葉桉	10	130	2	low	average	average	average	low	h	NIL	remove	
T2586	<i>Corymbia torelliana</i>	毛葉桉	8	120	3	low	average	average	average	low	h	NIL	remove	
T2587	<i>Corymbia torelliana</i>	毛葉桉	10	130	3	low	average	average	average	low	h	NIL	remove	
T2588	<i>Corymbia torelliana</i>	毛葉桉	10	140	4	low	average	average	average	low	h	NIL	remove	
T2589	<i>Acacia auriculiformis</i>	耳果相思	5	155	3	low	poor	average	average	low	c, h	NIL	remove	co-dominan trunks
T2590	<i>Acacia auriculiformis</i>	耳果相思	6	140	5	low	poor	average	average	low	c, h	NIL	remove	lean
T2591	<i>Lophostemon confertus</i>	紅膠木	5	200	7	low	poor	average	average	low	c, h	NIL	remove	imbalanced crown
T2592	<i>Lophostemon confertus</i>	紅膠木	9	260	9	low	poor	average	average	low	c, h	NIL	remove	lean, imbalanced crown
T2593	<i>Lophostemon confertus</i>	紅膠木	12	280	12	low	average	average	average	low	h	NIL	remove	
T2594	<i>Acacia confusa</i>	台灣相思	5	325	5	low	poor	average	average	low	c, h	NIL	remove	multi-trunk
T2595	<i>Lophostemon confertus</i>	紅膠木	12	270	8	low	average	average	average	low	h	NIL	remove	
T2596	<i>Lophostemon confertus</i>	紅膠木	10	260	8	low	poor	average	average	low	c, h	NIL	remove	lean
T2597	<i>Schima superba</i>	木荷	10	170	4	medium	average	average	average	medium		NIL	remove	
T2598	<i>Lophostemon confertus</i>	紅膠木	6	240	8	low	poor	average	average	low	c, h	NIL	remove	lean, co-dominan trunks
T2599	<i>Lophostemon confertus</i>	紅膠木	15	270	8	low	average	average	average	low	h	NIL	remove	
T2600	<i>Lophostemon confertus</i>	紅膠木	10	280	4	low	poor	average	average	low	c, h	NIL	remove	climbers
T2601	<i>Schima superba</i>	木荷	7	170	5	low	poor	average	average	low	c	NIL	remove	imbalanced crown
T2602	<i>Acacia confusa</i>	台灣相思	4	205	4	low	poor	poor	average	low	c, d, h	NIL	remove	co-dominan trunks, dieback
T2603	<i>Lophostemon confertus</i>	紅膠木	9	200	8	low	average	average	average	low	h	NIL	remove	
T2604	<i>Lophostemon confertus</i>	紅膠木	9	240	9	low	average	average	average	low	h	NIL	remove	
T2605	<i>Lophostemon confertus</i>	紅膠木	8	230	6	low	average	average	average	low	h	NIL	remove	
T2606	<i>Lophostemon confertus</i>	紅膠木	12	280	9	low	average	average	average	low	h	NIL	remove	
T2607	<i>Acacia confusa</i>	台灣相思	5	130	4	low	average	average	average	low	h	NIL	remove	
T2608	<i>Lophostemon confertus</i>	紅膠木	12	250	10	low	average	average	average	low	h	NIL	remove	
T2609	<i>Schima superba</i>	木荷	10	160	5	medium	average	average	average	medium		NIL	remove	
T2610	<i>Acacia confusa</i>	台灣相思	5	130	4	low	poor	average	average	low	c, h	NIL	remove	lean
T2623	<i>Corymbia torelliana</i>	毛葉桉	10	140	3	low	average	average	average	low	h	NIL	remove	
T2624	<i>Corymbia torelliana</i>	毛葉桉	7	130	3	low	poor	average	poor	low	c, e, h	NIL	remove	lean, uprooed

Assessment shall take into account conditions of an individual tree at the time of survey (including health, structure, age and root conditions), site conditions (including topography and accessibility), and intrinsic characters of tree species (survival rate after transplanting).

Conservation status (indicates rarity and protection status under relevant ordinances of a species in Hong Kong. References such as Rare and Precious Plants of Hong Kong 2, the IUCN Red List of Threatened Species 3 and the Forests and Countryside Ordinance (Cap. 96) may be used.)

2 Agriculture, Fisheries and Conservation Department, Rare and Precious Plants of Hong Kong (Hong Kong: AFCD, the Government of the Hong Kong Special Administrative Region, 2003).

3 IUCN Red List of Threatened Species. The latest version can be accessed at www.iucnredlist.org.

*Code

- | | |
|----|---|
| | Description |
| a. | Affected by proposed work, impossible to retain in-situ |
| b. | Large size tree |
| c. | Poor form (e.g. canopy lopsided & unbalanced, tree trunk leaning dangerously, tree trunk crooked, with hazard-beam bending) |
| d. | Poor health (e.g. tree severely stressed, diseased, insect-pest infected, thin foliage density cover, dieback of canopy) |
| e. | Poor structure (e.g. tree trunk decayed, with decayed hollow cavity, dangerous bifurcation codominant stems with included-bark likely to split apart) |
| f. | Root ball conflicting with adjacent structure, not suitable to be extracted for transplant |
| g. | Species not tolerant to transplantation. |
| h. | Ubiquitous species, easily replaceable by new compensatory planting of better quality |
| i. | Undesirable weed species |