



**The Government of the Hong Kong
Special Administrative Region**

Works Project Information Standard

**Release Notes
Of
Library of WPIS Schemas and Templates**

**Appendix B
Data File Template Listing of WDD and WPIS protocol
for the
Development Bureau**

Release No.: 1.10.00

Date of Issue: December 2009

© The Government of the Hong Kong Special Administrative Region

The contents of this document remain the property of, and may not be reproduced in whole or in part without the express permission of the Government of the HKSAR.

Distribution	
Copy No.	Holder
1	Development Bureau (DEVB)
2	Hewlett-Packard HK SAR Limited (HP)

Prepared By :

Mr. Tsui Wai Hon
Project Manager
Hewlett-Packard HK SAR Limited

Date :

Endorsed By :

Mr. T.F. Leung
CAS(W)7, DEVB

Date :

Amendment History				
Change Number	Revision Description	Pages Affected	Revision Number	Date
1.	Initial Release		1.08.00	29 Dec 08
2.	Version number correction	all	1.09.00	12 Feb 2009
3.	Version number correction	all	1.10.00	18 Dec 2009

Table of Content

B-1	WPIS - XML Template Files	7
B-2	Details of XML Template Files	11
B-2.1	WDD-1 Project Contract Profile Data	11
B-2.1.1	WDD-1.0 Project Contract Profile (WDD-1.0-1.0.tplt).....	11
B-2.1.2	WDD-1.1 Project Contract Summary (WDD-1.1-1.0.tplt)	17
B-2.2	WDD-2 Correspondence Profile	21
B-2.2.1	WDD-2.0 Document Profile (WDD-2.0-1.0.tplt)	21
B-2.3	WDD-3 Photo Album, Pictures.....	30
B-2.3.1	WDD-3.0 Digital Album (WDD-3.0-1.0.tplt)	30
B-2.4	WDD-4 Accident Report.....	37
B-2.4.1	WDD-4.0 Injury Report (WDD-4.0-1.0.tplt)	37
B-2.4.2	WDD-4.1 Construction Accident Statistics Monthly Summary (WDD-4.1-1.0.tplt).....	60
B-2.4.3	WDD-4.2 Employee Compensation Summary (WDD-4.2-1.0.tplt)...	74
B-2.4.4	WDD-4.3 Preliminary Accident Report (WDD-4.3-1.0.tplt)	77
B-2.4.5	WDD-4.4 Fatal Accident Supplementary Information (WDD-4.4-1.0.tplt)	85
B-2.4.6	WDD-4.5 Dangerous Occurrence Report (WDD-4.5-1.0.tplt)	93
B-2.4.7	WDD-4.6 Shipping Casualty Report (WDD-4.6-1.0.tplt)	104
B-2.4.8	WDD-4.7 Death Incapacity Notice (WDD-4.7-1.0.tplt).....	114
B-2.5	WDD-5 Request for Inspection.....	148
B-2.5.1	WDD-5.0 Inspection Survey Request (WDD-5.0-1.0.tplt).....	148
B-2.6	WDD-6 Test Records	176
B-2.6.1	WDD-6.0 Concrete Test Cube Register (WDD-6.0-1.0.tplt)	176
B-2.6.2	WDD-6.1 Drainage Test (WDD-6.1-1.0.tplt)	180
B-2.6.3	WDD-6.2 Field Density Determination (WDD-6.2-1.0.tplt).....	193
B-2.6.4	WDD-6.3 Soil Compaction Test Summary (WDD-6.3-1.0.tplt)	212
B-2.6.5	WDD-6.4 Prestressed Tensioning Record (WDD-6.4-1.0.tplt)	214
B-2.6.6	WDD-6.5 Drainage Pipeline Water Test Record (WDD-6.5-1.0.tplt)	222
B-2.6.7	WDD-6.6 Bearing Expansion Joint Performance (WDD-6.6-1.0.tplt)	230
B-2.7	WDD-7 Site Instruction	239
B-2.7.1	WDD-7.0 Site Instruction (WDD-7.0-1.0.tplt)	239
B-2.8	WDD-8 Site Daily Records.....	251
B-2.8.1	WDD-8.0 Site Diary (WDD-8.0-1.0.tplt)	251
B-2.8.2	WDD-8.1 Inclement Weather Report (WDD-8.1-1.0.tplt)	265
B-2.8.3	WDD-8.2 Daywork Daily Record (WDD-8.2-1.0.tplt)	288
B-2.8.4	WDD-8.3 Daywork Monthly Summary (WDD-8.3-1.0.tplt)	303
B-2.9	WDD-9 Site Investigation Result.....	326
B-2.9.1	WDD-9.0 Site Investigation Result (WDD-9.0-1.0.tplt)	326
B-2.10	WDD-10 CAD Standard, GIS Standard	338
B-2.10.1	WDD-10.0 CAD Standard	338
B-2.10.2	WDD-10.1 GIS Standard	338
B-2.11	WDD-11 Request for Information	339

B-2.12	WDD-11.0 Contractor's Request for Information (WDD-11.0-1.0.tplt)	339
B-2.12.1	WDD-11.1 Engineer's Response to the Contractor's Request for Information (WDD-11.1-1.0.tplt)	352
B-2.13	WDD-12 Test Requests	360
B-2.13.1	WDD-12.0 Request Form for Insitu Soil Testing - Form 2511 (WDD-12.0-1.0.tplt)	360
B-2.13.2	WDD-12.1 Request for Bituminous Materials Testing - Form 2112 (WDD-12.1-1.0.tplt)	380
B-2.13.3	WDD-12.2 Request for Aggregate Testing - Form 2113 (WDD-12.2-1.0.tplt)	400
B-2.13.4	WDD-12.3 Request for Paving Block Testing - Form 2317 (WDD-12.3-1.0.tplt)	417
B-2.13.5	WDD-12.4 Request for Steel Bar Testing - Form 2403 (WDD-12.4-1.0.tplt)	432
B-2.13.6	WDD-12.5 Request for Miscellaneous Steel Sample Testing - Form 2404 (WDD-12.5-1.0.tplt)	449
B-2.13.7	WDD-12.6 Request for Cast Iron Drainage Goods Testing - Form 2405 (WDD-12.6-1.0.tplt)	465
B-2.13.8	WDD-12.7 Request for Sample Collection and Testing Request for Chemical Testing Services for Concrete - Form 2201 (WDD-12.7-1.0.tplt)	482
B-2.13.9	WDD-12.8 Request Form for Sample Collection and Testing Request for Chemical Testing Services for Soil - Form 2202 (WDD-12.8-1.0.tplt)	509
B-2.13.10	WDD-12.9 Request Form for Sample Collection and Testing Services for Clay/Concrete Paving Blocks Provided by PWL Contract Laboratory - Form 2316 (WDD-12.9-1.0.tplt)	536
B-2.13.11	WDD-12.10 Request Form for Sample Collection Service and Testing Request for Grade A Concrete Paving Blocks - Form 2319 (WDD-12.10-1.0.tplt)	563
B-2.13.12	WDD-12.11 Request Form for Structural Steel Section and Reinforcement Connector Sample Collection Service (For PWCL) - Form 2407 (WDD-12.11-1.0.tplt)	590
B-2.13.13	WDD-12.12 Request Form for Steel Bar Sample Collection and Testing Services Provided by PWL Contract Laboratory - Form 2408 (WDD-12.12-1.0.tplt)	617
B-2.13.14	WDD-12.13 Request Form for Sample Collection Service and Testing Request For 7-Wire Strand (For PWL) - Form 2410 (WDD-12.13-1.0.tplt)	645
B-2.13.15	WDD-12.14 Registration Form for Testing of Construction Materials - Form 2007 (WDD-12.14-1.0.tplt)	671
B-2.13.16	WDD-12.15 Request Form for Calibration / Checking of Equipment - Form 2017 (WDD-12.15-1.0.tplt)	687
B-2.13.17	WDD-12.16 Request Form for Steel Fabric Sample Collection Service (For PWCL) - Form 2409 (WDD-12.16-1.0.tplt)	701

B-2.13.18	WDD-12.17 Request Form for Soil Testing For Checking of Compliance with Specification Requirements - Form 2509 (WDD-12.17-1.0.tplt).....	726
B-2.13.19	WDD-12.18 Request Form for Laboratory Soil Testing - Form 2510 (WDD-12.18-1.0.tplt)	741
B-2.14	WDD-13 Works Order.....	766
B-2.14.1	GF 521 Works Order (WDD-13.0-1.0.tplt)	766
B-2.14.2	Variation Order (WDD-13.1-1.0.tplt)	781
B-2.14.3	Standard Letter for Variation Order (WDD-13.2-1.0.tplt).....	787
B-2.14.4	Current Financial Statement (WDD-13.3-1.0.tplt)	795
B-2.15	WDD-14 Contractor Submission	799
B-2.15.1	WDD-14.0 Contractor's General Submission (WDD-14.0-1.0.tplt)	799
B-2.15.2	WDD-14.1 Inventory Record Form for Furniture and Equipment Which Shall be Returned to the Contractor (WDD-14.1-1.0.tplt) ...	812
B-2.15.3	WDD-14.2 Record Form For Bituminous Materials Delivered To Site (WDD-14.2-1.0.tplt)	814
B-2.15.4	WDD-14.3 Mandatory Provident Fund Notification Form (WDD-14.3-1.0.tplt).....	817
B-2.15.5	WDD-14.4 Shotfirer's Charging Details (WDD-14.4-1.0.tplt)	821
B-2.15.6	WDD-14.5 Contractor's Design Submission (WDD-14.5-1.0.tplt)..	833
B-2.15.7	WDD-14.6 Contractor's Material Submission (WDD-14.6-1.0.tplt)	847
B-2.16	WDD-15 Construction Milestone Data.....	861
B-2.16.1	WDD-15.0 Construction Milestone Data.....	861
B-2.17	WDD-16 BoQ/SoR	862
B-2.17.1	WDD-16.0 BoQ / SoR	862
B-2.18	WDD-17 CBS Standard / Cost Data	863
B-2.18.1	WDD-17.0 Running Abstract (WDD-17.0-1.0.tplt)	863
B-2.19	WDD-18 Contract Rates Statistics.....	866
B-2.19.1	WDD-18.0 Contract Rate Statistics (WDD-18.0-1.0.tplt)	866
B-2.19.2	WDD-18.1 Contract Rate Information (WDD-18.1-1.0.tplt)	869
B-2.20	WDD-19 Reinforced Bar Schedule.....	873
B-2.20.1	WDD-19.0 Reinforced Bar Schedule (WDD-19.0-1.0.tplt)	873
B-2.21	WDD-20 Bore-hole Information.....	888
B-2.21.1	WDD-20.0 Bore Hole Information	888
B-2.22	WDD-21 Landslide Information	889
B-2.22.1	WDD-21.0 Slope Information.....	889
B-2.23	WDD-22 Rain-gauge	890
B-2.23.1	WDD-22.0 Rain Gauge (WDD-22.0-1.0.tplt).....	890
B-2.24	WDD-23 Project Management and Programme Data.....	892
B-2.24.1	WDD-23.0 Statistic of Claim (WDD-23.0-1.0.tplt).....	892
B-2.24.2	WDD-23.1 Claim Registry (WDD-23.1-1.0.tplt)	894
B-2.24.3	WDD-23.2 Contract Information of Claim (WDD-23.2-1.0.tplt).....	899
B-2.25	WDD-24 Knowledge Management Information Distribution Standard	901
B-2.25.1	WDD-24.0 Knowledge Management Information Distribution	901
B-2.26	DISS Dissemination protocol.....	902
B-2.26.1	DISS-V1.0 Dissemination protocol (DISS-V1.0.tplt).....	902

B-1 WPIS - XML Template Files

This appendix lists the template files for preparing XML data files that conform to final standard XSD files of WPIS.

The table below lists the template filenames of data domain master messages and sub-data domain messages:

Domain ID	Message ID	Message Name	Template Filename
WDD-1	WDD-1.0	Project Contract Profile	WDD-1.0-1.0.tplt
	WDD-1.1	Project Contract Summary	WDD-1.1-1.0.tplt
WDD-2	WDD-2.0	Document Profile	WDD-2.0-1.0.tplt
WDD-3	WDD-3.0	Digital Album	WDD-3.0-1.0.tplt
WDD-4	WDD-4.0	Injury Report	WDD-4.0-1.0.tplt
	WDD-4.1	Construction Accident Statistics Monthly Summary	WDD-4.1-1.0.tplt
	WDD-4.2	Employees Compensation Summary	WDD-4.2-1.0.tplt
	WDD-4.3	Preliminary Accident Report	WDD-4.3-1.0.tplt
	WDD-4.4	Fatal Accident Supplementary Information	WDD-4.4-1.0.tplt
	WDD-4.5	Dangerous Occurrence Report	WDD-4.5-1.0.tplt
	WDD-4.6	Shipping Casualty Report	WDD-4.6-1.0.tplt
	WDD-4.7	Death Incapacity Notice	WDD-4.7-1.0.tplt
WDD-5	WDD-5.0	Inspection Survey Request	WDD-5.0-1.0.tplt
WDD-6	WDD-6.0	Concrete Test Cube Register	WDD-6.0-1.0.tplt
	WDD-6.1	Drainage Test	WDD-6.1-1.0.tplt
	WDD-6.2	Field Density Determination	WDD-6.2-1.0.tplt
	WDD-6.3	Soil Compaction Test Summary	WDD-6.3-1.0.tplt
	WDD-6.4	Prestressed Tensioning Record	WDD-6.4-1.0.tplt
	WDD-6.5	Drainage Pipeline Water Test Record	WDD-6.5-1.0.tplt
	WDD-6.6	Bearing Expansion Joint Performance	WDD-6.6-1.0.tplt
WDD-7	WDD-7.0	Site Instruction	WDD-7.0-1.0.tplt
WDD-8	WDD-8.0	Site Diary	WDD-8.0-1.0.tplt
	WDD-8.1	Inclement Weather Report	WDD-8.1-1.0.tplt
	WDD-8.2	Daywork Daily Record	WDD-8.2-1.0.tplt
	WDD-8.3	Daywork Monthly Summary	WDD-8.3-1.0.tplt

WDD-9	WDD-9.0	Site Investigation Result	WDD-9.0-1.0.tplt
WDD-10	WDD-10.0	CAD Standard	Not Applicable ^(*)
	WDD-10.1	GIS Standard	Not Applicable ^(*)
WDD-11	WDD-11.0	Contractor's Request for Information (RFI)	WDD-11.0-1.0.tplt
	WDD-11.1	Engineer's Response to the Contractor's Request for Information (RFI)	WDD-11.1-1.0.tplt
WDD-12	WDD-12.0	Request Form for Insitu Soil Testing - Form 2511	WDD-12.0-1.0.tplt
	WDD-12.1	Request for Bituminous Materials Testing - Form 2112	WDD-12.1-1.0.tplt
	WDD-12.2	Request for Aggregate Testing - Form 2113	WDD-12.2-1.0.tplt
	WDD-12.3	Request for Paving Block Testing - Form 2317	WDD-12.3-1.0.tplt
	WDD-12.4	Request for Steel Bar Testing - Form 2403	WDD-12.4-1.0.tplt
	WDD-12.5	Request for Miscellaneous Steel Sample Testing - Form 2404	WDD-12.5-1.0.tplt
	WDD-12.6	Request for Cast Iron Drainage Goods Testing - Form 2405	WDD-12.6-1.0.tplt
	WDD-12.7	Request for Sample Collection and Testing Request for Chemical Testing Services for Concrete - Form 2201	WDD-12.7-1.0.tplt
	WDD-12.8	Request Form for Sample Collection and Testing Request for Chemical Testing Services for Soil - Form 2202	WDD-12.8-1.0.tplt
	WDD-12.9	Request Form for Sample Collection and Testing Services for Clay/Concrete Paving Blocks Provided by PWL Contract Laboratory - Form 2316	WDD-12.9-1.0.tplt
	WDD-12.10	Request Form for Sample Collection Service and Testing Request for Grade A Concrete Paving Blocks - Form 2319	WDD-12.10-1.0.tplt
	WDD-12.11	Request Form for Structural Steel Section and Reinforcement	WDD-12.11-1.0.tplt

		Connector Sample Collection Service (For PWCL) - Form 2407	
	WDD-12.12	Request Form for Steel Bar Sample Collection and Testing Services Provided by PWL Contract Laboratory - Form 2408	WDD-12.12-1.0.tplt
	WDD-12.13	Request Form for Sample Collection Service and Testing Request For 7-Wire Strand (For PWL) - Form 2410	WDD-12.13-1.0.tplt
	WDD-12.14	Registration Form for Testing of Construction Materials - Form 2007	WDD-12.14-1.0.tplt
	WDD-12.15	Request Form for Calibration / Checking of Equipment - Form 2017	WDD-12.15-1.0.tplt
	WDD-12.16	Request Form for Steel Fabric Sample Collection Service (For PWCL) - Form 2409	WDD-12.16-1.0.tplt
	WDD-12.17	Request Form for Soil Testing For Checking of Compliance with Specification Requirements - Form 2509	WDD-12.17-1.0.tplt
	WDD-12.18	Request Form for Laboratory Soil Testing - Form 2510	WDD-12.18-1.0.tplt
WDD-13	WDD-13.0	GF 521 Works Order	WDD-13.0-1.0.tplt
	WDD-13.1	Variation Order	WDD-13.1-1.0.tplt
	WDD-13.2	Standard Letter for Variation Order	WDD-13.2-1.0.tplt
	WDD-13.3	Current Financial Statement	WDD-13.3-1.0.tplt
WDD-14	WDD-14.0	Contractor's General Submission	WDD-14.0-1.0.tplt
	WDD-14.1	Inventory Record Form for Furniture and Equipment Which Shall be Returned to the Contractor	WDD-14.1-1.0.tplt
	WDD-14.2	Record Form For Bituminous Materials Delivered To Site	WDD-14.2-1.0.tplt
	WDD-14.3	Mandatory Provident Fund Notification Form	WDD-14.3-1.0.tplt
	WDD-14.4	Shotfirer's Charging	WDD-14.4-1.0.tplt

		Details	
	WDD-14.5	Contractor's Design Submission	WDD-14.5-1.0.tplt
	WDD-14.6	Contractor's Material Submission	WDD-14.6-1.0.tplt
WDD-15	WDD-15.0	Construction Milestone Data	Not Applicable ^(*)
WDD-16	WDD-16.0	BoQ / SoR	Not Applicable ^(*)
WDD-17	WDD-17.0	Running Abstract	WDD-17.0-1.0.tplt
WDD-18	WDD-18.0	Contract Rate Statistics	WDD-18.0-1.0.tplt
	WDD-18.1	Contract Rate Information	WDD-18.1-1.0.tplt
WDD-19	WDD-19.0	Reinforced Bar Schedule	WDD-19.0-1.0.tplt
WDD-20	WDD-20.0	Bore Hole Information	Not Applicable ^(*)
WDD-21	WDD-21.0	Slope Information	Not Applicable ^(*)
WDD-22	WDD-22.0	Rain Gauge	WDD-22.0-1.0.tplt
WDD-23	WDD-23.0	Statistic of Claim	WDD-23.0-1.0.tplt
	WDD-23.1	Claim Registry	WDD-23.1-1.0.tplt
	WDD-23.2	Contract Information of Claim	WDD-23.2-1.0.tplt
WDD-24	WDD-24.0	Knowledge Management Information Distribution	Not Applicable ^(*)
DISS	DISS-V1.0	Dissemination	DISS-v1.0.tplt

B-2 Details of XML Template Files

B-2.1 WDD-1 Project Contract Profile Data

B-2.1.1 WDD-1.0 Project Contract Profile (WDD-1.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ProjectContractProfile> ... </ProjectContractProfile>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<ProjectContractProfile xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"  
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-1.0-1.0.xsd">
```

```
    <!-- <ProjectContractNumber> ... </ProjectContractNumber>. Data Type : String. Optional. If not used, please delete the section. If  
    used, repeat at most 1 time(s). -->
```

```
    <ProjectContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please  
    Edit]" schemeName="[Please Edit]">[Please Edit]</ProjectContractNumber>
```

```
    <!-- <ProjectContractTitle> ... </ProjectContractTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --  
>
```

```
    <ProjectContractTitle languageCode="[Please Edit]">[Please Edit]</ProjectContractTitle>
```

```
    <!-- <Objective> ... </Objective>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --  
>
```

```
    <Objective languageCode="[Please Edit]">[Please Edit]</Objective>
```

```
    <!-- <WorksLocation> ... </WorksLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most  
    1 time(s). -->
```

```
    <WorksLocation languageCode="[Please Edit]">[Please Edit]</WorksLocation>
```

```
    <!-- <Type> ... </Type>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Type languageCode="[Please Edit]">[Please Edit]</Type>
```

```
    <!-- <BuildingType> ... </BuildingType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1  
    time(s). -->
```

```
    <BuildingType languageCode="[Please Edit]">[Please Edit]</BuildingType>
```

<!-- <Scope> ... </Scope>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Scope languageCode="[Please Edit]">[Please Edit]</Scope>

<!-- <Progress> ... </Progress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Progress languageCode="[Please Edit]">[Please Edit]</Progress>

<!-- <Cost> ... </Cost>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Cost currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Cost>

<!-- <Consultant> ... </Consultant>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Consultant languageCode="[Please Edit]">[Please Edit]</Consultant>

<!-- <Contractor> ... </Contractor>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <AwardDate> ... </AwardDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AwardDate>[Please Edit]</AwardDate>

<!-- <CommencementDate> ... </CommencementDate>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CommencementDate>

<!-- <Day> ... </Day>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 31. -->
<Day>[Please Edit]</Day>

<!-- <Month> ... </Month>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 12. -->
<Month>[Please Edit]</Month>

<!-- <Quarter> ... </Quarter>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 4. -->

<Quarter>[Please Edit]</Quarter>

<!-- <Year> ... </Year>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
TotalDigits: 4. -->

<Year>[Please Edit]</Year>

</CommencementDate>

<!-- <AnticipatedCompletionDate> ... </AnticipatedCompletionDate>. Type : Complex. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->

<AnticipatedCompletionDate>

<!-- <Day> ... </Day>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 31. -->

<Day>[Please Edit]</Day>

<!-- <Month> ... </Month>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 12. -->

<Month>[Please Edit]</Month>

<!-- <Quarter> ... </Quarter>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 4. -->

<Quarter>[Please Edit]</Quarter>

<!-- <Year> ... </Year>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
TotalDigits: 4. -->

<Year>[Please Edit]</Year>

</AnticipatedCompletionDate>

<!-- <ActualCompletionDate> ... </ActualCompletionDate>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->

<ActualCompletionDate>

<!-- <Day> ... </Day>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 31. -->

<Day>[Please Edit]</Day>

<!-- <Month> ... </Month>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 12. -->

<Month>[Please Edit]</Month>

<!-- <Quarter> ... </Quarter>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
MinInclusive: 1. MaxInclusive: 4. -->

<Quarter>[Please Edit]</Quarter>

<!-- <Year> ... </Year>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
TotalDigits: 4. -->

<Year>[Please Edit]</Year>

</ActualCompletionDate>

<!-- <Duration> ... </Duration>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Duration>

<!-- <ProjectContractSection> ... </ProjectContractSection>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectContractSection languageCode="[Please Edit]">[Please Edit]</ProjectContractSection>

<!-- <Duration> ... </Duration>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Duration codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Duration>

</Duration>

<!-- <Website> ... </Website>. Data Type : Uri. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Website protocolCode="[Please Edit]">[Please Edit]</Website>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <ContactPersonName> ... </ContactPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContactPersonName languageCode="[Please Edit]">[Please Edit]</ContactPersonName>

<!-- <ContactPersonOrganization> ... </ContactPersonOrganization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContactPersonOrganization languageCode="[Please Edit]">[Please Edit]</ContactPersonOrganization>

<!-- <ContactPersonAddress> ... </ContactPersonAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContactPersonAddress languageCode="[Please Edit]">[Please Edit]</ContactPersonAddress>

<!-- <ContactPersonTelephoneNumber> ... </ContactPersonTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContactPersonTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ContactPersonTelephoneNumber>

<!-- <ClientOrganization> ... </ClientOrganization>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientOrganization languageCode="[Please Edit]">[Please Edit]</ClientOrganization>

<!-- <ClientOffice> ... </ClientOffice>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientOffice languageCode="[Please Edit]">[Please Edit]</ClientOffice>

<!-- <ClientDivision> ... </ClientDivision>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientDivision languageCode="[Please Edit]">[Please Edit]</ClientDivision>

<!-- <ResidentEngineer> ... </ResidentEngineer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ResidentEngineer languageCode="[Please Edit]">[Please Edit]</ResidentEngineer>

<!-- <SubContractContractNo> ... </SubContractContractNo>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SubContractContractNo languageCode="[Please Edit]">[Please Edit]</SubContractContractNo>

</ProjectContractProfile>

B-2.1.2 WDD-1.1 Project Contract Summary (WDD-1.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ProjectContractSummary> ... </ProjectContractSummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectContractSummary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-1.1-1.0.xsd">

<!-- <ProjectContractNumber> ... </ProjectContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ProjectContractNumber>

<!-- <ProjectContractTitle> ... </ProjectContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProjectContractTitle languageCode="[Please Edit]">[Please Edit]</ProjectContractTitle>

<!-- <ClientOrganization> ... </ClientOrganization>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientOrganization languageCode="[Please Edit]">[Please Edit]</ClientOrganization>

<!-- <ClientOffice> ... </ClientOffice>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientOffice languageCode="[Please Edit]">[Please Edit]</ClientOffice>

<!-- <ClientDivision> ... </ClientDivision>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientDivision languageCode="[Please Edit]">[Please Edit]</ClientDivision>

<!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <ProjectContractSum> ... </ProjectContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ProjectContractSum>

```
<!-- <CommencementDate> ... </CommencementDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<CommencementDate>[Please Edit]</CommencementDate>

<!-- <AnticipatedCompletionDate> ... </AnticipatedCompletionDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
<AnticipatedCompletionDate>[Please Edit]</AnticipatedCompletionDate>

<!-- <ProjectOfficer> ... </ProjectOfficer>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ProjectOfficer>

    <!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Name languageCode="[Please Edit]">[Please Edit]</Name>

    <!-- <Title> ... </Title>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Title languageCode="[Please Edit]">[Please Edit]</Title>

    <!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

    <!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

</ProjectOfficer>

<!-- <ResidentSiteStaff> ... </ResidentSiteStaff>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ResidentSiteStaff>

    <!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Name languageCode="[Please Edit]">[Please Edit]</Name>

    <!-- <Title> ... </Title>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Title languageCode="[Please Edit]">[Please Edit]</Title>
```

```
<!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

<!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

</ResidentSiteStaff>

<!-- <WorksNature> ... </WorksNature>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: B means Building. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: R means Roads and Drainage. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: W means Water Works. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: G means Geotechnical Works. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: P means Port Works. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: S means Site Formation. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: L means Landscape. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: I means Ground Investigation. -->
<!-- <WorksNature> ... </WorksNature>: Admissable values: E means Electrical and Mechanical Works. -->
<WorksNature codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</WorksNature>

<!-- <ProjectContractType> ... </ProjectContractType>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: C means Civil. -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: B means Building. -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: T means Term. -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: S means Specialist. -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: M means Maintenance. -->
<!-- <ProjectContractType> ... </ProjectContractType>: Admissable values: D means Design and Build. -->
<ProjectContractType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ProjectContractType>

<!-- <SafetyPlanIndicator> ... </SafetyPlanIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SafetyPlanIndicator>[Please Edit]</SafetyPlanIndicator>
```

<!-- <PfssIndicator> ... </PfssIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PfssIndicator>[Please Edit]</PfssIndicator>

<!-- <IsasIndicator> ... </IsasIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<IsasIndicator>[Please Edit]</IsasIndicator>

</ProjectContractSummary>

B-2.2 WDD-2 Correspondence Profile

B-2.2.1 WDD-2.0 Document Profile (WDD-2.0-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DocumentProfile> ... </DocumentProfile>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DocumentProfile xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-2.0-1.0.xsd">

<!-- <DocumentDate> ... </DocumentDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DocumentDate>[Please Edit]</DocumentDate>

<!-- <SenderReference> ... </SenderReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderReference schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SenderReference>

<!-- <RecipientReference> ... </RecipientReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientReference schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</RecipientReference>

<!-- <SenderName> ... </SenderName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SenderName languageCode="[Please Edit]">[Please Edit]</SenderName>

<!-- <SenderTitle> ... </SenderTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderTitle languageCode="[Please Edit]">[Please Edit]</SenderTitle>

<!-- <SenderOrganization> ... </SenderOrganization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderOrganization languageCode="[Please Edit]">[Please Edit]</SenderOrganization>

<!-- <SenderTelephoneNumber> ... </SenderTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SenderTelephoneNumber>

<!-- <SenderFaxNumber> ... </SenderFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderFaxNumber languageCode="[Please Edit]">[Please Edit]</SenderFaxNumber>

<!-- <SenderEmailAddress> ... </SenderEmailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderEmailAddress protocolCode="[Please Edit]">[Please Edit]</SenderEmailAddress>

<!-- <SenderWebsite> ... </SenderWebsite>. Data Type : Uri. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SenderWebsite protocolCode="[Please Edit]">[Please Edit]</SenderWebsite>

<!-- <Recipient> ... </Recipient>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Recipient>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <Organization> ... </Organization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Organization languageCode="[Please Edit]">[Please Edit]</Organization>

<!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

<!-- <EmailAddress> ... </EmailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EmailAddress protocolCode="[Please Edit]">[Please Edit]</EmailAddress>

```
</Recipient>

<!-- <CcRecipient> ... </CcRecipient>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
>
<CcRecipient>

  <!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Name languageCode="[Please Edit]">[Please Edit]</Name>

  <!-- <Organization> ... </Organization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
  <Organization languageCode="[Please Edit]">[Please Edit]</Organization>

  <!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
  <FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

  <!-- <EmailAddress> ... </EmailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <EmailAddress protocolCode="[Please Edit]">[Please Edit]</EmailAddress>

</CcRecipient>

<!-- <BccRecipient> ... </BccRecipient>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times.
-->
<BccRecipient>

  <!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Name languageCode="[Please Edit]">[Please Edit]</Name>

  <!-- <Organization> ... </Organization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
  <Organization languageCode="[Please Edit]">[Please Edit]</Organization>
```

<!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

<!-- <EmailAddress> ... </EmailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EmailAddress protocolCode="[Please Edit]">[Please Edit]</EmailAddress>

</BccRecipient>

<!-- <ProjectContractNumber> ... </ProjectContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProjectContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ProjectContractNumber>

<!-- <SubjectCaption> ... </SubjectCaption>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubjectCaption languageCode="[Please Edit]">[Please Edit]</SubjectCaption>

<!-- <MessageBody> ... </MessageBody>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MessageBody>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

</MessageBody>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

<!-- <DigitalSignature> ... </DigitalSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DigitalSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DigitalSignature>

</DocumentProfile>

B-2.3 WDD-3 Photo Album, Pictures

B-2.3.1 WDD-3.0 Digital Album (WDD-3.0-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DigitalAlbum> ... </DigitalAlbum>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigitalAlbum xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-3.0-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Date>[Please Edit]</Date>

<!-- <PhotographCount> ... </PhotographCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PhotographCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PhotographCount>

<!-- <Item> ... </Item>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Item>

<!-- <AttachmentImage> ... </AttachmentImage>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentImage languageCode="[Please Edit]">[Please Edit]</AttachmentImage>

<!-- <Description> ... </Description>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Description languageCode="[Please Edit]">[Please Edit]</Description>

</Item>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <PreparingPersonSignature> ... </PreparingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<PreparingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
```

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAPublicKey> ... </DSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAPublicKey>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAPublicKey>

<!-- <RSAPublicKey> ... </RSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAPublicKey>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAPublicKey>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>
```

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</PreparingPersonSignature>

<!-- <PreparingPersonTitle> ... </PreparingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<PreparingPersonTitle languageCode="[Please Edit]">[Please Edit]</PreparingPersonTitle>

```
<!-- <PreparingPersonName> ... </PreparingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<PreparingPersonName languageCode="[Please Edit]">[Please Edit]</PreparingPersonName>

</DigitalAlbum>
```

B-2.4 WDD-4 Accident Report

B-2.4.1 WDD-4.0 Injury Report (WDD-4.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <InjuryReport> ... </InjuryReport>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<InjuryReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.0-1.0.xsd">
```

```
  <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
  <!-- <InjuryReferenceNumber> ... </InjuryReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <InjuryReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</InjuryReferenceNumber>
```

```
  <!-- <InjuredWorker> ... </InjuredWorker>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <InjuredWorker>
```

```
    <!-- <Surname> ... </Surname>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Surname languageCode="[Please Edit]">[Please Edit]</Surname>
```

```
    <!-- <GivenName> ... </GivenName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <GivenName languageCode="[Please Edit]">[Please Edit]</GivenName>
```

```
    <!-- <Age> ... </Age>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Age>[Please Edit]</Age>
```

```
    <!-- <Gender> ... </Gender>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Length: 1. -->
```

```
    <!-- <Gender> ... </Gender>. Admissable values: M means Male. -->
```

```
    <!-- <Gender> ... </Gender>. Admissable values: F means Female. -->
```

```
<!-- <Gender> ... </Gender>: Admissable values: U means Unknown. -->
<Gender codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Gender>

<!-- <ImportedLabourerIndicator> ... </ImportedLabourerIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<ImportedLabourerIndicator>[Please Edit]</ImportedLabourerIndicator>

<!-- <ConstructionSiteExperience> ... </ConstructionSiteExperience>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
<ConstructionSiteExperience codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ConstructionSiteExperience>

<!-- <CurrentSiteDuration> ... </CurrentSiteDuration>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<CurrentSiteDuration codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CurrentSiteDuration>

</InjuredWorker>

<!-- <Employer> ... </Employer>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Employer languageCode="[Please Edit]">[Please Edit]</Employer>

<!-- <AccidentDate> ... </AccidentDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AccidentDate>[Please Edit]</AccidentDate>

<!-- <AnticipatedInjurySeverity> ... </AnticipatedInjurySeverity>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<!-- <AnticipatedInjurySeverity> ... </AnticipatedInjurySeverity>: Admissable values: 1 means Minor (with no hospitalization or
hospitalization less than 24 hours). -->
<!-- <AnticipatedInjurySeverity> ... </AnticipatedInjurySeverity>: Admissable values: 2 means Serious (with hospitalization more than
24 hours). -->
<!-- <AnticipatedInjurySeverity> ... </AnticipatedInjurySeverity>: Admissable values: 3 means Death. -->
<AnticipatedInjurySeverity codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AnticipatedInjurySeverity>
```

<!-- <SickLeaveStartDate> ... </SickLeaveStartDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SickLeaveStartDate>[Please Edit]</SickLeaveStartDate>

<!-- <SickLeaveEndDate> ... </SickLeaveEndDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SickLeaveEndDate>[Please Edit]</SickLeaveEndDate>

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 1 means Semi-skilled worker / General worker - Chainman. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 2 means Semi-skilled worker / General worker - Concreting labourer. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 3 means Semi-skilled worker / General worker - Drilling assistant. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 4 means Semi-skilled worker / General worker - Excavator. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 5 means Semi-skilled worker / General worker - Labourer. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 11 means Management / Foreman - Manager / Site Engineer / General Foreman. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 12 means Management / Foreman - Ganger. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 21 means Tradesman - Bamboo scaffolder. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 22 means Tradesman - Bar bender and fixer. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 23 means Tradesman - Bricklayer. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 24 means Tradesman - Building services / Electrical and Mechanical worker. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 25 means Tradesman - Carpenter (fender). -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 26 means Tradesman - Carpenter (formworker). -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 27 means Tradesman - Concretor. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 28 means Tradesman - Construction / Mechanical plant mechanic or fitter. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 29 means Tradesman - Diver. -->

<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 30 means Tradesman - Drainlayer / Mainlayer. -->

```
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 31 means Tradesman - Demolition worker. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 32 means Tradesman - General welder. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 33 means Tradesman - Joiner. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 34 means Tradesman - Leveller. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 35 means Tradesman - Marine construction plant operator. -
->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 36 means Tradesman - Mason. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 37 means Tradesman - Metal worker. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 38 means Tradesman - Metal scaffolder. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 39 means Tradesman - Painter and decorator. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 40 means Tradesman - Piling operative. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 41 means Tradesman - Plant and equipment operator
(builders lift & other machinery). -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 42 means Tradesman - Plant and equipment operator
(earthmoving machinery). -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 43 means Tradesman - Plant and equipment operator (hoist
and crane). -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 44 means Tradesman - Plant and equipment operator
(piling). -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 45 means Tradesman - Plant and equipment operator
(tunnelling). -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 46 means Tradesman - Plasterer. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 47 means Tradesman - Plumber. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 48 means Tradesman - Pneumatic driller. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 49 means Tradesman - Rigger / Metal formwork erector. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 50 means Tradesman - Structural steel erector. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 51 means Tradesman - Truck and other vehicle driver. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 52 means Tradesman - Tunnel worker. -->
<!-- <InjuredWorkerTrade> ... </InjuredWorkerTrade>: Admissable values: 60 means Others (specify, e.g. security staff / watchman). --
>
<InjuredWorkerTrade codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</InjuredWorkerTrade>

<!-- <OtherInjuredWorkerTradeSpecification> ... </OtherInjuredWorkerTradeSpecification>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
```


<OtherInjuredWorkerTradeSpecification languageCode="[Please Edit]">[Please Edit]</OtherInjuredWorkerTradeSpecification>

<!-- <AccidentLocation> ... </AccidentLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 1 means Roof/Top of building. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 2 means Lift shaft/Internal work surface. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 3 means Stair/Passage. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 4 means Excavation/Underground/Basement. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 5 means Tunnel/Sewer/Drain/Nullah. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 6 means Ladder. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 7 means External work/Scaffolding/Gondola. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 8 means Steel bending yard. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 9 means Pre-casting/Prestressing yard. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 10 means Floor/Floor opening. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 11 means Falsework and formwork. -->

<!-- <AccidentLocation> ... </AccidentLocation>: Admissable values: 12 means Others. -->

<AccidentLocation codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AccidentLocation>

<!-- <OtherAccidentLocationSpecification> ... </OtherAccidentLocationSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherAccidentLocationSpecification languageCode="[Please Edit]">[Please Edit]</OtherAccidentLocationSpecification>

<!-- <WorkerInjury> ... </WorkerInjury>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkerInjury>

<!-- <Detail> ... </Detail>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 3 time(s). -->

<Detail>

<!-- <InjuryNature> ... </InjuryNature>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 1 means Abrasion. -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 2 means Amputation. -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 3 means Asphyxia. -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 4 means Burn (heat). -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 5 means Burn / Scald. -->

<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 6 means Contusion and bruise. -->

```
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 7 means Concussion and other internal injury. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 8 means Laceration and cut. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 9 means Dislocation. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 10 means Crushing. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 11 means Electric shock / Effects of electric current. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 12 means Fracture. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 13 means Puncture. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 14 means Sprain / Strain / Twist. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 15 means Freezing. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 16 means Poisoning and gassing. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 17 means Irritation. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 18 means Nausea. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 19 means Multiple injuries. -->
<!-- <InjuryNature> ... </InjuryNature>: Admissable values: 20 means Others (specify). -->
<InjuryNature codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</InjuryNature>

<!-- <BodyPartInjured> ... </BodyPartInjured>: Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 21 means Head - Skull / Scalp. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 22 means Head - Eye. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 23 means Head - Ear. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 24 means Head - Mouth / Tooth / Lip. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 25 means Head - Nose. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 26 means Head - Face / Cheek / Chin. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 31 means Neck and Trunk - Neck. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 32 means Neck and Trunk - Back. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 33 means Neck and Trunk - Chest. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 34 means Neck and Trunk - Abdomen. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 35 means Neck and Trunk - Trunk. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 36 means Neck and Trunk - Pelvis / Groin. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 37 means Neck and Trunk - Waist. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 41 means Upper Limbs - Finger. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 42 means Upper Limbs - Hand / Palm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 43 means Upper Limbs - Forearm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 44 means Upper Limbs - Elbow. -->
```

```
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 45 means Upper Limbs - Upper arm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 46 means Upper Limbs - Shoulder. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 47 means Upper Limbs - Wrist. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 51 means Lower Limbs - Hip. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 52 means Lower Limbs - Thigh. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 53 means Lower Limbs - Knee. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 54 means Lower Limbs - Leg. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 55 means Lower Limbs - Ankle. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 56 means Lower Limbs - Foot / Toe. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissible values: 60 means Others (specify). -->
<BodyPartInjured codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</BodyPartInjured>

</Detail>

<!-- <OtherInjuryNatureSpecification> ... </OtherInjuryNatureSpecification>. Data Type : String. Optional. If not used, please delete
the section. If used, repeat at most 1 time(s). -->
<OtherInjuryNatureSpecification languageCode="[Please Edit]">[Please Edit]</OtherInjuryNatureSpecification>

<!-- <OtherBodyPartInjuredSpecification> ... </OtherBodyPartInjuredSpecification>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<OtherBodyPartInjuredSpecification languageCode="[Please Edit]">[Please Edit]</OtherBodyPartInjuredSpecification>

</WorkerInjury>

<!-- <AccidentType> ... </AccidentType>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 1 means Trapped in or between objects. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 2 means Injured whilst lifting or carrying / Manual lifting / Manual
handling / Handling without machinery. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 3 means Slip, trip or fall on same level. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 4 means Fall of person from height (specify) metres. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 5 means Striking against fixed or stationary object. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 6 means Striking against moving object. -->
<!-- <AccidentType> ... </AccidentType>: Admissible values: 7 means Stepping on object / nail. -->
```

<!-- <AccidentType> ... </AccidentType>: Admissable values: 8 means Exposure to or contact with harmful substance (e.g. poison gas, toxic, corrosive substance). -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 9 means Contact with electricity or electric discharge. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 10 means Trapped by collapsing or overturning object. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 11 means Struck by moving or falling object. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 12 means Struck by moving vehicle / Traffic accident. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 13 means Contact with moving machinery or object being machined. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 14 means Drowning or asphyxiation. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 15 means Exposure to fire / burning. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 16 means Exposure to explosion. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 17 means Dust / Foreign particle in eye. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 18 means Hand tool accident. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 19 means Crushing / Burial. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 20 means Machinery operation accident. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: 21 means Others (specify). -->

<AccidentType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AccidentType>

<!-- <OtherAccidentTypeSpecification> ... </OtherAccidentTypeSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherAccidentTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherAccidentTypeSpecification>

<!-- <WorkerFallingHeight> ... </WorkerFallingHeight>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkerFallingHeight codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WorkerFallingHeight>

<!-- <AgentInvolved> ... </AgentInvolved>. Data Type : String. Mandatory. Repeat at least 1time(s). -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 1 means Equipment for lifting / conveying. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 2 means Portable power or hand tools. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 3 means Other machinery (specify). -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 4 means Material / Product being handled or stored. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 5 means Ladder or working at height. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 6 means Sewage, manhole or other confined space. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 7 means Movable container or package of any kind. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissable values: 8 means Floor, ground, stairs or any working surface. -->

<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 9 means Gas, vapour, dust or fume. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 10 means Electricity supply, wiring apparatus or equipment. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 11 means Vehicle or associated equipment or machinery. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 12 means Construction formwork, shuttering and falsework. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 13 means Nail, splinter or chipping. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 14 means Scaffolding / Gondola. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 15 means Excavation / Underground work. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 16 means Slope. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 17 means Steel bar / rod. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 18 means Pipe. -->
<!-- <AgentInvolved> ... </AgentInvolved>: Admissible values: 19 means Others (specify). -->
<AgentInvolved codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AgentInvolved>

<!-- <OtherAgentInvolvedSpecification> ... </OtherAgentInvolvedSpecification>. Data Type : String. Optional. If not used, please delete
the section. If used, repeat at most 1 time(s). -->
<OtherAgentInvolvedSpecification languageCode="[Please Edit]">[Please Edit]</OtherAgentInvolvedSpecification>

<!-- <AgentInvolvedOtherMachinery> ... </AgentInvolvedOtherMachinery>. Data Type : String. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<AgentInvolvedOtherMachinery languageCode="[Please Edit]">[Please Edit]</AgentInvolvedOtherMachinery>

<!-- <WorkTypePerformed> ... </WorkTypePerformed>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 1 means Concreting. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 2 means Woodworking. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 3 means Glazier work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 4 means Reinforcement bar bending. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 5 means Bamboo scaffolding. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 6 means Metal scaffolding. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 7 means Painting. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 8 means Plastering. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 9 means Arc / Gas welding. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 10 means Formwork erection. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissible values: 11 means Brick laying. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 12 means Caisson work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 13 means Trench work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 14 means Gas pipe fitting. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 15 means Water pipe fitting. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 16 means Electrical wiring. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 17 means Material handling. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 18 means Lift installation. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 19 means Slope work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 20 means Mixing. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 21 means Demolition. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 22 means Road work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 23 means Erection of structural elements. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 24 means Falsework. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 25 means Surface treatment. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 26 means Cutting. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 27 means Piling. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 28 means Finishing work. -->
<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 29 means Others (specify). -->
<WorkTypePerformed codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</WorkTypePerformed>

<!-- <OtherWorkTypePerformedSpecification> ... </OtherWorkTypePerformedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherWorkTypePerformedSpecification languageCode="[Please Edit]">[Please Edit]</OtherWorkTypePerformedSpecification>

<!-- <UnsafeAction> ... </UnsafeAction>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 1 means Operating without authority. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 2 means Failure to secure objects. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 3 means Making safety devices inoperative. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 4 means Working on moving or dangerous equipment. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 5 means Use unsafe equipment / Use equipment unsafely. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 6 means Adopting unsafe position or posture. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 7 means Operating or working at unsafe speed. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 8 means Unsafe loading, placing, mixing, etc.. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 9 means Failure to use helmet. -->

```
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 10 means Failure to use proper footwear. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 11 means Failure to use eye protector. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 12 means Failure to use respirator. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 13 means Failure to use proper clothing. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 14 means Failure to warn others or give proper signals. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 15 means Horseplay. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 16 means Smoking / Burning. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 17 means Failure to use safety belt / harness. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 18 means Failure to use gloves. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 19 means Use unsuitable access / Failure to use access. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 20 means Lapse of attention. -->
<!-- <UnsafeAction> ... </UnsafeAction>: Admissable values: 21 means Others (specify). -->
<UnsafeAction codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</UnsafeAction>

<!-- <OtherUnsafeActionSpecification> ... </OtherUnsafeActionSpecification>. Data Type : String. Optional. If not used, please delete
the section. If used, repeat at most 1 time(s). -->
<OtherUnsafeActionSpecification languageCode="[Please Edit]">[Please Edit]</OtherUnsafeActionSpecification>

<!-- <UnsafeCondition> ... </UnsafeCondition>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 1 means No protective gear. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 2 means Defective protective gear. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 3 means Improper dress / footwear. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 4 means Improper guarding / No guarding. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 5 means Improper ventilation. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 6 means Improper illumination. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 7 means Improper procedure. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 8 means Unsafe layout of job, traffic, etc.. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 9 means Unsafe process or job methods. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 10 means Poor housekeeping. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 11 means Lack of warning system. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 12 means Defective tool, machinery or material. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 13 means Improper stacking / storage. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 14 means Adverse weather. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissable values: 15 means Inadequate working space/ platform. -->
```

<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissible values: 16 means Slippery area. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissible values: 17 means Inadequate tools and protective equipment. -->
<!-- <UnsafeCondition> ... </UnsafeCondition>: Admissible values: 18 means Others (specify). -->
<UnsafeCondition codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</UnsafeCondition>

<!-- <OtherUnsafeConditionSpecification> ... </OtherUnsafeConditionSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherUnsafeConditionSpecification languageCode="[Please Edit]">[Please Edit]</OtherUnsafeConditionSpecification>

<!-- <PersonalFactor> ... </PersonalFactor>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 1 means Incorrect attitude / motive. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 2 means Lack of knowledge or skill. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 3 means Physical defects. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 4 means Unsafe act by another person. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 5 means Fatigue / Exhaustion. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 6 means Carelessness. -->
<!-- <PersonalFactor> ... </PersonalFactor>: Admissible values: 7 means Others (specify). -->
<PersonalFactor codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PersonalFactor>

<!-- <OtherPersonalFactorSpecification> ... </OtherPersonalFactorSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherPersonalFactorSpecification languageCode="[Please Edit]">[Please Edit]</OtherPersonalFactorSpecification>

<!-- <MachineryInvolved> ... </MachineryInvolved>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 1 means Skip / Material hoist / Builders' lift. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 2 means Mobile platform. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 3 means Tower crane. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 4 means Mobile crane. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 5 means Lorry-mounted crane. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 6 means Hydraulic crane. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 7 means Suspended working platform. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 8 means Boatswain's chair. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissible values: 9 means Pile driver. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 10 means Boring rig. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 11 means Bar bender. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 12 means Concrete mixer. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 13 means Air compressor / receiver. -->
<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 14 means Others (specify). -->
<MachineryInvolved codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</MachineryInvolved>

<!-- <OtherMachineryInvolvedSpecification> ... </OtherMachineryInvolvedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherMachineryInvolvedSpecification languageCode="[Please Edit]">[Please Edit]</OtherMachineryInvolvedSpecification>

<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 1 means Dump truck. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 2 means Loader. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 3 means Excavator. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 4 means Bulldozer. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 5 means Grader. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 6 means Compacting roller. -->
<!-- <ConstructionMachineryInvolved> ... </ConstructionMachineryInvolved>: Admissable values: 7 means Others (specify). -->
<ConstructionMachineryInvolved codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ConstructionMachineryInvolved>

<!-- <OtherConstructionMachineryInvolvedSpecification> ... </OtherConstructionMachineryInvolvedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherConstructionMachineryInvolvedSpecification languageCode="[Please Edit]">[Please Edit]</OtherConstructionMachineryInvolvedSpecification>

<!-- <AccidentBriefAccount> ... </AccidentBriefAccount>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AccidentBriefAccount languageCode="[Please Edit]">[Please Edit]</AccidentBriefAccount>

<!-- <AvoidAccidentRecurrenceAction> ... </AvoidAccidentRecurrenceAction>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AvoidAccidentRecurrenceAction languageCode="[Please Edit]">[Please Edit]</AvoidAccidentRecurrenceAction>

<!-- <CompletingPersonSignature> ... </CompletingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompletingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

```
</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CompletingPersonSignature>

<!-- <CompletingPersonSignatureDate> ... </CompletingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletingPersonSignatureDate>[Please Edit]</CompletingPersonSignatureDate>

<!-- <CompletingPersonTitle> ... </CompletingPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletingPersonTitle languageCode="[Please Edit]">[Please Edit]</CompletingPersonTitle>

<!-- <CompletingPersonName> ... </CompletingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CompletingPersonName languageCode="[Please Edit]">[Please Edit]</CompletingPersonName>

<!-- <AcknowledgingPersonSignature> ... </AcknowledgingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AcknowledgingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>
```

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AcknowledgingPersonSignature>

<!-- <AcknowledgingPersonSignatureDate> ... </AcknowledgingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AcknowledgingPersonSignatureDate>[Please Edit]</AcknowledgingPersonSignatureDate>

<!-- <AcknowledgingPersonName> ... </AcknowledgingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AcknowledgingPersonName languageCode="[Please Edit]">[Please Edit]</AcknowledgingPersonName>

</InjuryReport>

B-2.4.2 WDD-4.1 Construction Accident Statistics Monthly Summary (WDD-4.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ConstructionAccidentStatisticsMonthlySummary> ... </ConstructionAccidentStatisticsMonthlySummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ConstructionAccidentStatisticsMonthlySummary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.1-1.0.xsd">

<!-- <ReportingMonth> ... </ReportingMonth>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MinInclusive: 1. MaxInclusive: 12. -->

<ReportingMonth>[Please Edit]</ReportingMonth>

<!-- <ReportingYear> ... </ReportingYear>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). TotalDigits: 4. -->

<ReportingYear>[Please Edit]</ReportingYear>

<!-- <PcasLastSummaryIndicator> ... </PcasLastSummaryIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PcasLastSummaryIndicator>[Please Edit]</PcasLastSummaryIndicator>

<!-- <ClientOrganization> ... </ClientOrganization>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 1 means ArchSD. -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 2 means CEDD. -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 3 means DSD. -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 4 means EMSD. -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 5 means HyD. -->

<!-- <ClientOrganization> ... </ClientOrganization>: Admissible values: 7 means WSD. -->

<ClientOrganization codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ClientOrganization>

<!-- <ClientOffice> ... </ClientOffice>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ClientOffice languageCode="[Please Edit]">[Please Edit]</ClientOffice>

<!-- <ClientDivision> ... </ClientDivision>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ClientDivision languageCode="[Please Edit]">[Please Edit]</ClientDivision>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <FatalAccidentCount> ... </FatalAccidentCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FatalAccidentCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</FatalAccidentCount>

<!-- <DangerousOccurrenceCount> ... </DangerousOccurrenceCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DangerousOccurrenceCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</DangerousOccurrenceCount>

<!-- <CurrentMonthReportableAccidentCount> ... </CurrentMonthReportableAccidentCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CurrentMonthReportableAccidentCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CurrentMonthReportableAccidentCount>

<!-- <CumulativeTotalReportableAccidentCount> ... </CumulativeTotalReportableAccidentCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CumulativeTotalReportableAccidentCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CumulativeTotalReportableAccidentCount>

<!-- <CurrentMonthAccidentLostManDay> ... </CurrentMonthAccidentLostManDay>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CurrentMonthAccidentLostManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CurrentMonthAccidentLostManDay>

<!-- <PreviousAccidentCurrentMonthLostManDay> ... </PreviousAccidentCurrentMonthLostManDay>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreviousAccidentCurrentMonthLostManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PreviousAccidentCurrentMonthLostManDay>

<!-- <PreviousAccidentCumulativeTotalLostManDay> ... </PreviousAccidentCumulativeTotalLostManDay>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreviousAccidentCumulativeTotalLostManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PreviousAccidentCumulativeTotalLostManDay>

<!-- <SubmittedForm2bCount> ... </SubmittedForm2bCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmittedForm2bCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SubmittedForm2bCount>

<!-- <LdInspectionCount> ... </LdInspectionCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<LdInspectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</LdInspectionCount>

<!-- <CurrentMonthImprovementNoticeCount> ... </CurrentMonthImprovementNoticeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CurrentMonthImprovementNoticeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CurrentMonthImprovementNoticeCount>

<!-- <CumulativeTotalImprovementNoticeCount> ... </CumulativeTotalImprovementNoticeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeTotalImprovementNoticeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CumulativeTotalImprovementNoticeCount>

<!-- <CurrentMonthSuspensionNoticeCount> ... </CurrentMonthSuspensionNoticeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CurrentMonthSuspensionNoticeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CurrentMonthSuspensionNoticeCount>

<!-- <CumulativeTotalSuspensionNoticeCount> ... </CumulativeTotalSuspensionNoticeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeTotalSuspensionNoticeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CumulativeTotalSuspensionNoticeCount>

<!-- <CurrentMonthCertifiedSum> ... </CurrentMonthCertifiedSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CurrentMonthCertifiedSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</CurrentMonthCertifiedSum>

<!-- <CumulativeTotalCertifiedSum> ... </CumulativeTotalCertifiedSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeTotalCertifiedSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</CumulativeTotalCertifiedSum>

<!-- <ExcavatorEffort> ... </ExcavatorEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ExcavatorEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</ExcavatorEffort>

<!-- <LabourerEffort> ... </LabourerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabourerEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</LabourerEffort>

<!-- <ManagementManHour> ... </ManagementManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManagementManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManagementManHour>

<!-- <BambooScaffolderEffort> ... </BambooScaffolderEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BambooScaffolderEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</BambooScaffolderEffort>

<!-- <BarBenderFixerEffort> ... </BarBenderFixerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<BarBenderFixerEffort>

 <!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

 <!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

 </BarBenderFixerEffort>

 <!-- <BricklayerEffort> ... </BricklayerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <BricklayerEffort>

 <!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

 <!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

 </BricklayerEffort>

 <!-- <BuildingServiceElectricalMechanicalWorkerEffort> ... </BuildingServiceElectricalMechanicalWorkerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <BuildingServiceElectricalMechanicalWorkerEffort>

```
<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>

</BuildingServiceElectricalMechanicalWorkerEffort>

<!-- <CarpenterEffort> ... </CarpenterEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<CarpenterEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>

</CarpenterEffort>

<!-- <ConcretorEffort> ... </ConcretorEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<ConcretorEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

```
<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

```
</ConcretorEffort>
```

```
<!-- <PlantMechanicFitterEffort> ... </PlantMechanicFitterEffort>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
```

```
<PlantMechanicFitterEffort>
```

```
<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

```
<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

```
</PlantMechanicFitterEffort>
```

```
<!-- <DrainlayerMainlayerEffort> ... </DrainlayerMainlayerEffort>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
```

```
<DrainlayerMainlayerEffort>
```

```
<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</DrainlayerMainlayerEffort>

<!-- <GeneralWelderEffort> ... </GeneralWelderEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GeneralWelderEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</GeneralWelderEffort>

<!-- <MetalWorkerEffort> ... </MetalWorkerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MetalWorkerEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

```
</MetalWorkerEffort>
```

<!-- <PlantEquipmentOperatorEffort> ... </PlantEquipmentOperatorEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<PlantEquipmentOperatorEffort>
```

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

```
</PlantEquipmentOperatorEffort>
```

<!-- <PlastererEffort> ... </PlastererEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<PlastererEffort>
```

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

</PlastererEffort>

<!-- <PlumberEffort> ... </PlumberEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PlumberEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</PlumberEffort>

<!-- <PneumaticDrillerEffort> ... </PneumaticDrillerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PneumaticDrillerEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</PneumaticDrillerEffort>

<!-- <RiggerMetalFormworkErrectorEffort> ... </RiggerMetalFormworkErrectorEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RiggerMetalFormworkErrectorEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</RiggerMetalFormworkErrectorEffort>

<!-- <TunnelWorkerEffort> ... </TunnelWorkerEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TunnelWorkerEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</TunnelWorkerEffort>

<!-- <OtherEffort> ... </OtherEffort>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</OtherEffort>

<!-- <CurrentMonthTotalEffort> ... </CurrentMonthTotalEffort>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CurrentMonthTotalEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDay>

<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManHour>

</CurrentMonthTotalEffort>

<!-- <CumulativeTotalEffort> ... </CumulativeTotalEffort>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CumulativeTotalEffort>

<!-- <ManDay> ... </ManDay>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->


```
<ManDay codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManDay>
```

```
<!-- <ManHour> ... </ManHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<ManHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ManHour>
```

```
</CumulativeTotalEffort>
```

```
</ConstructionAccidentStatisticsMonthlySummary>
```

B-2.4.3 WDD-4.2 Employee Compensation Summary (WDD-4.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <EmployeeCompensationSummary> ... </EmployeeCompensationSummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EmployeeCompensationSummary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.2-1.0.xsd">

<!-- <ReportingMonth> ... </ReportingMonth>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MinInclusive: 1. MaxInclusive: 12. -->

<ReportingMonth>[Please Edit]</ReportingMonth>

<!-- <ReportingYear> ... </ReportingYear>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). TotalDigits: 4. -->

<ReportingYear>[Please Edit]</ReportingYear>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <CompletingPersonName> ... </CompletingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletingPersonName languageCode="[Please Edit]">[Please Edit]</CompletingPersonName>

<!-- <CompletingPersonTelephoneNumber> ... </CompletingPersonTelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletingPersonTelephoneNumber languageCode="[Please Edit]">[Please Edit]</CompletingPersonTelephoneNumber>

<!-- <EmployeeCompensation> ... </EmployeeCompensation>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<EmployeeCompensation>

<!-- <ReferenceNumber> ... </ReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ReferenceNumber>

<!-- <InjuredEmployeeName> ... </InjuredEmployeeName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InjuredEmployeeName languageCode="[Please Edit]">[Please Edit]</InjuredEmployeeName>

<!-- <InjuryDate> ... </InjuryDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InjuryDate>[Please Edit]</InjuryDate>

<!-- <SickLeaveEndDate> ... </SickLeaveEndDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SickLeaveEndDate>[Please Edit]</SickLeaveEndDate>

<!-- <ManDayLost> ... </ManDayLost>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ManDayLost codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ManDayLost>

<!-- <PermanentIncapacityPercentage> ... </PermanentIncapacityPercentage>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <PermanentIncapacityPercentage> ... </PermanentIncapacityPercentage>: Admissable values: 1 means 0%. -->
<!-- <PermanentIncapacityPercentage> ... </PermanentIncapacityPercentage>: Admissable values: 2 means <= 5%. -->
<!-- <PermanentIncapacityPercentage> ... </PermanentIncapacityPercentage>: Admissable values: 3 means > 5%. -->
<PermanentIncapacityPercentage codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PermanentIncapacityPercentage>

<!-- <PaidSickLeaveCompensation> ... </PaidSickLeaveCompensation>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PaidSickLeaveCompensation currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</PaidSickLeaveCompensation>

<!-- <PaidPermanentIncapacityCompensation> ... </PaidPermanentIncapacityCompensation>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<PaidPermanentIncapacityCompensation currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</PaidPermanentIncapacityCompensation>
```

```
<!-- <TotalPaidCompensation> ... </TotalPaidCompensation>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<TotalPaidCompensation currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalPaidCompensation>
```

```
</EmployeeCompensation>
```

```
</EmployeeCompensationSummary>
```

B-2.4.4 WDD-4.3 Preliminary Accident Report (WDD-4.3-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <PreliminaryAccidentReport> ... </PreliminaryAccidentReport>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<PreliminaryAccidentReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.3-1.0.xsd">
```

```
    <!-- <Recipient> ... </Recipient>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Recipient languageCode="[Please Edit]">[Please Edit]</Recipient>
```

```
    <!-- <Client> ... </Client>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Client languageCode="[Please Edit]">[Please Edit]</Client>
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
    <!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>
```

```
    <!-- <AccidentLocation> ... </AccidentLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <AccidentLocation languageCode="[Please Edit]">[Please Edit]</AccidentLocation>
```

```
    <!-- <AccidentDateTime> ... </AccidentDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <AccidentDateTime>[Please Edit]</AccidentDateTime>
```

```
    <!-- <AccidentNatureBriefAccount> ... </AccidentNatureBriefAccount>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<AccidentNatureBriefAccount languageCode="[Please Edit]">[Please Edit]</AccidentNatureBriefAccount>

<!-- <Sketch> ... </Sketch>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Sketch>

    <!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

</Sketch>

<!-- <InjuredDeceasedWorkerCount> ... </InjuredDeceasedWorkerCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<InjuredDeceasedWorkerCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</InjuredDeceasedWorkerCount>

<!-- <InjuredDeceasedWorker> ... </InjuredDeceasedWorker>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<InjuredDeceasedWorker>

    <!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Name languageCode="[Please Edit]">[Please Edit]</Name>

    <!-- <Age> ... </Age>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Age>[Please Edit]</Age>

</InjuredDeceasedWorker>

<!-- <InjurySeriousnessDamageExtent> ... </InjurySeriousnessDamageExtent>. Data Type : String. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<InjurySeriousnessDamageExtent languageCode="[Please Edit]">[Please Edit]</InjurySeriousnessDamageExtent>

<!-- <AccidentProbableCause> ... </AccidentProbableCause>. Data Type : String. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<AccidentProbableCause languageCode="[Please Edit]">[Please Edit]</AccidentProbableCause>
```

<!-- <AvoidAccidentRecurrenceMeasure> ... </AvoidAccidentRecurrenceMeasure>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AvoidAccidentRecurrenceMeasure languageCode="[Please Edit]">[Please Edit]</AvoidAccidentRecurrenceMeasure>

<!-- <AffectedWorksProgress> ... </AffectedWorksProgress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AffectedWorksProgress languageCode="[Please Edit]">[Please Edit]</AffectedWorksProgress>

<!-- <ContractorReportAttachedIndicator> ... </ContractorReportAttachedIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractorReportAttachedIndicator>[Please Edit]</ContractorReportAttachedIndicator>

<!-- <ContractorReport> ... </ContractorReport>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorReport>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

</ContractorReport>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <ReportingPersonSignature> ... </ReportingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

```
<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
    If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
    1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>
```


</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

```
<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>
```

time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

1 time(s). -->
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

>
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReportingPersonSignature>

<!-- <ReportingPersonSignatureDate> ... </ReportingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonSignatureDate>[Please Edit]</ReportingPersonSignatureDate>

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonTitle languageCode="[Please Edit]">[Please Edit]</ReportingPersonTitle>

<!-- <ReportingPersonName> ... </ReportingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonName languageCode="[Please Edit]">[Please Edit]</ReportingPersonName>

<!-- <ReportingPersonTelephoneNumber> ... </ReportingPersonTelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ReportingPersonTelephoneNumber>

</PreliminaryAccidentReport>

B-2.4.5 WDD-4.4 Fatal Accident Supplementary Information (WDD-4.4-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <FatalAccidentSupplementaryInformation> ... </FatalAccidentSupplementaryInformation>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<FatalAccidentSupplementaryInformation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.4-1.0.xsd">
```

```
    <!-- <SenderName> ... </SenderName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <SenderName languageCode="[Please Edit]">[Please Edit]</SenderName>
```

```
    <!-- <SenderTitle> ... </SenderTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <SenderTitle languageCode="[Please Edit]">[Please Edit]</SenderTitle>
```

```
    <!-- <SenderOrganization> ... </SenderOrganization>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <SenderOrganization languageCode="[Please Edit]">[Please Edit]</SenderOrganization>
```

```
    <!-- <SenderTelephoneNumber> ... </SenderTelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <SenderTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SenderTelephoneNumber>
```

```
    <!-- <ReportDate> ... </ReportDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ReportDate>[Please Edit]</ReportDate>
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <ContractEnglishTitle> ... </ContractEnglishTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractEnglishTitle languageCode="[Please Edit]">[Please Edit]</ContractEnglishTitle>
```

<!-- <ContractChineseTitle> ... </ContractChineseTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractChineseTitle languageCode="[Please Edit]">[Please Edit]</ContractChineseTitle>

<!-- <AccidentDate> ... </AccidentDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AccidentDate>[Please Edit]</AccidentDate>

<!-- <DeceasedWorker> ... </DeceasedWorker>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeceasedWorker>

<!-- <EnglishName> ... </EnglishName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<EnglishName languageCode="[Please Edit]">[Please Edit]</EnglishName>

<!-- <ChineseName> ... </ChineseName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ChineseName languageCode="[Please Edit]">[Please Edit]</ChineseName>

<!-- <Age> ... </Age>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Age>[Please Edit]</Age>

<!-- <NextKin> ... </NextKin>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NextKin>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <Relationship> ... </Relationship>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Relationship languageCode="[Please Edit]">[Please Edit]</Relationship>

<!-- <Address> ... </Address>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Address languageCode="[Please Edit]">[Please Edit]</Address>

<!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

</NextKin>

<!-- <MinorChildCount> ... </MinorChildCount>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MinorChildCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</MinorChildCount>

<!-- <AdultChildCount> ... </AdultChildCount>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AdultChildCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AdultChildCount>

</DeceasedWorker>

<!-- <DigitalSignature> ... </DigitalSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DigitalSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

  <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestMethod Algorithm="[Please Edit]" />

  <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>
```


<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

-->
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

<X509IssuerSerial>

time(s). -->
<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerName>[Please Edit]</X509IssuerName>

1 time(s). -->
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

<X509SerialNumber>[Please Edit]</X509SerialNumber>

```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

>
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DigitalSignature>

<!-- <CcOrganization> ... </CcOrganization>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CcOrganization languageCode="[Please Edit]">[Please Edit]</CcOrganization>

</FatalAccidentSupplementaryInformation>

B-2.4.6 WDD-4.5 Dangerous Occurrence Report (WDD-4.5-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DangerousOccurrenceReport> ... </DangerousOccurrenceReport>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DangerousOccurrenceReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.5-1.0.xsd">

<!-- <IndustrialUndertakingNameAddress> ... </IndustrialUndertakingNameAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<IndustrialUndertakingNameAddress languageCode="[Please Edit]">[Please Edit]</IndustrialUndertakingNameAddress>

<!-- <DangerousOccurrenceDateTime> ... </DangerousOccurrenceDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DangerousOccurrenceDateTime>[Please Edit]</DangerousOccurrenceDateTime>

<!-- <DangerousOccurrenceNature> ... </DangerousOccurrenceNature>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DangerousOccurrenceNature languageCode="[Please Edit]">[Please Edit]</DangerousOccurrenceNature>

<!-- <Circumstance> ... </Circumstance>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Circumstance languageCode="[Please Edit]">[Please Edit]</Circumstance>

<!-- <StructuralPlantDamage> ... </StructuralPlantDamage>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<StructuralPlantDamage languageCode="[Please Edit]">[Please Edit]</StructuralPlantDamage>

<!-- <CasualtyIndicator> ... </CasualtyIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CasualtyIndicator>[Please Edit]</CasualtyIndicator>

<!-- <SuspendedWorkExtent> ... </SuspendedWorkExtent>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SuspendedWorkExtent languageCode="[Please Edit]">[Please Edit]</SuspendedWorkExtent>

<!-- <ReportingPersonSignature> ... </ReportingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>


```
</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>
```

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReportingPersonSignature>

<!-- <ReportingPersonSignatureDate> ... </ReportingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonSignatureDate>[Please Edit]</ReportingPersonSignatureDate>

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonTitle languageCode="[Please Edit]">[Please Edit]</ReportingPersonTitle>

<!-- <CompanySignature> ... </CompanySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompanySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CompanySignature>

</DangerousOccurrenceReport>

B-2.4.7 WDD-4.6 Shipping Casualty Report (WDD-4.6-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ShippingCasualtyReport> ... </ShippingCasualtyReport>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ShippingCasualtyReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.6-1.0.xsd">

<!-- <AccidentType> ... </AccidentType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: C means Collision. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: G means Grounding. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: F means Foundering. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: I means Fire. -->

<!-- <AccidentType> ... </AccidentType>: Admissable values: O means Others (specify). -->

<AccidentType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AccidentType>

<!-- <OtherAccidentTypeSpecification> ... </OtherAccidentTypeSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherAccidentTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherAccidentTypeSpecification>

<!-- <OwnVessel> ... </OwnVessel>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OwnVessel>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <Type> ... </Type>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <Type> ... </Type>: Admissable values: P means Passenger. -->

<!-- <Type> ... </Type>: Admissable values: C means Cargo. -->

<!-- <Type> ... </Type>: Admissable values: N means Container. -->

<!-- <Type> ... </Type>: Admissable values: B means Bulk. -->

<!-- <Type> ... </Type>: Admissable values: T means Tanker. -->


```
<!-- <Type> ... </Type>: Admissable values: O means Others (specify). -->
<Type codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Type>

<!-- <OtherTypeSpecification> ... </OtherTypeSpecification>. Data Type : String. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<OtherTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherTypeSpecification>

<!-- <RegistryPort> ... </RegistryPort>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RegistryPort languageCode="[Please Edit]">[Please Edit]</RegistryPort>

<!-- <LicenceNumber> ... </LicenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<LicenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</LicenceNumber>

<!-- <Nationality> ... </Nationality>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Nationality languageCode="[Please Edit]">[Please Edit]</Nationality>

<!-- <GrossTon> ... </GrossTon>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<GrossTon codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</GrossTon>

<!-- <Condition> ... </Condition>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Condition languageCode="[Please Edit]">[Please Edit]</Condition>

</OwnVessel>

<!-- <OwnVesselMaster> ... </OwnVesselMaster>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<OwnVesselMaster>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <Nationality> ... </Nationality>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Nationality languageCode="[Please Edit]">[Please Edit]</Nationality>
```

<!-- <CertificateNumber> ... </CertificateNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CertificateNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</CertificateNumber>

<!-- <CertificateIssuingAuthority> ... </CertificateIssuingAuthority>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CertificateIssuingAuthority languageCode="[Please Edit]">[Please Edit]</CertificateIssuingAuthority>

</OwnVesselMaster>

<!-- <HongKongLicencedPilot> ... </HongKongLicencedPilot>. Data Type : String. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<HongKongLicencedPilot languageCode="[Please Edit]">[Please Edit]</HongKongLicencedPilot>

<!-- <AccidentDateTime> ... </AccidentDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
-->
<AccidentDateTime>[Please Edit]</AccidentDateTime>

<!-- <AccidentPosition> ... </AccidentPosition>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AccidentPosition languageCode="[Please Edit]">[Please Edit]</AccidentPosition>

<!-- <OtherInvolvedVesselName> ... </OtherInvolvedVesselName>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat for any times. -->
<OtherInvolvedVesselName languageCode="[Please Edit]">[Please Edit]</OtherInvolvedVesselName>

<!-- <TideDirection> ... </TideDirection>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<TideDirection languageCode="[Please Edit]">[Please Edit]</TideDirection>

<!-- <TideForce> ... </TideForce>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<TideForce>[Please Edit]</TideForce>

<!-- <WindDirection> ... </WindDirection>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->

<WindDirection languageCode="[Please Edit]">[Please Edit]</WindDirection>

<!-- <WindForce> ... </WindForce>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WindForce codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WindForce>

<!-- <WeatherState> ... </WeatherState>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WeatherState languageCode="[Please Edit]">[Please Edit]</WeatherState>

<!-- <Visibility> ... </Visibility>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Visibility languageCode="[Please Edit]">[Please Edit]</Visibility>

<!-- <OwnVesselExhibitedLight> ... </OwnVesselExhibitedLight>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OwnVesselExhibitedLight languageCode="[Please Edit]">[Please Edit]</OwnVesselExhibitedLight>

<!-- <OtherVesselExhibitedLight> ... </OtherVesselExhibitedLight>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherVesselExhibitedLight languageCode="[Please Edit]">[Please Edit]</OtherVesselExhibitedLight>

<!-- <OwnVesselSoundSignal> ... </OwnVesselSoundSignal>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OwnVesselSoundSignal languageCode="[Please Edit]">[Please Edit]</OwnVesselSoundSignal>

<!-- <OtherVesselSoundSignal> ... </OtherVesselSoundSignal>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherVesselSoundSignal languageCode="[Please Edit]">[Please Edit]</OtherVesselSoundSignal>

<!-- <OwnVesselCourseSpeedFirstSightingCollidedObject> ... </OwnVesselCourseSpeedFirstSightingCollidedObject>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OwnVesselCourseSpeedFirstSightingCollidedObject languageCode="[Please Edit]">[Please Edit]</OwnVesselCourseSpeedFirstSightingCollidedObject>

<!-- <CollidedObjectFirstSightedDistanceBearing> ... </CollidedObjectFirstSightedDistanceBearing>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollidedObjectFirstSightedDistanceBearing languageCode="[Please Edit]">[Please Edit]</CollidedObjectFirstSightedDistanceBearing>

<!-- <Damage> ... </Damage>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Damage languageCode="[Please Edit]">[Please Edit]</Damage>

<!-- <AccidentAccount> ... </AccidentAccount>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccidentAccount languageCode="[Please Edit]">[Please Edit]</AccidentAccount>

<!-- <ReportingPersonSignature> ... </ReportingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

```
<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>
```

```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```


</ReportingPersonSignature>

<!-- <ReportingPersonSignatureDate> ... </ReportingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonSignatureDate>[Please Edit]</ReportingPersonSignatureDate>

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonTitle languageCode="[Please Edit]">[Please Edit]</ReportingPersonTitle>

<!-- <ReportingPersonName> ... </ReportingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonName languageCode="[Please Edit]">[Please Edit]</ReportingPersonName>

<!-- <ReportingPersonAddress> ... </ReportingPersonAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonAddress languageCode="[Please Edit]">[Please Edit]</ReportingPersonAddress>

</ShippingCasualtyReport>

B-2.4.8 WDD-4.7 Death Incapacity Notice (WDD-4.7-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DeathIncapacityNotice> ... </DeathIncapacityNotice>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeathIncapacityNotice xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-4.7-1.0.xsd">

<!-- <ReportingPersonSignature> ... </ReportingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReportingPersonSignature>
```

<!-- <ReportingPersonSignatureDate> ... </ReportingPersonSignatureDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonSignatureDate>[Please Edit]</ReportingPersonSignatureDate>

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>: Admissable values: S means Sole proprietor. -->

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>: Admissable values: P means Partner. -->

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>: Admissable values: M means Manager. -->

<!-- <ReportingPersonTitle> ... </ReportingPersonTitle>: Admissable values: O means Officer. -->

<ReportingPersonTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ReportingPersonTitle>

<!-- <ReportingPersonName> ... </ReportingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReportingPersonName languageCode="[Please Edit]">[Please Edit]</ReportingPersonName>

<!-- <CompanySignature> ... </CompanySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompanySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

 <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyName>[Please Edit]</KeyName>

 <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyValue>

 <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DSAKeyValue>

 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>

 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>

 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>

 </DSAKeyValue>

 <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

```
<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CompanySignature>

<!-- <InjuredDeceasedWorker> ... </InjuredDeceasedWorker>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<InjuredDeceasedWorker>

  <!-- <Surname> ... </Surname>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Surname languageCode="[Please Edit]">[Please Edit]</Surname>

  <!-- <GivenName> ... </GivenName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <GivenName languageCode="[Please Edit]">[Please Edit]</GivenName>

  <!-- <HkidPassportNumber> ... </HkidPassportNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <HkidPassportNumber languageCode="[Please Edit]">[Please Edit]</HkidPassportNumber>

  <!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
  <TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

  <!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

  <!-- <Address> ... </Address>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Address languageCode="[Please Edit]">[Please Edit]</Address>

  <!-- <Birthday> ... </Birthday>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Birthday>[Please Edit]</Birthday>
```

```
<!-- <Gender> ... </Gender>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Length: 1. -->
<!-- <Gender> ... </Gender>: Admissable values: M means Male. -->
<!-- <Gender> ... </Gender>: Admissable values: F means Female. -->
<!-- <Gender> ... </Gender>: Admissable values: U means Unknown. -->
<Gender codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Gender>

<!-- <Occupation> ... </Occupation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Occupation languageCode="[Please Edit]">[Please Edit]</Occupation>

<!-- <ApprenticeIndicator> ... </ApprenticeIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<ApprenticeIndicator>[Please Edit]</ApprenticeIndicator>

</InjuredDeceasedWorker>

<!-- <Employer> ... </Employer>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Employer>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <HkBusinessRegistrationNumberHkidNumber> ... </HkBusinessRegistrationNumberHkidNumber>. Data Type : String.
Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HkBusinessRegistrationNumberHkidNumber languageCode="[Please Edit]">[Please
Edit]</HkBusinessRegistrationNumberHkidNumber>

<!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

<!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

<!-- <Address> ... </Address>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<Address languageCode="[Please Edit]">[Please Edit]</Address>

<!-- <Trade> ... </Trade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Trade languageCode="[Please Edit]">[Please Edit]</Trade>

</Employer>

<!-- <PrincipalContractorHoldingCompany> ... </PrincipalContractorHoldingCompany>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PrincipalContractorHoldingCompany>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <HkBusinessRegistrationNumber> ... </HkBusinessRegistrationNumber>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<HkBusinessRegistrationNumber>

<!-- <BusinessRegistrationNumber> ... </BusinessRegistrationNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Pattern: [0-9]{8}. Length: 8. -->

<BusinessRegistrationNumber languageCode="[Please Edit]">[Please Edit]</BusinessRegistrationNumber>

<!-- <BranchNumber> ... </BranchNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). Pattern: [A-Z0-9]{1}[0-9]{2}. Length: 3. -->

<BranchNumber languageCode="[Please Edit]">[Please Edit]</BranchNumber>

</HkBusinessRegistrationNumber>

<!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

<!-- <FaxNumber> ... </FaxNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FaxNumber languageCode="[Please Edit]">[Please Edit]</FaxNumber>

```
<!-- <Address> ... </Address>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Address languageCode="[Please Edit]">[Please Edit]</Address>

<!-- <Trade> ... </Trade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Trade languageCode="[Please Edit]">[Please Edit]</Trade>

</PrincipalContractorHoldingCompany>

<!-- <Accident> ... </Accident>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Accident>

    <!-- <Description> ... </Description>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Description languageCode="[Please Edit]">[Please Edit]</Description>

    <!-- <OccurDuringWorkIndicator> ... </OccurDuringWorkIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <OccurDuringWorkIndicator>[Please Edit]</OccurDuringWorkIndicator>

    <!-- <AccidentDateTime> ... </AccidentDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <AccidentDateTime>[Please Edit]</AccidentDateTime>

    <!-- <ResultIndicator> ... </ResultIndicator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <!-- <ResultIndicator> ... </ResultIndicator>: Admissable values: D means Death. -->
    <!-- <ResultIndicator> ... </ResultIndicator>: Admissable values: I means Injury. -->
    <ResultIndicator>[Please Edit]</ResultIndicator>

    <!-- <Address> ... </Address>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Address languageCode="[Please Edit]">[Please Edit]</Address>

    <!-- <HospitalClinicName> ... </HospitalClinicName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <HospitalClinicName languageCode="[Please Edit]">[Please Edit]</HospitalClinicName>

</Accident>
```

```
<!-- <Insurance> ... </Insurance>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Insurance>

    <!-- <InsuranceCompanyNameAddress> ... </InsuranceCompanyNameAddress>. Data Type : String. Mandatory. Repeat at least
    1time(s) and at most 1 time(s). -->
    <InsuranceCompanyNameAddress languageCode="[Please Edit]">[Please Edit]</InsuranceCompanyNameAddress>

    <!-- <PolicyNumber> ... </PolicyNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PolicyNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
    schemeName="[Please Edit]">[Please Edit]</PolicyNumber>

</Insurance>

<!-- <InjuredDeceasedWorkerEarning> ... </InjuredDeceasedWorkerEarning>. Type : Complex. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<InjuredDeceasedWorkerEarning>

    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>. Data Type : String. Mandatory. Repeat at least
    1time(s) and at most 1 time(s). -->
    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>: Admissable values: 01 means 22. -->
    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>: Admissable values: 02 means 24. -->
    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>: Admissable values: 03 means 26. -->
    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>: Admissable values: 04 means 30. -->
    <!-- <AverageMonthlyWorkingDayCount> ... </AverageMonthlyWorkingDayCount>: Admissable values: 05 means Others (specify). -
    -->
    <AverageMonthlyWorkingDayCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
    codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AverageMonthlyWorkingDayCount>

    <!-- <OtherAverageMonthlyWorkingDayCountSpecification> ... </OtherAverageMonthlyWorkingDayCountSpecification>. Data Type :
    Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). MinInclusive: 0. MaxInclusive: 31. -->
    <OtherAverageMonthlyWorkingDayCountSpecification>[Please Edit]</OtherAverageMonthlyWorkingDayCountSpecification>

    <!-- <PaidRestDayIndicator> ... </PaidRestDayIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
```


<PaidRestDayIndicator>[Please Edit]</PaidRestDayIndicator>

<!-- <FixedRestDayIndicator> ... </FixedRestDayIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FixedRestDayIndicator>[Please Edit]</FixedRestDayIndicator>

<!-- <FixedRestDay> ... </FixedRestDay>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FixedRestDay languageCode="[Please Edit]">[Please Edit]</FixedRestDay>

<!-- <MonthlyBasicSalary> ... </MonthlyBasicSalary>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MonthlyBasicSalary currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</MonthlyBasicSalary>

<!-- <MonthlyFoodAllowance> ... </MonthlyFoodAllowance>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MonthlyFoodAllowance currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</MonthlyFoodAllowance>

<!-- <OtherEarningItem> ... </OtherEarningItem>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherEarningItem>

<!-- <Type> ... </Type>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Type languageCode="[Please Edit]">[Please Edit]</Type>

<!-- <Amount> ... </Amount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Amount currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Amount>

</OtherEarningItem>

<!-- <TotalMonthlyEarning> ... </TotalMonthlyEarning>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalMonthlyEarning currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalMonthlyEarning>

<!-- <PastYearAverageMonthlyEarning> ... </PastYearAverageMonthlyEarning>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PastYearAverageMonthlyEarning currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</PastYearAverageMonthlyEarning>

</InjuredDeceasedWorkerEarning>

<!-- <FatalAccident> ... </FatalAccident>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FatalAccident>

<!-- <PoliceNotifiedIndicator> ... </PoliceNotifiedIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PoliceNotifiedIndicator>[Please Edit]</PoliceNotifiedIndicator>

<!-- <PoliceStation> ... </PoliceStation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PoliceStation languageCode="[Please Edit]">[Please Edit]</PoliceStation>

<!-- <WorkerNextKinNameAddress> ... </WorkerNextKinNameAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkerNextKinNameAddress languageCode="[Please Edit]">[Please Edit]</WorkerNextKinNameAddress>

<!-- <WorkerNextKinRelationship> ... </WorkerNextKinRelationship>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkerNextKinRelationship languageCode="[Please Edit]">[Please Edit]</WorkerNextKinRelationship>

<!-- <WorkerNextKinTelephoneNumber> ... </WorkerNextKinTelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkerNextKinTelephoneNumber languageCode="[Please Edit]">[Please Edit]</WorkerNextKinTelephoneNumber>

</FatalAccident>

<!-- <WorkerCompensationDirectSettlement> ... </WorkerCompensationDirectSettlement>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkerCompensationDirectSettlement>

<!-- <WorkerSickLeavePeriod> ... </WorkerSickLeavePeriod>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<WorkerSickLeavePeriod>

<!-- <StartDate> ... </StartDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<StartDate>[Please Edit]</StartDate>

<!-- <EndDate> ... </EndDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EndDate>[Please Edit]</EndDate>

</WorkerSickLeavePeriod>

<!-- <WorkerTotalSickLeaveDayCount> ... </WorkerTotalSickLeaveDayCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkerTotalSickLeaveDayCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</WorkerTotalSickLeaveDayCount>

<!-- <CompensationAmount> ... </CompensationAmount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompensationAmount currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</CompensationAmount>

<!-- <CompensationPaidIndicator> ... </CompensationPaidIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompensationPaidIndicator>[Please Edit]</CompensationPaidIndicator>

<!-- <CompensationPayDate> ... </CompensationPayDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompensationPayDate>[Please Edit]</CompensationPayDate>

</WorkerCompensationDirectSettlement>

<!-- <AccidentLocation> ... </AccidentLocation>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AccidentLocation>

```
<!-- <Code> ... </Code>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <Code> ... </Code>: Admissable values: 01 means Construction Site - Building worksite. -->
<!-- <Code> ... </Code>: Admissable values: 02 means Construction Site - Civil worksite. -->
<!-- <Code> ... </Code>: Admissable values: 03 means Construction Site - Renovation / Repair of existing buildings. -->
<!-- <Code> ... </Code>: Admissable values: 04 means Shipyard - Floating vessel. -->
<!-- <Code> ... </Code>: Admissable values: 05 means Shipyard - Non-floating vessel. -->
<!-- <Code> ... </Code>: Admissable values: 06 means Shipyard - Maintenance workshop. -->
<!-- <Code> ... </Code>: Admissable values: 07 means Manufactory - Production area. -->
<!-- <Code> ... </Code>: Admissable values: 08 means Manufactory - Maintenance workshop. -->
<!-- <Code> ... </Code>: Admissable values: 09 means Manufactory - Loading / unloading area. -->
<!-- <Code> ... </Code>: Admissable values: 10 means Manufactory - Storage area. -->
<!-- <Code> ... </Code>: Admissable values: 11 means Others - Container yard. -->
<!-- <Code> ... </Code>: Admissable values: 12 means Others - Catering establishment. -->
<!-- <Code> ... </Code>: Admissable values: 13 means Others (specify). -->
<Code codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Code>

<!-- <OtherSpecification> ... </OtherSpecification>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<OtherSpecification languageCode="[Please Edit]">[Please Edit]</OtherSpecification>

<!-- <ActivityDuringAccident> ... </ActivityDuringAccident>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<ActivityDuringAccident languageCode="[Please Edit]">[Please Edit]</ActivityDuringAccident>

</AccidentLocation>

<!-- <WorkerInjuryNature> ... </WorkerInjuryNature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorkerInjuryNature>

<!-- <InjuryDescription> ... </InjuryDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InjuryDescription languageCode="[Please Edit]">[Please Edit]</InjuryDescription>

<!-- <Code> ... </Code>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<!-- <Code> ... </Code>: Admissable values: 01 means Abrasion. -->
<!-- <Code> ... </Code>: Admissable values: 02 means Amputation. -->
<!-- <Code> ... </Code>: Admissable values: 03 means Asphyxia. -->
<!-- <Code> ... </Code>: Admissable values: 04 means Burn (heat). -->
<!-- <Code> ... </Code>: Admissable values: 05 means Burn. -->
<!-- <Code> ... </Code>: Admissable values: 06 means Contusion and bruise. -->
<!-- <Code> ... </Code>: Admissable values: 07 means Concussion. -->
<!-- <Code> ... </Code>: Admissable values: 08 means Laceration and cut. -->
<!-- <Code> ... </Code>: Admissable values: 09 means Dislocation. -->
<!-- <Code> ... </Code>: Admissable values: 10 means Crushing. -->
<!-- <Code> ... </Code>: Admissable values: 11 means Electric shock. -->
<!-- <Code> ... </Code>: Admissable values: 12 means Fracture. -->
<!-- <Code> ... </Code>: Admissable values: 13 means Puncture wound. -->
<!-- <Code> ... </Code>: Admissable values: 14 means Sprain and strain. -->
<!-- <Code> ... </Code>: Admissable values: 15 means Freezing. -->
<!-- <Code> ... </Code>: Admissable values: 16 means Poisoning. -->
<!-- <Code> ... </Code>: Admissable values: 17 means Irritation. -->
<!-- <Code> ... </Code>: Admissable values: 18 means Nausea. -->
<!-- <Code> ... </Code>: Admissable values: 19 means Multiple injuries. -->
<!-- <Code> ... </Code>: Admissable values: 20 means Others (specify). -->
<Code codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Code>

<!-- <OtherSpecification> ... </OtherSpecification>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<OtherSpecification languageCode="[Please Edit]">[Please Edit]</OtherSpecification>

<!-- <BodyPartInjured> ... </BodyPartInjured>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 21 means Head - Skull / Scalp. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 22 means Head - Eye. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 23 means Head - Ear. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 24 means Head - Mouth / Tooth. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 25 means Head - Nose. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 26 means Head - Face. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 31 means Neck and Trunk - Neck. -->
```

```
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 32 means Neck and Trunk - Back. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 33 means Neck and Trunk - Chest. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 34 means Neck and Trunk - Abdomen. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 35 means Neck and Trunk - Trunk. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 36 means Neck and Trunk - Pelvis / Groin. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 41 means Upper Limbs - Finger. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 42 means Upper Limbs - Hand / Palm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 43 means Upper Limbs - Forearm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 44 means Upper Limbs - Elbow. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 45 means Upper Limbs - Upper arm. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 46 means Upper Limbs - Shoulder. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 51 means Lower Limbs - Hip. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 52 means Lower Limbs - Thigh. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 53 means Lower Limbs - Knee. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 54 means Lower Limbs - Leg. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 55 means Lower Limbs - Ankle. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 56 means Lower Limbs - Foot. -->
<!-- <BodyPartInjured> ... </BodyPartInjured>: Admissable values: 61 means Multiple locations (specify). -->
<BodyPartInjured codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</BodyPartInjured>

<!-- <MultipleBodyPartInjuredSpecification> ... </MultipleBodyPartInjuredSpecification>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
<MultipleBodyPartInjuredSpecification languageCode="[Please Edit]">[Please Edit]</MultipleBodyPartInjuredSpecification>

</WorkerInjuryNature>

<!-- <AccidentType> ... </AccidentType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 01 means Trapped in or between objects. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 02 means Injured whilst lifting or carrying. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 03 means Slip, trip or fall on same level. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 04 means Fall of person from height (specify) metres. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 05 means Striking against fixed or stationary object. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 06 means Striking against moving object. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 07 means Stepping on object. -->
```

<!-- <AccidentType> ... </AccidentType>: Admissable values: 08 means Exposure to or contact with harmful substance. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 09 means Contact with electricity or electric discharge. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 10 means Trapped by collapsing or overturning object. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 11 means Struck by moving or falling object. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 12 means Struck by moving vehicle. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 13 means Contact with moving machinery or object being machined. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 14 means Drowning. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 15 means Exposure to fire. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 16 means Exposure to explosion. -->
<!-- <AccidentType> ... </AccidentType>: Admissable values: 17 means Others (specify). -->
<AccidentType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AccidentType>

<!-- <OtherAccidentTypeSpecification> ... </OtherAccidentTypeSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherAccidentTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherAccidentTypeSpecification>

<!-- <WorkerFallingHeight> ... </WorkerFallingHeight>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<WorkerFallingHeight codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WorkerFallingHeight>

<!-- <AccidentInvolvingAgent> ... </AccidentInvolvingAgent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AccidentInvolvingAgent>

<!-- <Code> ... </Code>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <Code> ... </Code>: Admissable values: 01 means Equipment for lifting / conveying. -->
<!-- <Code> ... </Code>: Admissable values: 02 means Portable power or hand tools. -->
<!-- <Code> ... </Code>: Admissable values: 03 means Other machinery (specify). -->
<!-- <Code> ... </Code>: Admissable values: 04 means Material / Project being handled or stored. -->
<!-- <Code> ... </Code>: Admissable values: 05 means Ladder or working at height. -->
<!-- <Code> ... </Code>: Admissable values: 06 means Sewage, manhole or other confined space. -->
<!-- <Code> ... </Code>: Admissable values: 07 means Movable container or package of any kind. -->
<!-- <Code> ... </Code>: Admissable values: 08 means Floor, ground, stairs or any working surface. -->
<!-- <Code> ... </Code>: Admissable values: 09 means Gas, vapour, dust or fume. -->


```
<!-- <Code> ... </Code>: Admissable values: 10 means Electricity supply, wiring apparatus or equipment. -->
<!-- <Code> ... </Code>: Admissable values: 11 means Vehicle or associated equipment or machinery. -->
<!-- <Code> ... </Code>: Admissable values: 12 means Others (specify). -->
<Code codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Code>

<!-- <OtherSpecification> ... </OtherSpecification>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<OtherSpecification languageCode="[Please Edit]">[Please Edit]</OtherSpecification>

<!-- <OtherMachineryType> ... </OtherMachineryType>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<OtherMachineryType languageCode="[Please Edit]">[Please Edit]</OtherMachineryType>

<!-- <OtherMachineryCausingInjuryPart> ... </OtherMachineryCausingInjuryPart>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<!-- <OtherMachineryCausingInjuryPart> ... </OtherMachineryCausingInjuryPart>: Admissable values: a means Prime mover. -->
<!-- <OtherMachineryCausingInjuryPart> ... </OtherMachineryCausingInjuryPart>: Admissable values: b means Transmission part. -
->
<!-- <OtherMachineryCausingInjuryPart> ... </OtherMachineryCausingInjuryPart>: Admissable values: c means Working part. -->
<OtherMachineryCausingInjuryPart codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</OtherMachineryCausingInjuryPart>

<!-- <Description> ... </Description>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Description languageCode="[Please Edit]">[Please Edit]</Description>

</AccidentInvolvingAgent>

<!-- <AttachmentImage> ... </AttachmentImage>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<AttachmentImage languageCode="[Please Edit]">[Please Edit]</AttachmentImage>

<!-- <ConstructionSiteAccident> ... </ConstructionSiteAccident>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<ConstructionSiteAccident>
```


<!-- <WorkTypePerformed> ... </WorkTypePerformed>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 01 means Concreting. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 02 means Woodworking. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 03 means Glazier work. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 04 means Reinforcement bar bending. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 05 means Bamboo scaffolding. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 06 means Tubular scaffolding. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 07 means Painting. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 08 means Plastering. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 09 means Arc / Gas welding. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 10 means Formwork erection. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 11 means Brick laying. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 12 means Caisson work. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 13 means Trench work. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 14 means Gas pipe fitting. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 15 means Water pipe fitting. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 16 means Electrical wiring. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 17 means Material handling. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 18 means Lift installation. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 19 means Slope work. -->

<!-- <WorkTypePerformed> ... </WorkTypePerformed>: Admissable values: 20 means Others (specify). -->

<WorkTypePerformed codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</WorkTypePerformed>

<!-- <OtherWorkTypePerformedSpecification> ... </OtherWorkTypePerformedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherWorkTypePerformedSpecification languageCode="[Please Edit]">[Please Edit]</OtherWorkTypePerformedSpecification>

<!-- <WorkPerformingWhereabouts> ... </WorkPerformingWhereabouts>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkPerformingWhereabouts languageCode="[Please Edit]">[Please Edit]</WorkPerformingWhereabouts>

<!-- <MachineryInvolved> ... </MachineryInvolved>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 01 means Skip / Material hoist. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 02 means Passenger hoist / Builders' lift. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 03 means Tower crane. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 04 means Mobile crane. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 05 means Lorry-mounted crane. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 06 means Hydraulic crane. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 07 means Suspended working platform. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 08 means Boatswain's chair. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 09 means Pile driver. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 10 means Boring rig. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 11 means Bar bender. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 12 means Concrete mixer. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 13 means Air compressor / receiver. -->

<!-- <MachineryInvolved> ... </MachineryInvolved>: Admissable values: 14 means Others (specify). -->

<MachineryInvolved codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</MachineryInvolved>

<!-- <OtherMachineryInvolvedSpecification> ... </OtherMachineryInvolvedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherMachineryInvolvedSpecification languageCode="[Please Edit]">[Please Edit]</OtherMachineryInvolvedSpecification>

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 01 means Dump truck. -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 02 means Loader. -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 03 means Excavator. -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 04 means Bulldozer. -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 05 means Grader. -->

<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 06 means Compacting roller. -->
<!-- <TransportingConstructionMachineryInvolved> ... </TransportingConstructionMachineryInvolved>: Admissable values: 07 means Others (specify). -->
<TransportingConstructionMachineryInvolved codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TransportingConstructionMachineryInvolved>

<!-- <OtherTransportingConstructionMachineryInvolvedSpecification> ...
</OtherTransportingConstructionMachineryInvolvedSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherTransportingConstructionMachineryInvolvedSpecification languageCode="[Please Edit]">[Please Edit]</OtherTransportingConstructionMachineryInvolvedSpecification>

</ConstructionSiteAccident>

<!-- <SupplementaryInformation> ... </SupplementaryInformation>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<SupplementaryInformation>

<!-- <AccidentSite> ... </AccidentSite>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AccidentSite>

<!-- <WorkCommencementMonth> ... </WorkCommencementMonth>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MinInclusive: 1. MaxInclusive: 12. -->
<WorkCommencementMonth>[Please Edit]</WorkCommencementMonth>

<!-- <WorkCommencementYear> ... </WorkCommencementYear>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). TotalDigits: 4. -->
<WorkCommencementYear>[Please Edit]</WorkCommencementYear>

<!-- <WorkAnticipatedCompletionMonth> ... </WorkAnticipatedCompletionMonth>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MinInclusive: 1. MaxInclusive: 12. -->
<WorkAnticipatedCompletionMonth>[Please Edit]</WorkAnticipatedCompletionMonth>

<!-- <WorkAnticipatedCompletionYear> ... </WorkAnticipatedCompletionYear>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). TotalDigits: 4. -->

<WorkAnticipatedCompletionYear>[Please Edit]</WorkAnticipatedCompletionYear>

<!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <SiteAddress> ... </SiteAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SiteAddress languageCode="[Please Edit]">[Please Edit]</SiteAddress>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <AccidentDate> ... </AccidentDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AccidentDate>[Please Edit]</AccidentDate>

<!-- <CompanySignature> ... </CompanySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompanySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

 <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <HMACOutputLength>[Please Edit]</HMACOutputLength>

 </SignatureMethod>

 <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <Transforms>

 <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Transform Algorithm="[Please Edit]">

 <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <XPath>[Please Edit]</XPath>

 </Transform>

 </Transforms>

 <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DigestMethod Algorithm="[Please Edit]" />

 <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DigestValue>[Please Edit]</DigestValue>

```
</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
        >
        <DSAKeyValue>

            <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
            -->
            <G>[Please Edit]</G>

            <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <Y>[Please Edit]</Y>

            <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
            >
            <J>[Please Edit]</J>

        </DSAKeyValue>
```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>

  <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509Certificate>[Please Edit]</X509Certificate>

  <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```



```
<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CompanySignature>

</AccidentSite>

<!-- <ProjectNature> ... </ProjectNature>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <ProjectNature> ... </ProjectNature>: Admissible values: C means Civil Engineering. -->
<!-- <ProjectNature> ... </ProjectNature>: Admissible values: I means Superstructure. -->
<!-- <ProjectNature> ... </ProjectNature>: Admissible values: M means Maintenance and Repair. -->
<ProjectNature codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ProjectNature>

    <!-- <PublicPrivateProjectIndicator> ... </PublicPrivateProjectIndicator>. Data Type : String. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
    <!-- <PublicPrivateProjectIndicator> ... </PublicPrivateProjectIndicator>: Admissible values: U means Public works or government
project. -->
    <!-- <PublicPrivateProjectIndicator> ... </PublicPrivateProjectIndicator>: Admissible values: V means Private project. -->
    <PublicPrivateProjectIndicator>[Please Edit]</PublicPrivateProjectIndicator>
```

<!-- <ProjectManagerName> ... </ProjectManagerName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProjectManagerName languageCode="[Please Edit]">[Please Edit]</ProjectManagerName>

<!-- <ProjectManagerTitle> ... </ProjectManagerTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProjectManagerTitle languageCode="[Please Edit]">[Please Edit]</ProjectManagerTitle>

<!-- <ProjectManagerTelephoneNumber> ... </ProjectManagerTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProjectManagerTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ProjectManagerTelephoneNumber>

<!-- <PublicWorksType> ... </PublicWorksType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 01 means Architectural Services Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 02 means Buildings Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 03 means Civil Engineering and Development Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 04 means Drainage Services Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 05 means Electrical and Mechanical Services Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 06 means Highways Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 08 means Water Supplies Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 09 means Housing Department. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 10 means Kowloon-Canton Railways Corporation. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 11 means Mass Transit Railways Corporation. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 12 means Airport Authority. -->

<!-- <PublicWorksType> ... </PublicWorksType>: Admissible values: 13 means Others (specify). -->

<PublicWorksType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PublicWorksType>

<!-- <OtherPublicWorksTypeSpecification> ... </OtherPublicWorksTypeSpecification>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherPublicWorksTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherPublicWorksTypeSpecification>

</SupplementaryInformation>

</DeathIncapacityNotice>

B-2.5 WDD-5 Request for Inspection

B-2.5.1 WDD-5.0 Inspection Survey Request (WDD-5.0-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <InspectionSurveyRequest> ... </InspectionSurveyRequest>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InspectionSurveyRequest xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-5.0-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <RequestNumber> ... </RequestNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</RequestNumber>

<!-- <SubmissionType> ... </SubmissionType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <SubmissionType> ... </SubmissionType>: Admissable values: N means New Submission. -->

<!-- <SubmissionType> ... </SubmissionType>: Admissable values: R means Re-submission. -->

<SubmissionType>[Please Edit]</SubmissionType>

<!-- <PreviousRequestNumber> ... </PreviousRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreviousRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</PreviousRequestNumber>

<!-- <WorkLocation> ... </WorkLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkLocation languageCode="[Please Edit]">[Please Edit]</WorkLocation>

<!-- <WorkBeingInspectedSurveyed> ... </WorkBeingInspectedSurveyed>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorkBeingInspectedSurveyed languageCode="[Please Edit]">[Please Edit]</WorkBeingInspectedSurveyed>

<!-- <InspectionSurveyDateTime> ... </InspectionSurveyDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InspectionSurveyDateTime>[Please Edit]</InspectionSurveyDateTime>

<!-- <ProposedWorkSucceedingApproval> ... </ProposedWorkSucceedingApproval>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProposedWorkSucceedingApproval languageCode="[Please Edit]">[Please Edit]</ProposedWorkSucceedingApproval>

<!-- <ProposedWorkSucceedingApprovalDateTime> ... </ProposedWorkSucceedingApprovalDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProposedWorkSucceedingApprovalDateTime>[Please Edit]</ProposedWorkSucceedingApprovalDateTime>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <RemarkDateTime> ... </RemarkDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RemarkDateTime>[Please Edit]</RemarkDateTime>

<!-- <RequestingPersonName> ... </RequestingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestingPersonName languageCode="[Please Edit]">[Please Edit]</RequestingPersonName>

<!-- <RequestDateTime> ... </RequestDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestDateTime>[Please Edit]</RequestDateTime>

<!-- <RequestingPersonTitle> ... </RequestingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestingPersonTitle languageCode="[Please Edit]">[Please Edit]</RequestingPersonTitle>

<!-- <ReceivingPersonSignature> ... </ReceivingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivingPersonSignature>

<!-- <ReceivingPersonSignatureDateTime> ... </ReceivingPersonSignatureDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonSignatureDateTime>[Please Edit]</ReceivingPersonSignatureDateTime>

<!-- <ReceivingPersonTitle> ... </ReceivingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <ReceivingPersonTitle> ... </ReceivingPersonTitle>: Admissable values: E means ER. -->

<!-- <ReceivingPersonTitle> ... </ReceivingPersonTitle>: Admissable values: I means IOW. -->

<ReceivingPersonTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ReceivingPersonTitle>

<!-- <ReceivingPersonName> ... </ReceivingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonName languageCode="[Please Edit]">[Please Edit]</ReceivingPersonName>

<!-- <ArrangementType> ... </ArrangementType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <ArrangementType> ... </ArrangementType>: Admissible values: I means Inspection. -->

<!-- <ArrangementType> ... </ArrangementType>: Admissible values: C means Check setting out. -->

<ArrangementType>[Please Edit]</ArrangementType>

<!-- <FillingPersonSignature> ... </FillingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FillingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</FillingPersonSignature>
```

<!-- <FillingPersonSignatureDate> ... </FillingPersonSignatureDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FillingPersonSignatureDate>[Please Edit]</FillingPersonSignatureDate>

<!-- <FillingPersonTitle> ... </FillingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <FillingPersonTitle> ... </FillingPersonTitle>: Admissable values: E means ER. -->

<!-- <FillingPersonTitle> ... </FillingPersonTitle>: Admissable values: I means IOW. -->

<FillingPersonTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FillingPersonTitle>

<!-- <FillingPersonName> ... </FillingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FillingPersonName languageCode="[Please Edit]">[Please Edit]</FillingPersonName>

<!-- <InspectedSurveyedIndicator> ... </InspectedSurveyedIndicator>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <InspectedSurveyedIndicator> ... </InspectedSurveyedIndicator>: Admissable values: I means Inspected. -->

<!-- <InspectedSurveyedIndicator> ... </InspectedSurveyedIndicator>: Admissable values: S means Surveyed. -->

<InspectedSurveyedIndicator>[Please Edit]</InspectedSurveyedIndicator>

<!-- <ProposedWorkPermissionIndicator> ... </ProposedWorkPermissionIndicator>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProposedWorkPermissionIndicator>[Please Edit]</ProposedWorkPermissionIndicator>

<!-- <ProposedWorkPermissionReason> ... </ProposedWorkPermissionReason>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProposedWorkPermissionReason languageCode="[Please Edit]">[Please Edit]</ProposedWorkPermissionReason>

<!-- <InspectorSurveyorSignature> ... </InspectorSurveyorSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InspectorSurveyorSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<Signature Id="[Please Edit]">

  <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignatureMethod Algorithm="[Please Edit]">

      <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
      <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

      <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
      <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

          <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <XPath>[Please Edit]</XPath>

        </Transform>

      </Transforms>

    </Reference>

  </SignedInfo>

</Signature>
```

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>

  <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
  <X509Certificate>[Please Edit]</X509Certificate>

  <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</InspectorSurveyorSignature>

<!-- <InspectorSurveyorSignatureDateTime> ... </InspectorSurveyorSignatureDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InspectorSurveyorSignatureDateTime>[Please Edit]</InspectorSurveyorSignatureDateTime>

<!-- <InspectorSurveyorIndicator> ... </InspectorSurveyorIndicator>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <InspectorSurveyorIndicator> ... </InspectorSurveyorIndicator>: Admissable values: I means Inspected. -->

<!-- <InspectorSurveyorIndicator> ... </InspectorSurveyorIndicator>: Admissable values: S means Surveyed. -->

<InspectorSurveyorIndicator>[Please Edit]</InspectorSurveyorIndicator>

<!-- <InspectorSurveyorTitle> ... </InspectorSurveyorTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InspectorSurveyorTitle languageCode="[Please Edit]">[Please Edit]</InspectorSurveyorTitle>

<!-- <CountersigningPersonSignature> ... </CountersigningPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CountersigningPersonSignature>

<!-- <CountersigningPersonSignatureDateTime> ... </CountersigningPersonSignatureDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonSignatureDateTime>[Please Edit]</CountersigningPersonSignatureDateTime>

<!-- <CountersigningPersonTitle> ... </CountersigningPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonTitle languageCode="[Please Edit]">[Please Edit]</CountersigningPersonTitle>

<!-- <ContractorRepresentativeSignature> ... </ContractorRepresentativeSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ContractorRepresentativeSignature>

<!-- <ContractorRepresentativeSignatureDateTime> ... </ContractorRepresentativeSignatureDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ContractorRepresentativeSignatureDateTime>[Please Edit]</ContractorRepresentativeSignatureDateTime>

<!-- <ContractorRepresentativeName> ... </ContractorRepresentativeName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ContractorRepresentativeName languageCode="[Please Edit]">[Please Edit]</ContractorRepresentativeName>

</InspectionSurveyRequest>

B-2.6 WDD-6 Test Records

B-2.6.1 WDD-6.0 Concrete Test Cube Register (WDD-6.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ConcreteTestCubeRegister> ... </ConcreteTestCubeRegister>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ConcreteTestCubeRegister xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.0-1.0.xsd">
```

```
  <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
  <!-- <ConcreteGrade> ... </ConcreteGrade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <ConcreteGrade languageCode="[Please Edit]">[Please Edit]</ConcreteGrade>
```

```
  <!-- <Batching> ... </Batching>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <Batching languageCode="[Please Edit]">[Please Edit]</Batching>
```

```
  <!-- <CementBrand> ... </CementBrand>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <CementBrand languageCode="[Please Edit]">[Please Edit]</CementBrand>
```

```
  <!-- <Additive> ... </Additive>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <Additive languageCode="[Please Edit]">[Please Edit]</Additive>
```

```
  <!-- <CoarseAggregationSource> ... </CoarseAggregationSource>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <CoarseAggregationSource languageCode="[Please Edit]">[Please Edit]</CoarseAggregationSource>
```

```
  <!-- <FineSource> ... </FineSource>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
  <FineSource languageCode="[Please Edit]">[Please Edit]</FineSource>
```



```
<!-- <FourConsecutiveTestRecord> ... </FourConsecutiveTestRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<FourConsecutiveTestRecord>

    <!-- <AverageFourConsecutiveResult> ... </AverageFourConsecutiveResult>. Data Type : String. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
    <AverageFourConsecutiveResult languageCode="[Please Edit]">[Please Edit]</AverageFourConsecutiveResult>

    <!-- <StandardDeviation> ... </StandardDeviation>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <StandardDeviation codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</StandardDeviation>

    <!-- <ComplianceCriteria> ... </ComplianceCriteria>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
->
    <ComplianceCriteria languageCode="[Please Edit]">[Please Edit]</ComplianceCriteria>

    <!-- <ComplianceIndicator> ... </ComplianceIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <ComplianceIndicator>[Please Edit]</ComplianceIndicator>

    <!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
    <Remark languageCode="[Please Edit]">[Please Edit]</Remark>

    <!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 2time(s) and at most 2 time(s). -->
    <Record>

        <!-- <RequestNumber> ... </RequestNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <RequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</RequestNumber>

        <!-- <CastDate> ... </CastDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <CastDate>[Please Edit]</CastDate>

        <!-- <Location> ... </Location>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Location languageCode="[Please Edit]">[Please Edit]</Location>
```

<!-- <Slump> ... </Slump>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Slump codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Slump>

<!-- <ComplianceIndicator> ... </ComplianceIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ComplianceIndicator>[Please Edit]</ComplianceIndicator>

<!-- <TwentyEightDayResult> ... </TwentyEightDayResult>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TwentyEightDayResult>

<!-- <TestCertificateNumber> ... </TestCertificateNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestCertificateNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestCertificateNumber>

<!-- <CubeMark> ... </CubeMark>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CubeMark schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</CubeMark>

<!-- <TestDate> ... </TestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestDate>[Please Edit]</TestDate>

<!-- <Age> ... </Age>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Age codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Age>

<!-- <Density> ... </Density>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Density codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Density>

<!-- <CompressiveStrength> ... </CompressiveStrength>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CompressiveStrength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CompressiveStrength>

<!-- <TestResult> ... </TestResult>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestResult languageCode="[Please Edit]">[Please Edit]</TestResult>

</TwentyEightDayResult>

</Record>

</FourConsecutiveTestRecord>

</ConcreteTestCubeRegister>

B-2.6.2 WDD-6.1 Drainage Test (WDD-6.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DrainageTest> ... </DrainageTest>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DrainageTest xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.1-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <TestLocation> ... </TestLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestLocation languageCode="[Please Edit]">[Please Edit]</TestLocation>

<!-- <ReportDate> ... </ReportDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ReportDate>[Please Edit]</ReportDate>

<!-- <PipeInternalDiameter> ... </PipeInternalDiameter>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<PipeInternalDiameter codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PipeInternalDiameter>

<!-- <PipelineLength> ... </PipelineLength>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PipelineLength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PipelineLength>

<!-- <AirTest> ... </AirTest>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AirTest>

<!-- <FinalWaterHead> ... </FinalWaterHead>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FinalWaterHead codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</FinalWaterHead>

<!-- <StartTime> ... </StartTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<StartTime>[Please Edit]</StartTime>

<!-- <EndTime> ... </EndTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<EndTime>[Please Edit]</EndTime>

</AirTest>

<!-- <WaterTest> ... </WaterTest>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<WaterTest>

<!-- <WaterLevel> ... </WaterLevel>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WaterLevel codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WaterLevel>

<!-- <HighEndPressureHead> ... </HighEndPressureHead>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HighEndPressureHead codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</HighEndPressureHead>

<!-- <LowEndPressureHead> ... </LowEndPressureHead>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<LowEndPressureHead codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</LowEndPressureHead>

<!-- <TestStartDateTime> ... </TestStartDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestStartDateTime>[Please Edit]</TestStartDateTime>

<!-- <TestEndDateTime> ... </TestEndDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestEndDateTime>[Please Edit]</TestEndDateTime>

<!-- <TimeDuration> ... </TimeDuration>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TimeDuration codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TimeDuration>

<!-- <PermittedLeakage> ... </PermittedLeakage>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PermittedLeakage codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PermittedLeakage>

```
<!-- <TotalAddedWater> ... </TotalAddedWater>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalAddedWater codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalAddedWater>

<!-- <TestRecord> ... </TestRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<TestRecord>

    <!-- <Time> ... </Time>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Time>[Please Edit]</Time>

    <!-- <AddedWater> ... </AddedWater>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <AddedWater codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AddedWater>

</TestRecord>

</WaterTest>

<!-- <VisualInspection> ... </VisualInspection>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<VisualInspection languageCode="[Please Edit]">[Please Edit]</VisualInspection>

<!-- <InfiltrationTest> ... </InfiltrationTest>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<InfiltrationTest languageCode="[Please Edit]">[Please Edit]</InfiltrationTest>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <TestResultIndicator> ... </TestResultIndicator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestResultIndicator> ... </TestResultIndicator>: Admissable values: P means Pass. -->
<!-- <TestResultIndicator> ... </TestResultIndicator>: Admissable values: F means Fail. -->
<TestResultIndicator>[Please Edit]</TestResultIndicator>

<!-- <RecordingPersonName> ... </RecordingPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

<RecordingPersonName languageCode="[Please Edit]">[Please Edit]</RecordingPersonName>

<!-- <ContractorSignature> ... </ContractorSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

```
</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" Mime Type="[Please Edit]" />

</Signature>

</ContractorSignature>

<!-- <ContractorName> ... </ContractorName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorName languageCode="[Please Edit]">[Please Edit]</ContractorName>

<!-- <EngineerRepresentativeSignature> ... </EngineerRepresentativeSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EngineerRepresentativeSignature>

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

        </SignatureMethod>

        <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

            <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
            <Transforms>

                <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                <Transform Algorithm="[Please Edit]">

                    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                    <XPath>[Please Edit]</XPath>

                </Transform>

            </Transforms>

        </Reference>

    </SignedInfo>

</Signature>
```

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

-->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
1 time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</EngineerRepresentativeSignature>

<!-- <EngineerRepresentativeName> ... </EngineerRepresentativeName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<EngineerRepresentativeName languageCode="[Please Edit]">[Please Edit]</EngineerRepresentativeName>

</DrainageTest>

B-2.6.3 WDD-6.2 Field Density Determination (WDD-6.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <FieldDensityDetermination> ... </FieldDensityDetermination>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FieldDensityDetermination xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.2-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

<!-- <TestDate> ... </TestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestDate>[Please Edit]</TestDate>

<!-- <TestCompletionDate> ... </TestCompletionDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestCompletionDate>[Please Edit]</TestCompletionDate>

<!-- <SandReplacementMethodSoilType> ... </SandReplacementMethodSoilType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <SandReplacementMethodSoilType> ... </SandReplacementMethodSoilType>: Admissable values: 1 means Fine- and medium-grained. -->

<!-- <SandReplacementMethodSoilType> ... </SandReplacementMethodSoilType>: Admissable values: 2 means Fine-, medium- and coarse grained. -->

<SandReplacementMethodSoilType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SandReplacementMethodSoilType>

<!-- <PouringCylinderType> ... </PouringCylinderType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <PouringCylinderType> ... </PouringCylinderType>: Admissable values: S means Small. -->
<!-- <PouringCylinderType> ... </PouringCylinderType>: Admissable values: L means Large. -->
<PouringCylinderType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PouringCylinderType>

<!-- <GeotechnicalEngineeringOfficeTestNumber> ... </GeotechnicalEngineeringOfficeTestNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <GeotechnicalEngineeringOfficeTestNumber> ... </GeotechnicalEngineeringOfficeTestNumber>: Admissable values: 1 means Test No. 9.2.1. -->
<!-- <GeotechnicalEngineeringOfficeTestNumber> ... </GeotechnicalEngineeringOfficeTestNumber>: Admissable values: 2 means Test No. 9.2.2. -->
<GeotechnicalEngineeringOfficeTestNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</GeotechnicalEngineeringOfficeTestNumber>

<!-- <PublicWorkLaboratoryTechnicalManual> ... </PublicWorkLaboratoryTechnicalManual>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <PublicWorkLaboratoryTechnicalManual> ... </PublicWorkLaboratoryTechnicalManual>: Admissable values: A means PWLTM SOL 8.1 (a). -->
<!-- <PublicWorkLaboratoryTechnicalManual> ... </PublicWorkLaboratoryTechnicalManual>: Admissable values: B means PWLTM SOL 8.1 (b). -->
<PublicWorkLaboratoryTechnicalManual codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PublicWorkLaboratoryTechnicalManual>

<!-- <RelativeCompactionDeterminationRequiredIndicator> ... </RelativeCompactionDeterminationRequiredIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RelativeCompactionDeterminationRequiredIndicator>[Please Edit]</RelativeCompactionDeterminationRequiredIndicator>

<!-- <WeatherEnvironmentCondition> ... </WeatherEnvironmentCondition>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WeatherEnvironmentCondition languageCode="[Please Edit]">[Please Edit]</WeatherEnvironmentCondition>

<!-- <PouringCylinderNumber> ... </PouringCylinderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PouringCylinderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" Edit]" schemeName="[Please Edit]">[Please Edit]</PouringCylinderNumber>

<!-- <PouringCylinderDiameter> ... </PouringCylinderDiameter>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PouringCylinderDiameter codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PouringCylinderDiameter>

<!-- <InitialSandMass> ... </InitialSandMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InitialSandMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</InitialSandMass>

<!-- <ConeTrayOpeningSandMass> ... </ConeTrayOpeningSandMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ConeTrayOpeningSandMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ConeTrayOpeningSandMass>

<!-- <SandBulkDensity> ... </SandBulkDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SandBulkDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SandBulkDensity>

<!-- <SandStorageContainerIdNumber> ... </SandStorageContainerIdNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SandStorageContainerIdNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SandStorageContainerIdNumber>

<!-- <SandDetermination> ... </SandDetermination>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SandDetermination>

<!-- <AssumedRetainingRockDensity> ... </AssumedRetainingRockDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AssumedRetainingRockDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedRetainingRockDensity>

<!-- <AssumedRetainingConcreteDensity> ... </AssumedRetainingConcreteDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AssumedRetainingConcreteDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedRetainingConcreteDensity>
```

<!-- <AssumedRetainingBrickDensity> ... </AssumedRetainingBrickDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AssumedRetainingBrickDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedRetainingBrickDensity>
```

<!-- <AssumedCumulativeRetainingRockDensity> ... </AssumedCumulativeRetainingRockDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AssumedCumulativeRetainingRockDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedCumulativeRetainingRockDensity>
```

<!-- <AssumedCumulativeRetainingConcreteDensity> ... </AssumedCumulativeRetainingConcreteDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AssumedCumulativeRetainingConcreteDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedCumulativeRetainingConcreteDensity>
```

<!-- <AssumedCumulativeRetainingBrickDensity> ... </AssumedCumulativeRetainingBrickDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AssumedCumulativeRetainingBrickDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedCumulativeRetainingBrickDensity>
```

```
<!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 4time(s) and at most 4 time(s). -->
<Record>
```

<!-- <LaboratoryCompactionTestReferenceNumber> ... </LaboratoryCompactionTestReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<LaboratoryCompactionTestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LaboratoryCompactionTestReferenceNumber>
```

<!-- <LaboratoryTestPositionNumber> ... </LaboratoryTestPositionNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<LaboratoryTestPositionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LaboratoryTestPositionNumber>
```

```
<!-- <ClientTestPositionNumber> ... </ClientTestPositionNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<ClientTestPositionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestPositionNumber>

<!-- <ContainerNumber> ... </ContainerNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<ContainerNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</ContainerNumber>

<!-- <ContainerMass> ... </ContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ContainerMass>

<!-- <ExcavatedSoilIncludingContainerMass> ... </ExcavatedSoilIncludingContainerMass>. Data Type : Decimal. Mandatory.
Repeat at least 1time(s) and at most 1 time(s). -->
<ExcavatedSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please
Edit]</ExcavatedSoilIncludingContainerMass>

<!-- <RemainingSandMass> ... </RemainingSandMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<RemainingSandMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RemainingSandMass>

<!-- <RetainingRockMass> ... </RetainingRockMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<RetainingRockMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RetainingRockMass>

<!-- <RetainingConcreteMass> ... </RetainingConcreteMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<RetainingConcreteMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RetainingConcreteMass>

<!-- <RetainingBrickMass> ... </RetainingBrickMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<RetainingBrickMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RetainingBrickMass>
```

<!-- <CumulativeRetainingRockMass> ... </CumulativeRetainingRockMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeRetainingRockMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CumulativeRetainingRockMass>

<!-- <CumulativeRetainingConcreteMass> ... </CumulativeRetainingConcreteMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeRetainingConcreteMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CumulativeRetainingConcreteMass>

<!-- <CumulativeRetainingBrickMass> ... </CumulativeRetainingBrickMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CumulativeRetainingBrickMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CumulativeRetainingBrickMass>

</Record>

<!-- <LaboratoryControlSampleCheckingPerson> ... </LaboratoryControlSampleCheckingPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LaboratoryControlSampleCheckingPerson languageCode="[Please Edit]">[Please Edit]</LaboratoryControlSampleCheckingPerson>

</SandDetermination>

<!-- <MoistureContentDetermination> ... </MoistureContentDetermination>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MoistureContentDetermination>

<!-- <OvenIdNumber> ... </OvenIdNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OvenIdNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</OvenIdNumber>

<!-- <DryingTemperature> ... </DryingTemperature>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DryingTemperature codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DryingTemperature>

<!-- <BalanceIdNumber> ... </BalanceIdNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<BalanceIdNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</BalanceIdNumber>

<!-- <DryingCycleInitialDateTime> ... </DryingCycleInitialDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<DryingCycleInitialDateTime>[Please Edit]</DryingCycleInitialDateTime>

<!-- <DryingCycleFirstStageDateTime> ... </DryingCycleFirstStageDateTime>. Data Type : DateTime. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
<DryingCycleFirstStageDateTime>[Please Edit]</DryingCycleFirstStageDateTime>

<!-- <DryingCycleSecondStageDateTime> ... </DryingCycleSecondStageDateTime>. Data Type : DateTime. Mandatory. Repeat at
least 1time(s) and at most 1 time(s). -->
<DryingCycleSecondStageDateTime>[Please Edit]</DryingCycleSecondStageDateTime>

<!-- <DryingCycleThirdStageDateTime> ... </DryingCycleThirdStageDateTime>. Data Type : DateTime. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
<DryingCycleThirdStageDateTime>[Please Edit]</DryingCycleThirdStageDateTime>

<!-- <DryingCycle> ... </DryingCycle>. Type : Complex. Mandatory. Repeat at least 4time(s) and at most 4 time(s). -->
<DryingCycle>

<!-- <LaboratorySpecimenNumber> ... </LaboratorySpecimenNumber>. Data Type : String. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<LaboratorySpecimenNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LaboratorySpecimenNumber>

<!-- <ContainerNumber> ... </ContainerNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<ContainerNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</ContainerNumber>

<!-- <ContainerMass> ... </ContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ContainerMass>

<!-- <InitialSoilIncludingContainerMass> ... </InitialSoilIncludingContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InitialSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</InitialSoilIncludingContainerMass>

<!-- <ZeroPointOnePercentInitialSoilMass> ... </ZeroPointOnePercentInitialSoilMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ZeroPointOnePercentInitialSoilMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ZeroPointOnePercentInitialSoilMass>

<!-- <FirstStageSoilIncludingContainerMass> ... </FirstStageSoilIncludingContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FirstStageSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</FirstStageSoilIncludingContainerMass>

<!-- <SecondStageSoilIncludingContainerMass> ... </SecondStageSoilIncludingContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SecondStageSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SecondStageSoilIncludingContainerMass>

<!-- <SecondStageSuccessiveWeighingDifference> ... </SecondStageSuccessiveWeighingDifference>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SecondStageSuccessiveWeighingDifference codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SecondStageSuccessiveWeighingDifference>

<!-- <ThirdStageSoilIncludingContainerMass> ... </ThirdStageSoilIncludingContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ThirdStageSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ThirdStageSoilIncludingContainerMass>

<!-- <ThirdStageSuccessiveWeighingDifference> ... </ThirdStageSuccessiveWeighingDifference>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

`<ThirdStageSuccessiveWeighingDifference codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ThirdStageSuccessiveWeighingDifference>`

`<!-- <FinalSoilIncludingContainerMass> ... </FinalSoilIncludingContainerMass>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

`<FinalSoilIncludingContainerMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</FinalSoilIncludingContainerMass>`

`</DryingCycle>`

`<!-- <DryingActivityRecordSheetAttachedIndicator> ... </DryingActivityRecordSheetAttachedIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

`<DryingActivityRecordSheetAttachedIndicator>[Please Edit]</DryingActivityRecordSheetAttachedIndicator>`

`<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`

`<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>`

`</MoistureContentDetermination>`

`<!-- <TestingPersonSignature> ... </TestingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`

`<TestingPersonSignature>`

`<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

`<Signature Id="[Please Edit]">`

`<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

`<SignedInfo Id="[Please Edit]">`

`<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

`<CanonicalizationMethod Algorithm="[Please Edit]" />`

`<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

```
<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

>
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>

    </DSAKeyValue>

    <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <RSAKeyValue>

      <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Modulus>[Please Edit]</Modulus>

      <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Exponent>[Please Edit]</Exponent>
```

```
</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>
```

```
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

  <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>
```

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</TestingPersonSignature>

<!-- <TestingPersonSignatureDate> ... </TestingPersonSignatureDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestingPersonSignatureDate>[Please Edit]</TestingPersonSignatureDate>

<!-- <TestingPersonTitle> ... </TestingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestingPersonTitle languageCode="[Please Edit]">[Please Edit]</TestingPersonTitle>

<!-- <TestingPersonName> ... </TestingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestingPersonName languageCode="[Please Edit]">[Please Edit]</TestingPersonName>

<!-- <CheckingPersonSignature> ... </CheckingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CheckingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>


```
<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>
```

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CheckingPersonSignature>

<!-- <CheckingPersonSignatureDate> ... </CheckingPersonSignatureDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CheckingPersonSignatureDate>[Please Edit]</CheckingPersonSignatureDate>

<!-- <CheckingPersonTitle> ... </CheckingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CheckingPersonTitle languageCode="[Please Edit]">[Please Edit]</CheckingPersonTitle>

<!-- <CheckingPersonName> ... </CheckingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CheckingPersonName languageCode="[Please Edit]">[Please Edit]</CheckingPersonName>

</FieldDensityDetermination>

B-2.6.4 WDD-6.3 Soil Compaction Test Summary (WDD-6.3-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SoilCompactionTestSummary> ... </SoilCompactionTestSummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SoilCompactionTestSummary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.3-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <TestStartDate> ... </TestStartDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestStartDate>[Please Edit]</TestStartDate>

<!-- <TestEndDate> ... </TestEndDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestEndDate>[Please Edit]</TestEndDate>

<!-- <TestLocationType> ... </TestLocationType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestLocationType> ... </TestLocationType>: Admissible values: F means Fill slope. -->
<!-- <TestLocationType> ... </TestLocationType>: Admissible values: R means Road formation. -->
<!-- <TestLocationType> ... </TestLocationType>: Admissible values: O means Others (specify). -->
<TestLocationType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestLocationType>

<!-- <OtherTestLocationTypeSpecification> ... </OtherTestLocationTypeSpecification>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<OtherTestLocationTypeSpecification languageCode="[Please Edit]">[Please Edit]</OtherTestLocationTypeSpecification>

<!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Record>

<!-- <TestDate> ... </TestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<TestDate>[Please Edit]</TestDate>

<!-- <WorksLocation> ... </WorksLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorksLocation languageCode="[Please Edit]">[Please Edit]</WorksLocation>

<!-- <UndergroundDepth> ... </UndergroundDepth>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<UndergroundDepth codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</UndergroundDepth>

<!-- <InsituDryDensity> ... </InsituDryDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InsituDryDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</InsituDryDensity>

<!-- <MaximumDryDensity> ... </MaximumDryDensity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<MaximumDryDensity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MaximumDryDensity>

<!-- <RelativeCompaction> ... </RelativeCompaction>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<RelativeCompaction>[Please Edit]</RelativeCompaction>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

</Record>

</SoilCompactionTestSummary>
```

B-2.6.5 WDD-6.4 Prestressed Tensioning Record (WDD-6.4-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <PrestressedTensioningTest> ... </PrestressedTensioningTest>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PrestressedTensioningTest xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.4-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <MemberNumber> ... </MemberNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MemberNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</MemberNumber>

<!-- <Location> ... </Location>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Location languageCode="[Please Edit]">[Please Edit]</Location>

<!-- <CastDate> ... </CastDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CastDate>[Please Edit]</CastDate>

<!-- <TensioningTransferDate> ... </TensioningTransferDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TensioningTransferDate>[Please Edit]</TensioningTransferDate>

<!-- <CubeTestDate> ... </CubeTestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CubeTestDate>[Please Edit]</CubeTestDate>

<!-- <CubeStrength> ... </CubeStrength>. Data Type : Decimal. Mandatory. Repeat at least 3time(s) and at most 3 time(s). -->

<CubeStrength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CubeStrength>

<!-- <CubeAverageStrength> ... </CubeAverageStrength>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CubeAverageStrength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CubeAverageStrength>

<!-- <CubeSpecifiedStrength> ... </CubeSpecifiedStrength>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CubeSpecifiedStrength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CubeSpecifiedStrength>

<!-- <TensioningRecord> ... </TensioningRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<TensioningRecord>

<!-- <Tendon> ... </Tendon>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Tendon languageCode="[Please Edit]">[Please Edit]</Tendon>

<!-- <StrandWire> ... </StrandWire>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<StrandWire languageCode="[Please Edit]">[Please Edit]</StrandWire>

<!-- <SpecifiedLoad> ... </SpecifiedLoad>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SpecifiedLoad codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SpecifiedLoad>

<!-- <MeasuredLoad> ... </MeasuredLoad>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MeasuredLoad codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MeasuredLoad>

<!-- <CalculatedExtension> ... </CalculatedExtension>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CalculatedExtension codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CalculatedExtension>

<!-- <ExtensionDiscrepancy> ... </ExtensionDiscrepancy>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ExtensionDiscrepancy>[Please Edit]</ExtensionDiscrepancy>

<!-- <AssumedAnchoragePullin> ... </AssumedAnchoragePullin>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AssumedAnchoragePullin codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AssumedAnchoragePullin>

<!-- <MeasuredAnchoragePullin> ... </MeasuredAnchoragePullin>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MeasuredAnchoragePullin codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MeasuredAnchoragePullin>

</TensioningRecord>

<!-- <AttachmentImage> ... </AttachmentImage>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentImage languageCode="[Please Edit]">[Please Edit]</AttachmentImage>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <RecordingPersonSignature> ... </RecordingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>


```
<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeysValue> ... </DSAKeysValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeysValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeysValue>

<!-- <RSAKeysValue> ... </RSAKeysValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeysValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeysValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>
```

```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```

</RecordingPersonSignature>

<!-- <RecordingPersonTitle> ... </RecordingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordingPersonTitle languageCode="[Please Edit]">[Please Edit]</RecordingPersonTitle>

<!-- <RecordingPersonName> ... </RecordingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordingPersonName languageCode="[Please Edit]">[Please Edit]</RecordingPersonName>

</PrestressedTensioningTest>

B-2.6.6 WDD-6.5 Drainage Pipeline Water Test Record (WDD-6.5-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DrainagePipelineWaterTest> ... </DrainagePipelineWaterTest>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DrainagePipelineWaterTest xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.5-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <TestDate> ... </TestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestDate>[Please Edit]</TestDate>

<!-- <TestNumber> ... </TestNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestNumber>

<!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Record>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Date>[Please Edit]</Date>

<!-- <StartLocation> ... </StartLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<StartLocation languageCode="[Please Edit]">[Please Edit]</StartLocation>

<!-- <EndLocation> ... </EndLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<EndLocation languageCode="[Please Edit]">[Please Edit]</EndLocation>

<!-- <PipelineDiameter> ... </PipelineDiameter>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PipelineDiameter codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PipelineDiameter>

```
<!-- <PipelineLength> ... </PipelineLength>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PipelineLength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</PipelineLength>

<!-- <CommencementReading> ... </CommencementReading>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CommencementReading codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</CommencementReading>

<!-- <TwentyMinuteReading> ... </TwentyMinuteReading>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<TwentyMinuteReading codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TwentyMinuteReading>

<!-- <ActualDropEveryThirtyMetre> ... </ActualDropEveryThirtyMetre>. Data Type : Decimal. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<ActualDropEveryThirtyMetre codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please
Edit]</ActualDropEveryThirtyMetre>

<!-- <DropPermittedEveryThirtyMetre> ... </DropPermittedEveryThirtyMetre>. Data Type : Decimal. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
<DropPermittedEveryThirtyMetre codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please
Edit]</DropPermittedEveryThirtyMetre>

<!-- <ResultIndicator> ... </ResultIndicator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <ResultIndicator> ... </ResultIndicator>: Admissable values: P means Pass. -->
<!-- <ResultIndicator> ... </ResultIndicator>: Admissable values: F means Fail. -->
<ResultIndicator>[Please Edit]</ResultIndicator>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

</Record>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
```

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

<!-- <ReceivingPersonSignature> ... </ReceivingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

```
</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivingPersonSignature>

<!-- <ReceivingPersonTitle> ... </ReceivingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonTitle languageCode="[Please Edit]">[Please Edit]</ReceivingPersonTitle>

<!-- <ReceivingPersonName> ... </ReceivingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivingPersonName languageCode="[Please Edit]">[Please Edit]</ReceivingPersonName>

</DrainagePipelineWaterTest>

B-2.6.7 WDD-6.6 Bearing Expansion Joint Performance (WDD-6.6-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <BearingExpansionJointPerformance> ... </BearingExpansionJointPerformance>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<BearingExpansionJointPerformance xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-6.6-1.0.xsd">
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <ProjectTitle> ... </ProjectTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ProjectTitle languageCode="[Please Edit]">[Please Edit]</ProjectTitle>
```

```
    <!-- <Consultant> ... </Consultant>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Consultant languageCode="[Please Edit]">[Please Edit]</Consultant>
```

```
    <!-- <MainContractor> ... </MainContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <MainContractor languageCode="[Please Edit]">[Please Edit]</MainContractor>
```

```
    <!-- <BearingValue> ... </BearingValue>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <BearingValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</BearingValue>
```

```
    <!-- <ExpansionJointValue> ... </ExpansionJointValue>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <ExpansionJointValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ExpansionJointValue>
```

```
    <!-- <Bearing> ... </Bearing>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Bearing>
```

```
        <!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>
```

```
<!-- <TypeModelNumber> ... </TypeModelNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -  
-->  
<TypeModelNumber languageCode="[Please Edit]">[Please Edit]</TypeModelNumber>  
  
<!-- <SpecialistContractor> ... </SpecialistContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).  
-->  
<SpecialistContractor languageCode="[Please Edit]">[Please Edit]</SpecialistContractor>  
  
<!-- <InstalledCount> ... </InstalledCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<InstalledCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"  
agencyId="[Please Edit]">[Please Edit]</InstalledCount>  
  
<!-- <InstalledLocation> ... </InstalledLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<InstalledLocation languageCode="[Please Edit]">[Please Edit]</InstalledLocation>  
  
<!-- <MaterialStandard> ... </MaterialStandard>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<MaterialStandard languageCode="[Please Edit]">[Please Edit]</MaterialStandard>  
  
<!-- <InstallationStandard> ... </InstallationStandard>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).  
-->  
<InstallationStandard languageCode="[Please Edit]">[Please Edit]</InstallationStandard>  
  
</Bearing>  
  
<!-- <BearingObjectiveComment> ... </BearingObjectiveComment>. Data Type : String. Mandatory. Repeat at least 1time(s) and at  
most 1 time(s). -->  
<BearingObjectiveComment languageCode="[Please Edit]">[Please Edit]</BearingObjectiveComment>  
  
<!-- <ExpansionJoint> ... </ExpansionJoint>. Type : Complex. Mandatory. Repeat at least 1time(s). -->  
<ExpansionJoint>  
  
<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>
```

```
<!-- <TypeModelNumber> ... </TypeModelNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -  
-->  
<TypeModelNumber languageCode="[Please Edit]">[Please Edit]</TypeModelNumber>  
  
<!-- <SpecialistContractor> ... </SpecialistContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).  
-->  
<SpecialistContractor languageCode="[Please Edit]">[Please Edit]</SpecialistContractor>  
  
<!-- <InstalledCountLength> ... </InstalledCountLength>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1  
time(s). -->  
<InstalledCountLength languageCode="[Please Edit]">[Please Edit]</InstalledCountLength>  
  
<!-- <InstalledLocation> ... </InstalledLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<InstalledLocation languageCode="[Please Edit]">[Please Edit]</InstalledLocation>  
  
<!-- <MaterialStandard> ... </MaterialStandard>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<MaterialStandard languageCode="[Please Edit]">[Please Edit]</MaterialStandard>  
  
<!-- <InstallationStandard> ... </InstallationStandard>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).  
-->  
<InstallationStandard languageCode="[Please Edit]">[Please Edit]</InstallationStandard>  
  
</ExpansionJoint>  
  
<!-- <ExpansionJointObjectComment> ... </ExpansionJointObjectComment>. Data Type : String. Mandatory. Repeat at least 1time(s)  
and at most 1 time(s). -->  
<ExpansionJointObjectComment languageCode="[Please Edit]">[Please Edit]</ExpansionJointObjectComment>  
  
<!-- <SigningPersonSignature> ... </SigningPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used,  
repeat at most 1 time(s). -->  
<SigningPersonSignature>  
  
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<Signature Id="[Please Edit]">
```



```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DigestMethod Algorithm="[Please Edit]" />
    </Reference>
</SignedInfo>
```

```
<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>

    </DSAKeyValue>
```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>
```

```
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>
```

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</SigningPersonSignature>

<!-- <SigningPersonSignatureDate> ... </SigningPersonSignatureDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SigningPersonSignatureDate>[Please Edit]</SigningPersonSignatureDate>

<!-- <SigningPersonTitle> ... </SigningPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <SigningPersonTitle> ... </SigningPersonTitle>: Admissable values: P means Project Engineer. -->

<!-- <SigningPersonTitle> ... </SigningPersonTitle>: Admissable values: R means Resident Engineer. -->

<SigningPersonTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SigningPersonTitle>

<!-- <SigningPersonName> ... </SigningPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SigningPersonName languageCode="[Please Edit]">[Please Edit]</SigningPersonName>

<!-- <PreparingPersonName> ... </PreparingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreparingPersonName languageCode="["Please Edit"]">[Please Edit]</PreparingPersonName>
</BearingExpansionJointPerformance>

B-2.7 WDD-7 Site Instruction

B-2.7.1 WDD-7.0 Site Instruction (WDD-7.0-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SiteInstruction> ... </SiteInstruction>. Data Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SiteInstruction xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-7.0-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Sender> ... </Sender>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Sender languageCode="[Please Edit]">[Please Edit]</Sender>

<!-- <Recipient> ... </Recipient>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Recipient languageCode="[Please Edit]">[Please Edit]</Recipient>

<!-- <SiteInstructionNumber> ... </SiteInstructionNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SiteInstructionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SiteInstructionNumber>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Date>[Please Edit]</Date>

<!-- <FileReference> ... </FileReference>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FileReference schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</FileReference>

<!-- <CopyCount> ... </CopyCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CopyCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CopyCount>

<!-- <Instruction> ... </Instruction>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Instruction languageCode="[Please Edit]">[Please Edit]</Instruction>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

<!-- <EngineerRepresentativeSignature> ... </EngineerRepresentativeSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EngineerRepresentativeSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">


```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</EngineerRepresentativeSignature>
```

<!-- <EngineerRepresentativeName> ... </EngineerRepresentativeName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EngineerRepresentativeName languageCode="[Please Edit]">[Please Edit]</EngineerRepresentativeName>

<!-- <ContractorRepresentativeSignature> ... </ContractorRepresentativeSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

```
<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
```


<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ContractorRepresentativeSignature>

<!-- <ContractorRepresentativeReceiptDateTime> ... </ContractorRepresentativeReceiptDateTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeReceiptDateTime>[Please Edit]</ContractorRepresentativeReceiptDateTime>

<!-- <ContractorRepresentativeName> ... </ContractorRepresentativeName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeName languageCode="[Please Edit]">[Please Edit]</ContractorRepresentativeName>

</SiteInstruction>

B-2.8 WDD-8 Site Daily Records

B-2.8.1 WDD-8.0 Site Diary (WDD-8.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <SiteDiary> ... </SiteDiary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SiteDiary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"  
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-8.0-1.0.xsd">
```

```
<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"  
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Date>[Please Edit]</Date>
```

```
<!-- <Day> ... </Day>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Day languageCode="[Please Edit]">[Please Edit]</Day>
```

```
<!-- <MorningWeather> ... </MorningWeather>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at  
most 1 time(s). -->
```

```
<MorningWeather languageCode="[Please Edit]">[Please Edit]</MorningWeather>
```

```
<!-- <AfternoonWeather> ... </AfternoonWeather>. Data Type : String. Optional. If not used, please delete the section. If used, repeat  
at most 1 time(s). -->
```

```
<AfternoonWeather languageCode="[Please Edit]">[Please Edit]</AfternoonWeather>
```

```
<!-- <Rainfall> ... </Rainfall>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<Rainfall codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Rainfall>
```

<!-- <LabourRecord> ... </LabourRecord>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<LabourRecord>

 <!-- <FirstWorksSection> ... </FirstWorksSection>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <FirstWorksSection languageCode="[Please Edit]">[Please Edit]</FirstWorksSection>

 <!-- <SecondWorksSection> ... </SecondWorksSection>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SecondWorksSection languageCode="[Please Edit]">[Please Edit]</SecondWorksSection>

 <!-- <ThirdWorksSection> ... </ThirdWorksSection>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <ThirdWorksSection languageCode="[Please Edit]">[Please Edit]</ThirdWorksSection>

 <!-- <LabourCount> ... </LabourCount>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <LabourCount>

 <!-- <Trade> ... </Trade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Trade languageCode="[Please Edit]">[Please Edit]</Trade>

 <!-- <FirstWorksSectionCount> ... </FirstWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <FirstWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FirstWorksSectionCount>

 <!-- <SecondWorksSectionCount> ... </SecondWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SecondWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SecondWorksSectionCount>

 <!-- <ThirdWorksSectionCount> ... </ThirdWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <ThirdWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirdWorksSectionCount>

<!-- <WholeCount> ... </WholeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WholeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</WholeCount>

<!-- <SupplementaryInformation> ... </SupplementaryInformation>. Data Type : String. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<SupplementaryInformation languageCode="[Please Edit]">[Please Edit]</SupplementaryInformation>

</LabourCount>

<!-- <TotalFirstWorksSectionCount> ... </TotalFirstWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
<TotalFirstWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalFirstWorksSectionCount>

<!-- <TotalSecondWorksSectionCount> ... </TotalSecondWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
<TotalSecondWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalSecondWorksSectionCount>

<!-- <TotalThirdWorksSectionCount> ... </TotalThirdWorksSectionCount>. Data Type : Decimal. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
<TotalThirdWorksSectionCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalThirdWorksSectionCount>

<!-- <TotalWholeCount> ... </TotalWholeCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<TotalWholeCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</TotalWholeCount>

<!-- <TotalCountSupplementaryInformation> ... </TotalCountSupplementaryInformation>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
<TotalCountSupplementaryInformation languageCode="[Please Edit]">[Please Edit]</TotalCountSupplementaryInformation>

```
</LabourRecord>

<!-- <PlantRecord> ... </PlantRecord>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
>
<PlantRecord>

    <!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

    <!-- <TotalCount> ... </TotalCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <TotalCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TotalCount>

    <!-- <WorkingCount> ... </WorkingCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <WorkingCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</WorkingCount>

    <!-- <IdleCount> ... </IdleCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <IdleCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</IdleCount>

    <!-- <IdleReason> ... </IdleReason>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
    <IdleReason languageCode="[Please Edit]">[Please Edit]</IdleReason>

    <!-- <Ownership> ... </Ownership>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Ownership languageCode="[Please Edit]">[Please Edit]</Ownership>

    <!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>
    <Remark languageCode="[Please Edit]">[Please Edit]</Remark>

</PlantRecord>
```

<!-- <ActivityDescription> ... </ActivityDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ActivityDescription languageCode="[Please Edit]">[Please Edit]</ActivityDescription>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <ContractorInstruction> ... </ContractorInstruction>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorInstruction languageCode="[Please Edit]">[Please Edit]</ContractorInstruction>

<!-- <ContractorRepresentativeComment> ... </ContractorRepresentativeComment>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeComment languageCode="[Please Edit]">[Please Edit]</ContractorRepresentativeComment>

<!-- <ArchitectEngineerCowlowWsSignature> ... </ArchitectEngineerCowlowWsSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ArchitectEngineerCowlowWsSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

```
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>
```

```
<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

>
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />
```

</Signature>

</ArchitectEngineerCowlowWsSignature>

<!-- <ContractorRepresentativeSignature> ... </ContractorRepresentativeSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorRepresentativeSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

```
<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
```

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ContractorRepresentativeSignature>

</SiteDiary>

B-2.8.2 WDD-8.1 Inclement Weather Report (WDD-8.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <InclementWeatherReport> ... </InclementWeatherReport>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InclementWeatherReport xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-8.1-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Date>[Please Edit]</Date>

<!-- <RecordedRainfall> ... </RecordedRainfall>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RecordedRainfall codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RecordedRainfall>

<!-- <InclementWeather> ... </InclementWeather>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<InclementWeather>

<!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Record>

<!-- <Time> ... </Time>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Time>[Please Edit]</Time>

<!-- <WeatherCondition> ... </WeatherCondition>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <WeatherCondition> ... </WeatherCondition>: Admissable values: L means Light rain. -->

<!-- <WeatherCondition> ... </WeatherCondition>: Admissable values: H means Heavy rain. -->

<!-- <WeatherCondition> ... </WeatherCondition>: Admissable values: S means Strong wind. -->

<!-- <WeatherCondition> ... </WeatherCondition>: Admissable values: O means Others (specify). -->

```
<WeatherCondition codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</WeatherCondition>

<!-- <AffectedWorks> ... </AffectedWorks>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <AffectedWorks> ... </AffectedWorks>: Admissable values: A means Slightly affected. -->
<!-- <AffectedWorks> ... </AffectedWorks>: Admissable values: B means Seriously affected. -->
<!-- <AffectedWorks> ... </AffectedWorks>: Admissable values: C means All works stopped. -->
<AffectedWorks codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AffectedWorks>

</Record>

<!-- <OtherWeatherConditionSpecification> ... </OtherWeatherConditionSpecification>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
<OtherWeatherConditionSpecification languageCode="[Please Edit]">[Please Edit]</OtherWeatherConditionSpecification>

</InclementWeather>

<!-- <MorningWorkerCount> ... </MorningWorkerCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<MorningWorkerCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</MorningWorkerCount>

<!-- <AfternoonWorkerCount> ... </AfternoonWorkerCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<AfternoonWorkerCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</AfternoonWorkerCount>

<!-- <ProposedActivity> ... </ProposedActivity>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ProposedActivity languageCode="[Please Edit]">[Please Edit]</ProposedActivity>

<!-- <ActualActivity> ... </ActualActivity>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ActualActivity languageCode="[Please Edit]">[Please Edit]</ActualActivity>
```

<!-- <CriticalPathWorkIndicator> ... </CriticalPathWorkIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CriticalPathWorkIndicator>[Please Edit]</CriticalPathWorkIndicator>

<!-- <FavourableWeatherConditionReadyWorkIndicator> ... </FavourableWeatherConditionReadyWorkIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FavourableWeatherConditionReadyWorkIndicator>[Please Edit]</FavourableWeatherConditionReadyWorkIndicator>

<!-- <OtherReasonCauseDelayIndicator> ... </OtherReasonCauseDelayIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<OtherReasonCauseDelayIndicator>[Please Edit]</OtherReasonCauseDelayIndicator>

<!-- <MinimizingMeasureTakenIndicator> ... </MinimizingMeasureTakenIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MinimizingMeasureTakenIndicator>[Please Edit]</MinimizingMeasureTakenIndicator>

<!-- <TidyDuration> ... </TidyDuration>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TidyDuration codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TidyDuration>

<!-- <TidyDurationUnitCode> ... </TidyDurationUnitCode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TidyDurationUnitCode> ... </TidyDurationUnitCode>: Admissable values: h means Hour. -->
<!-- <TidyDurationUnitCode> ... </TidyDurationUnitCode>: Admissable values: day means Day. -->
<TidyDurationUnitCode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TidyDurationUnitCode>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

<!-- <ContractorClaim> ... </ContractorClaim>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ContractorClaim codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ContractorClaim>

<!-- <ContractorSignature> ... </ContractorSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractorSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most

1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ContractorSignature>

<!-- <RecommendedClaim> ... </RecommendedClaim>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecommendedClaim codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</RecommendedClaim>

<!-- <RecommendingPersonSignature> ... </RecommendingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecommendingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<SignedInfo Id="[Please Edit]">

  <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
  <CanonicalizationMethod Algorithm="[Please Edit]" />

  <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

  </SignatureMethod>

  <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
  <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

      <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

      </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />
```

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

```
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>
```

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RecommendingPersonSignature>

<!-- <PreparingPersonSignature> ... </PreparingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<PreparingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

```
<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
  1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

  <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestMethod Algorithm="[Please Edit]" />

  <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>
```

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

 <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyName>[Please Edit]</KeyName>

 <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyValue>

 <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DSAKeyValue>

 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>

 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>

 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>

 </DSAKeyValue>

 <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</PreparingPersonSignature>

<!-- <PreparingPersonTitle> ... </PreparingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreparingPersonTitle languageCode="[Please Edit]">[Please Edit]</PreparingPersonTitle>

<!-- <PreparingPersonName> ... </PreparingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreparingPersonName languageCode="[Please Edit]">[Please Edit]</PreparingPersonName>

<!-- <CountersigningPersonSignature> ... </CountersigningPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

  <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestMethod Algorithm="[Please Edit]" />

  <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>
```

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

>
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CountersigningPersonSignature>

<!-- <CountersigningPersonTitle> ... </CountersigningPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonTitle languageCode="[Please Edit]">[Please Edit]</CountersigningPersonTitle>

<!-- <CountersigningPersonName> ... </CountersigningPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CountersigningPersonName languageCode="[Please Edit]">[Please Edit]</CountersigningPersonName>

</InclementWeatherReport>

B-2.8.3 WDD-8.2 Daywork Daily Record (WDD-8.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DayworkDailyRecord> ... </DayworkDailyRecord>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DayworkDailyRecord xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-8.2-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Date>[Please Edit]</Date>

<!-- <SiteInstructionNumber> ... </SiteInstructionNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<SiteInstructionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</SiteInstructionNumber>

<!-- <DocumentNumber> ... </DocumentNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DocumentNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</DocumentNumber>

<!-- <WorkDescriptionLocation> ... </WorkDescriptionLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<WorkDescriptionLocation languageCode="[Please Edit]">[Please Edit]</WorkDescriptionLocation>

<!-- <LabourRecord> ... </LabourRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<LabourRecord>

<!-- <BqlItemNumber> ... </BqlItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<BqlItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</BqlItemNumber>


```
<!-- <LabourTrade> ... </LabourTrade>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<LabourTrade languageCode="[Please Edit]">[Please Edit]</LabourTrade>

<!-- <TotalLabourCount> ... </TotalLabourCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
->
<TotalLabourCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</TotalLabourCount>

<!-- <NormalWorkingTime> ... </NormalWorkingTime>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
->
<NormalWorkingTime>

    <!-- <WorkingTime> ... </WorkingTime>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <WorkingTime codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WorkingTime>

    <!-- <ActualWorkHour> ... </ActualWorkHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <ActualWorkHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</ActualWorkHour>

    <!-- <TotalHour> ... </TotalHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <TotalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TotalHour>

    </NormalWorkingTime>

    <!-- <Overtime> ... </Overtime>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
    <Overtime>

        <!-- <WorkingTime> ... </WorkingTime>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <WorkingTime codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WorkingTime>
```

```
<!-- <ActualWorkHour> ... </ActualWorkHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ActualWorkHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ActualWorkHour>

<!-- <TotalHour> ... </TotalHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalHour>

</Overtime>

</LabourRecord>

<!-- <PlantRecord> ... </PlantRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<PlantRecord>

<!-- <BqlItemNumber> ... </BqlItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<BqlItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</BqlItemNumber>

<!-- <PlantDescription> ... </PlantDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PlantDescription languageCode="[Please Edit]">[Please Edit]</PlantDescription>

<!-- <TotalPlantCount> ... </TotalPlantCount>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalPlantCount codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalPlantCount>

<!-- <WorkingTime> ... </WorkingTime>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorkingTime codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WorkingTime>

<!-- <ActualWorkHour> ... </ActualWorkHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ActualWorkHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ActualWorkHour>
```

<!-- <AdditionalHour> ... </AdditionalHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AdditionalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AdditionalHour>

<!-- <TotalHour> ... </TotalHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalHour>

</PlantRecord>

<!-- <MaterialRecord> ... </MaterialRecord>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<MaterialRecord>

<!-- <BqlItemNumber> ... </BqlItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<BqlItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</BqlItemNumber>

<!-- <MaterialDescription> ... </MaterialDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MaterialDescription languageCode="[Please Edit]">[Please Edit]</MaterialDescription>

<!-- <Quantity> ... </Quantity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Quantity codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Quantity>

<!-- <UnitCode> ... </UnitCode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: mm means Millimetre. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: m means Metre. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: mm2 means Square millimetre. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: m2 means Square metre. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: ha means Hectare. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: m3 means Cubic metre. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: kg means Kilogram. -->

<!-- <UnitCode> ... </UnitCode>: Admissible values: t means Tonne. -->

```
<!-- <UnitCode> ... </UnitCode>: Admissible values: nr means Number. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: h means Hour. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: wk means Week. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: mth means Month. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: d means Day. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: set means Set. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: nr-mth means Number month. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: nr-set means Number set. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: m2-day means Square metre day. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: veh-wk means Vehicle week. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: tel-mth means Telephone-month. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: sum means Sum. -->
<!-- <UnitCode> ... </UnitCode>: Admissible values: % means Percentage. -->
<UnitCode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</UnitCode>

</MaterialRecord>

<!-- <AgreeingPersonSignature> ... </AgreeingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<AgreeingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">
```

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

 <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyName>[Please Edit]</KeyName>

 <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyValue>

 <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DSAKeyValue>

 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>

 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>

 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>

 </DSAKeyValue>

 <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```


<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AgreeingPersonSignature>

<!-- <AgreeingPersonTitle> ... </AgreeingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgreeingPersonTitle languageCode="[Please Edit]">[Please Edit]</AgreeingPersonTitle>

<!-- <AgreeingPersonName> ... </AgreeingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgreeingPersonName languageCode="[Please Edit]">[Please Edit]</AgreeingPersonName>

<!-- <SubmittingPersonSignature> ... </SubmittingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

  <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestMethod Algorithm="[Please Edit]" />

  <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>
```

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>
<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAPublicKey> ... </DSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAPublicKey>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAPublicKey>

<!-- <RSAPublicKey> ... </RSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAPublicKey>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAPublicKey>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

>
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIDData> ... </SPKIDData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIDData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIDData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</SubmittingPersonSignature>

<!-- <SubmittingPersonTitle> ... </SubmittingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittingPersonTitle languageCode="[Please Edit]">[Please Edit]</SubmittingPersonTitle>

<!-- <SubmittingPersonName> ... </SubmittingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittingPersonName languageCode="[Please Edit]">[Please Edit]</SubmittingPersonName>

</DayworkDailyRecord>

B-2.8.4 WDD-8.3 Daywork Monthly Summary (WDD-8.3-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <DayworkMonthlySummary> ... </DayworkMonthlySummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DayworkMonthlySummary xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-8.3-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Month> ... </Month>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MinInclusive: 1. MaxInclusive: 12. -->
<Month>[Please Edit]</Month>

<!-- <Year> ... </Year>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). TotalDigits: 4. -->
<Year>[Please Edit]</Year>

<!-- <DayworkOrderNumber> ... </DayworkOrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DayworkOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</DayworkOrderNumber>

<!-- <WorkDescriptionLocation> ... </WorkDescriptionLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorkDescriptionLocation languageCode="[Please Edit]">[Please Edit]</WorkDescriptionLocation>

<!-- <PaymentCertificateNumber> ... </PaymentCertificateNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PaymentCertificateNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</PaymentCertificateNumber>

<!-- <CertifyingPersonSignature> ... </CertifyingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CertifyingPersonSignature>

 <!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Signature Id="[Please Edit]">

 <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SignedInfo Id="[Please Edit]">

 <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <CanonicalizationMethod Algorithm="[Please Edit]" />

 <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SignatureMethod Algorithm="[Please Edit]">

 <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <HMACOutputLength>[Please Edit]</HMACOutputLength>

 </SignatureMethod>

 <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <Transforms>

 <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Transform Algorithm="[Please Edit]">

 <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CertifyingPersonSignature>

<!-- <CertifyingPersonTitle> ... </CertifyingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CertifyingPersonTitle languageCode="[Please Edit]">[Please Edit]</CertifyingPersonTitle>

<!-- <CertifyingPersonName> ... </CertifyingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CertifyingPersonName languageCode="[Please Edit]">[Please Edit]</CertifyingPersonName>

<!-- <ApprovingPersonSignature> ... </ApprovingPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ApprovingPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

```
</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>
```


<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ApprovingPersonSignature>

<!-- <ApprovingPersonTitle> ... </ApprovingPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ApprovingPersonTitle languageCode="[Please Edit]">[Please Edit]</ApprovingPersonTitle>

<!-- <ApprovingPersonName> ... </ApprovingPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ApprovingPersonName languageCode="[Please Edit]">[Please Edit]</ApprovingPersonName>

<!-- <LabourMonthlySummary> ... </LabourMonthlySummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<LabourMonthlySummary>

```
<!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Record>

    <!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

    <!-- <Class> ... </Class>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Class languageCode="[Please Edit]">[Please Edit]</Class>

    <!-- <FirstDayHour> ... </FirstDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <FirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</FirstDayHour>

    <!-- <SecondDayHour> ... </SecondDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <SecondDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</SecondDayHour>

    <!-- <ThirdDayHour> ... </ThirdDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ThirdDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ThirdDayHour>

    <!-- <FourthDayHour> ... </FourthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <FourthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</FourthDayHour>

    <!-- <FifthDayHour> ... </FifthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <FifthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</FifthDayHour>

    <!-- <SixthDayHour> ... </SixthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SixthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</SixthDayHour>
```

```
<!-- <SeventhDayHour> ... </SeventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
-->
<SeventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</SeventhDayHour>

<!-- <EighthDayHour> ... </EighthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<EighthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</EighthDayHour>

<!-- <NinthDayHour> ... </NinthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NinthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</NinthDayHour>

<!-- <TenthDayHour> ... </TenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TenthDayHour>

<!-- <EleventhDayHour> ... </EleventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<EleventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</EleventhDayHour>

<!-- <TwelfthDayHour> ... </TwelfthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<TwelfthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</TwelfthDayHour>

<!-- <ThirteenthDayHour> ... </ThirteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<ThirteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</ThirteenthDayHour>

<!-- <FourteenthDayHour> ... </FourteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<FourteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FourteenthDayHour>
```

```
<!-- <FifteenthDayHour> ... </FifteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<FifteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FifteenthDayHour>
```

```
<!-- <SixteenthDayHour> ... </SixteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SixteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SixteenthDayHour>
```

```
<!-- <SeventeenthDayHour> ... </SeventeenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SeventeenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SeventeenthDayHour>
```

```
<!-- <EighteenthDayHour> ... </EighteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<EighteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EighteenthDayHour>
```

```
<!-- <NineteenthDayHour> ... </NineteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<NineteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NineteenthDayHour>
```

```
<!-- <TwentiethDayHour> ... </TwentiethDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<TwentiethDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentiethDayHour>
```

```
<!-- <TwentyFirstDayHour> ... </TwentyFirstDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<TwentyFirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFirstDayHour>

<!-- <TwentySecondDayHour> ... </TwentySecondDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySecondDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySecondDayHour>

<!-- <TwentyThirdDayHour> ... </TwentyThirdDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyThirdDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyThirdDayHour>

<!-- <TwentyFourthDayHour> ... </TwentyFourthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyFourthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFourthDayHour>

<!-- <TwentyFifthDayHour> ... </TwentyFifthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyFifthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFifthDayHour>

<!-- <TwentySixthDayHour> ... </TwentySixthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySixthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySixthDayHour>

<!-- <TwentySeventhDayHour> ... </TwentySeventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySeventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySeventhDayHour>

<!-- <TwentyEighthDayHour> ... </TwentyEighthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyEighthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyEighthDayHour>

<!-- <TwentyNinthDayHour> ... </TwentyNinthDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TwentyNinthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyNinthDayHour>

<!-- <ThirtiethDayHour> ... </ThirtiethDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ThirtiethDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirtiethDayHour>

<!-- <ThirtyFirstDayHour> ... </ThirtyFirstDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ThirtyFirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirtyFirstDayHour>

<!-- <TotalHour> ... </TotalHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalHour>

<!-- <Rate> ... </Rate>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Rate>[Please Edit]</Rate>

<!-- <Amount> ... </Amount>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Amount>

-->
<!-- <Dollar> ... </Dollar>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Dollar currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Dollar>

>
<!-- <Cent> ... </Cent>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Cent currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Cent>

```
</Amount>

</Record>

<!-- <TotalCost> ... </TotalCost>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalCost currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalCost>

</LabourMonthlySummary>

<!-- <PlantMonthlySummary> ... </PlantMonthlySummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<PlantMonthlySummary>

  <!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
  <Record>

    <!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

    <!-- <Class> ... </Class>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Class languageCode="[Please Edit]">[Please Edit]</Class>

    <!-- <FirstDayHour> ... </FirstDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <FirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</FirstDayHour>

    <!-- <SecondDayHour> ... </SecondDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
    >
    <SecondDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</SecondDayHour>

    <!-- <ThirdDayHour> ... </ThirdDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ThirdDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ThirdDayHour>
```

```
<!-- <FourthDayHour> ... </FourthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<FourthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</FourthDayHour>
```

```
<!-- <FifthDayHour> ... </FifthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<FifthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</FifthDayHour>
```

```
<!-- <SixthDayHour> ... </SixthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SixthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</SixthDayHour>
```

```
<!-- <SeventhDayHour> ... </SeventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
```

```
-->
```

```
<SeventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</SeventhDayHour>
```

```
<!-- <EighthDayHour> ... </EighthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<EighthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</EighthDayHour>
```

```
<!-- <NinthDayHour> ... </NinthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<NinthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</NinthDayHour>
```

```
<!-- <TenthDayHour> ... </TenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<TenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TenthDayHour>
```

```
<!-- <EleventhDayHour> ... </EleventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
```

```
-->
```



```
<EleventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EleventhDayHour>

<!-- <TwelfthDayHour> ... </TwelfthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TwelfthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwelfthDayHour>

<!-- <ThirteenthDayHour> ... </ThirteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ThirteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirteenthDayHour>

<!-- <FourteenthDayHour> ... </FourteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FourteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FourteenthDayHour>

<!-- <FifteenthDayHour> ... </FifteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FifteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</FifteenthDayHour>

<!-- <SixteenthDayHour> ... </SixteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SixteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SixteenthDayHour>

<!-- <SeventeenthDayHour> ... </SeventeenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SeventeenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SeventeenthDayHour>

<!-- <EighteenthDayHour> ... </EighteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<EighteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EighteenthDayHour>

<!-- <NineteenthDayHour> ... </NineteenthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NineteenthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NineteenthDayHour>

<!-- <TwentiethDayHour> ... </TwentiethDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentiethDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentiethDayHour>

<!-- <TwentyFirstDayHour> ... </TwentyFirstDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyFirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFirstDayHour>

<!-- <TwentySecondDayHour> ... </TwentySecondDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySecondDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySecondDayHour>

<!-- <TwentyThirdDayHour> ... </TwentyThirdDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyThirdDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyThirdDayHour>

<!-- <TwentyFourthDayHour> ... </TwentyFourthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyFourthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFourthDayHour>

<!-- <TwentyFifthDayHour> ... </TwentyFifthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyFifthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyFifthDayHour>

<!-- <TwentySixthDayHour> ... </TwentySixthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySixthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySixthDayHour>

<!-- <TwentySeventhDayHour> ... </TwentySeventhDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentySeventhDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentySeventhDayHour>

<!-- <TwentyEighthDayHour> ... </TwentyEighthDayHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TwentyEighthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyEighthDayHour>

<!-- <TwentyNinthDayHour> ... </TwentyNinthDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TwentyNinthDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TwentyNinthDayHour>

<!-- <ThirtiethDayHour> ... </ThirtiethDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ThirtiethDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirtiethDayHour>

<!-- <ThirtyFirstDayHour> ... </ThirtyFirstDayHour>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ThirtyFirstDayHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ThirtyFirstDayHour>

<!-- <TotalHour> ... </TotalHour>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<TotalHour codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TotalHour>

<!-- <Rate> ... </Rate>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Rate>[Please Edit]</Rate>

<!-- <Amount> ... </Amount>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Amount>

    <!-- <Dollar> ... </Dollar>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
    <Dollar currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Dollar>

    <!-- <Cent> ... </Cent>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
    <Cent currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Cent>

</Amount>

</Record>

<!-- <TotalCost> ... </TotalCost>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalCost currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalCost>

</PlantMonthlySummary>

<!-- <MaterialMonthlySummary> ... </MaterialMonthlySummary>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<MaterialMonthlySummary>

    <!-- <Record> ... </Record>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Record>

        <!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Date>[Please Edit]</Date>

<!-- <Description> ... </Description>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Description languageCode="[Please Edit]">[Please Edit]</Description>

<!-- <Amount> ... </Amount>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Amount>

    <!-- <Dollar> ... </Dollar>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
    <Dollar currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Dollar>

    <!-- <Cent> ... </Cent>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
    <Cent currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Cent>

</Amount>

</Record>

<!-- <TotalCost> ... </TotalCost>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalCost currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalCost>

</MaterialMonthlySummary>

</DayworkMonthlySummary>
```

B-2.9 WDD-9 Site Investigation Result

B-2.9.1 WDD-9.0 Site Investigation Result (WDD-9.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <SiteInvestigationResult> ... </SiteInvestigationResult>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SiteInvestigationResult xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-9.0-1.0.xsd">
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <SiteInvestigationJobNumber> ... </SiteInvestigationJobNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
```

```
    <SiteInvestigationJobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SiteInvestigationJobNumber>
```

```
    <!-- <SiteInvestigationLocation> ... </SiteInvestigationLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
    <SiteInvestigationLocation languageCode="[Please Edit]">[Please Edit]</SiteInvestigationLocation>
```

```
    <!-- <InvestigationPurpose> ... </InvestigationPurpose>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
```

```
    <InvestigationPurpose languageCode="[Please Edit]">[Please Edit]</InvestigationPurpose>
```

```
    <!-- <Result> ... </Result>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Result languageCode="[Please Edit]">[Please Edit]</Result>
```

```
    <!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat for any times. -->
```

```
    <AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>
```

<!-- <InvestigatingPersonDesignation> ... </InvestigatingPersonDesignation>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InvestigatingPersonDesignation>

<!-- <DigitalSignature> ... </DigitalSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DigitalSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```


<DSAPublicKey>
<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>
<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>
<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>
</DSAPublicKey>
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>
<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>
<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>
</RSAKeyValue>
</KeyValue>
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>
```

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DigitalSignature>

 <!-- <SignatureDateTime> ... </SignatureDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<SignatureDateTime>[Please Edit]</SignatureDateTime>

<!-- <Title> ... </Title>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Title languageCode="[Please Edit]">[Please Edit]</Title>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Name languageCode="[Please Edit]">[Please Edit]</Name>

</InvestigatingPersonDesignation>

<!-- <OtherDesignation> ... </OtherDesignation>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for
any times. -->
<OtherDesignation>

<!-- <DigitalSignature> ... </DigitalSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<DigitalSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>
```

```
</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">
 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <Transforms>
 <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Transform Algorithm="[Please Edit]">
 <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <XPath>[Please Edit]</XPath>
 </Transform>
 </Transforms>
</RetrievalMethod>
 <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509Data>
 <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509IssuerSerial>
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509IssuerName>[Please Edit]</X509IssuerName>
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
-->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIDData> ... </SPKIDData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIDData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIDData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```


<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DigitalSignature>

<!-- <SignatureDateTime> ... </SignatureDateTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureDateTime>[Please Edit]</SignatureDateTime>

<!-- <Title> ... </Title>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Title languageCode="[Please Edit]">[Please Edit]</Title>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Name languageCode="[Please Edit]">[Please Edit]</Name>

</OtherDesignation>

</SiteInvestigationResult>

B-2.10 WDD-10 CAD Standard, GIS Standard

B-2.10.1 WDD-10.0 CAD Standard

Not Applicable.

B-2.10.2 WDD-10.1 GIS Standard

Not Applicable.

B-2.11 WDD-11 Request for Information

B-2.12 WDD-11.0 Contractor's Request for Information (WDD-11.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ContractorRequestInformation> ... </ContractorRequestInformation>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractorRequestInformation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-11.0-1.0.xsd">
```

```
  <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
  <!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
    <ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
  <!-- <ToRecipient> ... </ToRecipient>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ToRecipient languageCode="[Please Edit]">[Please Edit]</ToRecipient>
```

```
  <!-- <RequestDate> ... </RequestDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <RequestDate>[Please Edit]</RequestDate>
```

```
  <!-- <RequestReferenceNumber> ... </RequestReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
```

```
    <RequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</RequestReferenceNumber>
```

```
  <!-- <RequestSubject> ... </RequestSubject>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <RequestSubject languageCode="[Please Edit]">[Please Edit]</RequestSubject>
```

<!-- <SpecificationReference> ... </SpecificationReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SpecificationReference languageCode="[Please Edit]">[Please Edit]</SpecificationReference>

<!-- <DrawingReference> ... </DrawingReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DrawingReference languageCode="[Please Edit]">[Please Edit]</DrawingReference>

<!-- <AttachmentIndicator> ... </AttachmentIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentIndicator>[Please Edit]</AttachmentIndicator>

<!-- <AttachmentDetail> ... </AttachmentDetail>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<AttachmentDetail>

<!-- <AttachmentFileName> ... </AttachmentFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AttachmentFileName languageCode="[Please Edit]">[Please Edit]</AttachmentFileName>

<!-- <AttachmentDescription> ... </AttachmentDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AttachmentDescription languageCode="[Please Edit]">[Please Edit]</AttachmentDescription>

</AttachmentDetail>

<!-- <RequestedInformation> ... </RequestedInformation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedInformation languageCode="[Please Edit]">[Please Edit]</RequestedInformation>

<!-- <RequiredOnOrBeforeDate> ... </RequiredOnOrBeforeDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequiredOnOrBeforeDate>[Please Edit]</RequiredOnOrBeforeDate>

<!-- <PreparedBy> ... </PreparedBy>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<PreparedBy languageCode="[Please Edit]">[Please Edit]</PreparedBy>

<!-- <RequestFrom> ... </RequestFrom>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestFrom languageCode="[Please Edit]">[Please Edit]</RequestFrom>

<!-- <RequestPersonName> ... </RequestPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestPersonName languageCode="[Please Edit]">[Please Edit]</RequestPersonName>

<!-- <RequestPersonSignature> ... </RequestPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

  <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestMethod Algorithm="[Please Edit]" />

  <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>
```



```
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```

</RequestPersonSignature>

<!-- <RequestPersonSignDate> ... </RequestPersonSignDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestPersonSignDate>[Please Edit]</RequestPersonSignDate>

<!-- <AcknowledgeReceiptPersonName> ... </AcknowledgeReceiptPersonName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptPersonName languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptPersonName>

<!-- <AcknowledgeReceiptPersonTitle> ... </AcknowledgeReceiptPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptPersonTitle languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptPersonTitle>

<!-- <AcknowledgeReceiptPersonSignature> ... </AcknowledgeReceiptPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>
```

```
<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

>
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />
```

</Signature>

</AcknowledgeReceiptPersonSignature>

<!-- <AcknowledgeReceiptDate> ... </AcknowledgeReceiptDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptDate>[Please Edit]</AcknowledgeReceiptDate>

</ContractorRequestInformation>

B-2.12.1 WDD-11.1 Engineer's Response to the Contractor's Request for Information (WDD-11.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <EngineerResponseInformation> ... </EngineerResponseInformation>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EngineerResponseInformation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-11.1-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <ContractorRequestReferenceNumber> ... </ContractorRequestReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractorRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractorRequestReferenceNumber>

<!-- <Subject> ... </Subject>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Subject languageCode="[Please Edit]">[Please Edit]</Subject>

<!-- <SpecificationReference> ... </SpecificationReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SpecificationReference languageCode="[Please Edit]">[Please Edit]</SpecificationReference>

<!-- <DrawingReference> ... </DrawingReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DrawingReference languageCode="[Please Edit]">[Please Edit]</DrawingReference>

<!-- <OurReference> ... </OurReference>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<OurReference schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</OurReference>
```

<!-- <InformationRequestedByContractor> ... </InformationRequestedByContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<InformationRequestedByContractor languageCode="[Please Edit]">[Please Edit]</InformationRequestedByContractor>
```

<!-- <EngineerResponse> ... </EngineerResponse>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<EngineerResponse languageCode="[Please Edit]">[Please Edit]</EngineerResponse>
```

<!-- <RFICode> ... </RFICode>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). Length: 1. -->

```
<!-- <RFICode> ... </RFICode>: Admissable values: A means Query is responded as above. -->
```

```
<!-- <RFICode> ... </RFICode>: Admissable values: B means Query not justifiable, information can be found in Contract Specification.
-->
```

```
<!-- <RFICode> ... </RFICode>: Admissable values: C means Query not justifiable, information can be found in Drawings. -->
```

```
<!-- <RFICode> ... </RFICode>: Admissable values: D means Query not justifiable, information as queried is in fact self-sufficient. -->
```

```
<!-- <RFICode> ... </RFICode>: Admissable values: E means Query not justifiable as query described is unclear and/or irrelevant. -->
```

```
<!-- <RFICode> ... </RFICode>: Admissable values: F means Query not justifiable; please refer to my comments as described above. -
->
```

```
<RFICode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</RFICode>
```

<!-- <DistributionList> ... </DistributionList>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

```
<DistributionList>
```

<!-- <Person> ... </Person>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Person languageCode="[Please Edit]">[Please Edit]</Person>
```

<!-- <Title> ... </Title>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Title languageCode="[Please Edit]">[Please Edit]</Title>
```

<!-- <InformationIndicator> ... </InformationIndicator>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InformationIndicator>[Please Edit]</InformationIndicator>

<!-- <Comments> ... </Comments>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Comments languageCode="[Please Edit]">[Please Edit]</Comments>

<!-- <Action> ... </Action>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Action languageCode="[Please Edit]">[Please Edit]</Action>

</DistributionList>

<!-- <ResponsePerson> ... </ResponsePerson>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ResponsePerson languageCode="[Please Edit]">[Please Edit]</ResponsePerson>

<!-- <ResponseDate> ... </ResponseDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ResponseDate>[Please Edit]</ResponseDate>

<!-- <ResponseSignature> ... </ResponseSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ResponseSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

 <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyName>[Please Edit]</KeyName>

 <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyValue>

 <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DSAKeyValue>

 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>

 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>

 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>

 </DSAKeyValue>

 <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ResponseSignature>

</EngineerResponseInformation>

B-2.13 WDD-12 Test Requests

B-2.13.1 WDD-12.0 Request Form for Insitu Soil Testing - Form 2511 (WDD-12.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

<!-- <TestRequestForInsituSoilTesting> ... </TestRequestForInsituSoilTesting>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<TestRequestForInsituSoilTesting xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.0-1.0.xsd">
```

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<LabInfoContent>
```

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>
```

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>
```

```
</LabInfoContent>
```

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<AccountInfoContent>
```

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->


```
<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>
```

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>
```

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Client languageCode="[Please Edit]">[Please Edit]</Client>
```

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>
```

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</JobNumber>
```

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>
```

```
</AccountInfoContent>
```

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<TestRequestedContent>
```

<!-- <DeterminationOfSoilWithSmallPouringCylinderContentInfo> ... </DeterminationOfSoilWithSmallPouringCylinderContentInfo>.
Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfSoilWithSmallPouringCylinderContentInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T9.2.1 means Test 9.2.1 of GEO Report No. 36. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM11.1 means Test Method 11.1 of Geospec 3. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 8.1(a). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means GSP 11.1. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfSoilWithSmallPouringCylinderContentInfo>

<!-- <DeterminationOfSoilWithLargePouringCylinderContentInfo> ... </DeterminationOfSoilWithLargePouringCylinderContentInfo>.
Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfSoilWithLargePouringCylinderContentInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T9.2.2 means Test 9.2.2 of GEO Report No. 36. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM11.2 means Test Method 11.2 of Geospec 3. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 8.1(b). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means GSP 11.2. -->

```
<PWLTMNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMNumber>
```

```
</DeterminationOfSoilWithLargePouringCylinderContentInfo>
```

```
<!-- <DeterminationOfSoilByNuclearDensityGaugeContentInfo> ... </DeterminationOfSoilByNuclearDensityGaugeContentInfo>.
Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<DeterminationOfSoilByNuclearDensityGaugeContentInfo>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TA6.3 means GS for Civil Engineering Works 1992
Appendix 6.3. -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM11.3 means Test Method 11.3 of Geospec 3. -->
```

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

```
<!-- <PWLTMNumber> ... </PWLTMNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
<!-- <PWLTMNumber> ... </PWLTMNumber>: Admissable values: 1 means SOL 8.3. -->
```

```
<!-- <PWLTMNumber> ... </PWLTMNumber>: Admissable values: 2 means GSP 11.3. -->
```

```
<PWLTMNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMNumber>
```

```
</DeterminationOfSoilByNuclearDensityGaugeContentInfo>
```

```
<!-- <DeterminationOfIn-situCaliforniaBearingRatioContentInfo> ... </DeterminationOfIn-situCaliforniaBearingRatioContentInfo>.
Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<DeterminationOfIn-situCaliforniaBearingRatioContentInfo>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T1377 means Test BS1377:Part 9:1990 with
modification. -->
```

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 8.4. -->

```
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>
```

```
</DeterminationOfIn-situCaliforniaBearingRatioContentInfo>
```

<!-- <DeterminationOfRelativeCompactionContentInfo> ... </DeterminationOfRelativeCompactionContentInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<DeterminationOfRelativeCompactionContentInfo>
```

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T6.68 means GS for Civil Engineering Works 1992 Clause 6.68. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T9.44 means GS for Civil Engineering Works 1992 Clause 9.44. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM11.4 means Test Method 11.4 of Geospec 3. -->

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 8.6. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means GSP 11.4. -->

```
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>
```

```
</DeterminationOfRelativeCompactionContentInfo>
```

<!-- <AdditionalProctorTestContentInfo> ... </AdditionalProctorTestContentInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AdditionalProctorTestContentInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.3A means Test 4.3.3 A of GEO Report No. 36. ->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.3B means Test 4.3.3 B of GEO Report No. 36. ->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.4A means Test 4.3.4 A of GEO Report No. 36. ->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.4B means Test 4.3.4 B of GEO Report No. 36. ->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T13 means Test 13 of BS1377:Part 9:1975 with modification. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.1 means Test Method 10.1 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.2 means Test Method 10.2 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.3 means Test Method 10.3 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.4 means Test Method 10.4 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.5 means Test Method 10.5 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.6 means Test Method 10.6 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.7 means Test Method 10.7 of Geospec 3. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.8 means Test Method 10.8 of Geospec 3. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 4.1. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means SOL 4.2(b). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 3 means GSP 10.1 to 10.8. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</AdditionalProctorTestContentInfo>

<!-- <Others> ... </Others>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Others>[Please Edit]</Others>

<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>

</TestRequestedContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDetailsContent>

<!-- <SamplingOrTestingLocation> ... </SamplingOrTestingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplingOrTestingLocation languageCode="[Please Edit]">[Please Edit]</SamplingOrTestingLocation>

<!-- <LocationOfBorrowArea> ... </LocationOfBorrowArea>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfBorrowArea languageCode="[Please Edit]">[Please Edit]</LocationOfBorrowArea>

<!-- <LocationPlanReferenceNumber> ... </LocationPlanReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationPlanReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LocationPlanReferenceNumber>

<!-- <PlanProvided> ... </PlanProvided>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PlanProvided>[Please Edit]</PlanProvided>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordContent>

<!-- <TestPositionNumber> ... </TestPositionNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestPositionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestPositionNumber>

<!-- <GridReferences> ... </GridReferences>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GridReferences languageCode="[Please Edit]">[Please Edit]</GridReferences>

<!-- <Level> ... </Level>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Level codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Level>

<!-- <Offset> ... </Offset>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Offset codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Offset>

<!-- <AdditionalInformation> ... </AdditionalInformation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AdditionalInformation languageCode="[Please Edit]">[Please Edit]</AdditionalInformation>

</SampleDetailsRecordContent>

</SampleDetailsContent>

<!-- <OtherInfoContent> ... </OtherInfoContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OtherInfoContent>

<!-- <OvenDryTemperature> ... </OvenDryTemperature>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: L means 45+/-5 degree. -->


```
<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: H means 105+/-5 degree. -->
<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: M means Microwave Oven. -->
<OvenDryTemperature codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</OvenDryTemperature>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

</OtherInfoContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<AuthorizationContent>

<!-- <ShownBySignature> ... </ShownBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<ShownBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
```


<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

```
<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>

    </DSAKeyValue>

    <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <RSAKeyValue>

      <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Modulus>[Please Edit]</Modulus>

      <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>
```

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ShownBySignature>

<!-- <ShownByName> ... </ShownByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ShownByName languageCode="[Please Edit]">[Please Edit]</ShownByName>

<!-- <ShownByPost> ... </ShownByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ShownByPost languageCode="[Please Edit]">[Please Edit]</ShownByPost>

<!-- <ShownByTelephoneNumber> ... </ShownByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ShownByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ShownByTelephoneNumber>

<!-- <ShownByFaxNumber> ... </ShownByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ShownByFaxNumber languageCode="[Please Edit]">[Please Edit]</ShownByFaxNumber>

<!-- <ShownByDate> ... </ShownByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ShownByDate>[Please Edit]</ShownByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                        <XPath>[Please Edit]</XPath>

                    </Transform>

                </Transforms>

            </Reference>

        </SignatureMethod>

    </SignedInfo>

</Signature>
```

```
<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>
```


</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

time(s). -->
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerSerial>

time(s). -->
<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

```
<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>
```

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestRequestForInsituSoilTesting>

B-2.13.2 WDD-12.1 Request for Bituminous Materials Testing - Form 2112 (WDD-12.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForBituminousMaterials> ... </TestingRequestForBituminousMaterials>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForBituminousMaterials xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.1-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <RecordD2172> ... </RecordD2172>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordD2172>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2172-88 means ASTM D2172-88, Method A. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2172-95 means ASTM D2172-95, Method A. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means BIT 3.1. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means BIT 3.9(a). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 3 means BIT 3.9(b). -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</RecordD2172>

<!-- <RecordC117> ... </RecordC117>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordC117>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: C117-87 means ASTM C117-87, Procedure B and C136-84a. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: C117-95 means ASTM C117-95, Procedure B and C136-96a. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means BIT 3.2. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means BIT 3.10. -->

```
<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>
```

```
</RecordC117>
```

```
<!-- <RecordD2726> ... </RecordD2726>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<RecordD2726>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2726-88 means ASTM D2726-88. -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2726-96a means ASTM D2726-96a. -->
```

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

```
<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 1 means BIT 3.4. -->
```

```
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 2 means BIT 3.11. -->
```

```
<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>
```

```
</RecordD2726>
```

```
<!-- <RecordD2041> ... </RecordD2041>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<RecordD2041>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2041-78 means ASTM D2041-78. -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2041-95 means ASTM D2041-95. -->
```

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissible values: 1 means BIT 3.5. -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissible values: 2 means BIT 3.12a. -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissible values: 3 means BIT 3.12b. -->

<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</RecordD2041>

<!-- <RecordD3203> ... </RecordD3203>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordD3203>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: D3203-88 means ASTM D3203-88. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: D3203-94 means ASTM D3203-94. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissible values: 1 means BIT 3.6. -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissible values: 2 means BIT 3.13. -->

<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</RecordD3203>

<!-- <RecordD6307> ... </RecordD6307>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordD6307>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D6307-98 means ASTM D6307-98. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means BIT 3.14. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</RecordD6307>

<!-- <RecordD2172D6307> ... </RecordD2172D6307>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecordD2172D6307>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: D2172-D6307 means ASTM D2172-95, Method A and ASTM D6307-98. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means BIT 3.15. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</RecordD2172D6307>

<!-- <Others> ... </Others>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Others>[Please Edit]</Others>

<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>

</TestRequestedContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDetailsContent>

<!-- <TypeOfMixture> ... </TypeOfMixture>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TypeOfMixture languageCode="[Please Edit]">[Please Edit]</TypeOfMixture>

<!-- <HyDMixReference> ... </HyDMixReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HyDMixReference languageCode="[Please Edit]">[Please Edit]</HyDMixReference>

<!-- <LayingLocation> ... </LayingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LayingLocation languageCode="[Please Edit]">[Please Edit]</LayingLocation>

<!-- <WeightOfBulkSample> ... </WeightOfBulkSample>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WeightOfBulkSample codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</WeightOfBulkSample>

<!-- <DateOfSamplingAndLaying> ... </DateOfSamplingAndLaying>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateOfSamplingAndLaying>[Please Edit]</DateOfSamplingAndLaying>

<!-- <SampleNumber> ... </SampleNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<SampleNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</SampleNumber>

</SampleDetailsContent>

<!-- <OtherInfoContent> ... </OtherInfoContent>. Data Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<OtherInfoContent>

    <!-- <PresenceOfType> ... </PresenceOfType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <!-- <PresenceOfType> ... </PresenceOfType>: Admissable values: P means Polymer. -->
    <!-- <PresenceOfType> ... </PresenceOfType>: Admissable values: H means Hydrated Lime. -->
    <!-- <PresenceOfType> ... </PresenceOfType>: Admissable values: F means Fiber. -->
    <PresenceOfType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PresenceOfType>

    <!-- <PresenceOfResult> ... </PresenceOfResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
->
    <PresenceOfResult>[Please Edit]</PresenceOfResult>

    <!-- <ASTMD979> ... </ASTMD979>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <!-- <ASTMD979> ... </ASTMD979>: Admissable values: Y means Yes. -->
    <!-- <ASTMD979> ... </ASTMD979>: Admissable values: N means No. -->
    <!-- <ASTMD979> ... </ASTMD979>: Admissable values: U means Uncertain. -->
    <ASTMD979 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ASTMD979>

    <!-- <RiceSGReferenceNumber> ... </RiceSGReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <RiceSGReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</RiceSGReferenceNumber>

    <!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>
```

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

</OtherInfoContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AuthorizationContent>

<!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```


</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>
```

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

```
<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByDate>[Please Edit]</RequestedByDate>
```

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestingRequestForBituminousMaterials>

B-2.13.3 WDD-12.2 Request for Aggregate Testing - Form 2113 (WDD-12.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForAggregatesTesting> ... </TestingRequestForAggregatesTesting>. Type : Complex. Mandatory. Repeat at least 1 time(s) and at most 1 time(s). -->

<TestingRequestForAggregatesTesting xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.2-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 1.1 means BS812:Sect.103.1:1985, PWLTM No. AGG 1.1. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 1.4 means BS812:Part 1:1975Section 7.2, PWLTM No. AGG 1.4. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 1.5 means BS812:Section 105.1:1989, PWLTM No. AGG 1.5. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 1.6 means BS812:Section 105.2:1990, PWLTM No. AGG 1.6. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 2.1a means BS812:Part 2:1975:Section 5.5, PWLTM No. AGG 2.1(a). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 2.1b means BS812:Part 2:1975:Section 5.5, PWLTM No. AGG 2.1(b). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 2.3 means Appendix 5.2 of GS for Civil Engineering Works 1992. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 3.1 means BS812:Part 112:1990, PWLTM No. AGG 3.1. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 3.2 means BS812:Part 110:1990, PWLTM No. AGG 3.2. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: 3.3 means BS812:Part 111:1990, PWLTM No. AGG 3.3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <Bs812Part112AggregateImpactValue> ... </Bs812Part112AggregateImpactValue>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Bs812Part112AggregateImpactValue>[Please Edit]</Bs812Part112AggregateImpactValue>

<!-- <Bs812Part110AggregateCrushingValue> ... </Bs812Part110AggregateCrushingValue>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Bs812Part110AggregateCrushingValue>[Please Edit]</Bs812Part110AggregateCrushingValue>

<!-- <Bs812Part111AggregateTenPercentFinesValue> ... </Bs812Part111AggregateTenPercentFinesValue>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Bs812Part111AggregateTenPercentFinesValue>[Please Edit]</Bs812Part111AggregateTenPercentFinesValue>

<!-- <Bs812Part111Sizing> ... </Bs812Part111Sizing>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Bs812Part111Sizing>[Please Edit]</Bs812Part111Sizing>

<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>

</TestRequestedContent>

<!-- <SampleDetailsInfo> ... </SampleDetailsInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleDetailsInfo>

<!-- <SamplingLocation> ... </SamplingLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SamplingLocation languageCode="[Please Edit]">[Please Edit]</SamplingLocation>

<!-- <SourceOfMaterial> ... </SourceOfMaterial>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SourceOfMaterial languageCode="[Please Edit]">[Please Edit]</SourceOfMaterial>

<!-- <SamplesTakenBy> ... </SamplesTakenBy>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplesTakenBy languageCode="[Please Edit]">[Please Edit]</SamplesTakenBy>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordContent>

<!-- <TypeOfMaterial> ... </TypeOfMaterial>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TypeOfMaterial languageCode="[Please Edit]">[Please Edit]</TypeOfMaterial>

<!-- <ClientSampleNumber> ... </ClientSampleNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleNumber>

<!-- <SampleMass> ... </SampleMass>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SampleMass>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordContent>

</SampleDetailsInfo>

<!-- <OtherInfoContent> ... </OtherInfoContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OtherInfoContent>

<!-- <ObtainBS812Part1021989> ... </ObtainBS812Part1021989>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ObtainBS812Part1021989> ... </ObtainBS812Part1021989>: Admissable values: Y means Yes. -->

<!-- <ObtainBS812Part1021989> ... </ObtainBS812Part1021989>: Admissable values: N means No. -->

<!-- <ObtainBS812Part1021989> ... </ObtainBS812Part1021989>: Admissable values: U means Uncertain. -->

<ObtainBS812Part1021989 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ObtainBS812Part1021989>

<!-- <CertificateAvailable> ... </CertificateAvailable>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CertificateAvailable>[Please Edit]</CertificateAvailable>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

```
</OtherInfoContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AuthorizationContent>

    <!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
    <DeliverySupervisedBySignature>

        <!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Signature Id="[Please Edit]">

            <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <SignedInfo Id="[Please Edit]">

                <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <CanonicalizationMethod Algorithm="[Please Edit]" />

                <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <SignatureMethod Algorithm="[Please Edit]">

                    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
                    <HMACOutputLength>[Please Edit]</HMACOutputLength>

                </SignatureMethod>

                <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

 </SPKIData>

 <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <MgmtData>[Please Edit]</MgmtData>

 </KeyInfo>

 <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
 <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

 </Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
-->      <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->      <SignatureMethod Algorithm="[Please Edit]">

          <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
          <HMACOutputLength>[Please Edit]</HMACOutputLength>

      </SignatureMethod>

      <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

          <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
          <Transforms>

              <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
              <Transform Algorithm="[Please Edit]">

                  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                  <XPath>[Please Edit]</XPath>

              </Transform>

          </Transforms>

          <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestMethod Algorithm="[Please Edit]" />

          <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestValue>[Please Edit]</DigestValue>

      </Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>
```

time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestingRequestForAggregatesTesting>

B-2.13.4 WDD-12.3 Request for Paving Block Testing - Form 2317 (WDD-12.3-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForPavingBlocks> ... </TestingRequestForPavingBlocks>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForPavingBlocks xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.3-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDetailsContent>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <SamplingLocation> ... </SamplingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplingLocation languageCode="[Please Edit]">[Please Edit]</SamplingLocation>

<!-- <TypeOfBlock> ... </TypeOfBlock>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TypeOfBlock languageCode="[Please Edit]">[Please Edit]</TypeOfBlock>

<!-- <Source> ... </Source>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Source languageCode="[Please Edit]">[Please Edit]</Source>

<!-- <NameOfManufacturer> ... </NameOfManufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NameOfManufacturer languageCode="[Please Edit]">[Please Edit]</NameOfManufacturer>

<!-- <DateOfManufacturer> ... </DateOfManufacturer>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateOfManufacturer>[Please Edit]</DateOfManufacturer>

<!-- <AgeAtTest> ... </AgeAtTest>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgeAtTest codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</AgeAtTest>

<!-- <NominalGrossPlanArea> ... </NominalGrossPlanArea>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NominalGrossPlanArea codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NominalGrossPlanArea>

<!-- <NominalHeight> ... </NominalHeight>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NominalHeight codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</NominalHeight>

<!-- <IdentificationMarksOfBlocks> ... </IdentificationMarksOfBlocks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<IdentificationMarksOfBlocks languageCode="[Please Edit]">[Please Edit]</IdentificationMarksOfBlocks>

<!-- <GradeOfBlocks> ... </GradeOfBlocks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<GradeOfBlocks languageCode="[Please Edit]">[Please Edit]</GradeOfBlocks>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AuthorizationContent>

<!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliverySupervisedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```

    </RSAKeyValue>

    </KeyValue>

    <!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

    </RetrievalMethod>

    <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Data>

        <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerSerial>

            <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
            <X509IssuerName>[Please Edit]</X509IssuerName>

        </X509IssuerSerial>

    </X509Data>

</X509Certificate>

```

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                        <XPath>[Please Edit]</XPath>

                    </Transform>
```

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

```
<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>
```

```
</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerSerial>

time(s). -->    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509SubjectName>[Please Edit]</X509SubjectName>

-->    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>
```

```
<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>
```

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestingRequestForPavingBlocks>

B-2.13.5 WDD-12.4 Request for Steel Bar Testing - Form 2403 (WDD-12.4-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForSteelBars> ... </TestingRequestForSteelBars>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForSteelBars xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.4-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: CS means CS2:1995. -->

`<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: BS means BS4449:1988. -->`
`<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: OS means Others. -->`
`<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"`
`codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>`

`<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>`

`</TestRequestedContent>`

`<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<SampleDetailsContent>`

`<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->`
`<SampleDetailsRecordContent>`

`<!-- <SetNumber> ... </SetNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<SetNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"`
`schemeName="[Please Edit]">[Please Edit]</SetNumber>`

`<!-- <NominalSize> ... </NominalSize>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<NominalSize codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</NominalSize>`

`<!-- <Grade> ... </Grade>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<Grade languageCode="[Please Edit]">[Please Edit]</Grade>`

`<!-- <NumberOfSpecimenT> ... </NumberOfSpecimenT>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<NumberOfSpecimenT codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"`
`unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenT>`

<!-- <NumberOfSpecimenB> ... </NumberOfSpecimenB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimenB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenB>

<!-- <NumberOfSpecimenRB> ... </NumberOfSpecimenRB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimenRB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenRB>

<!-- <BarPatternCode> ... </BarPatternCode>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BarPatternCode schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</BarPatternCode>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <HeatOrCastNumber> ... </HeatOrCastNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HeatOrCastNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</HeatOrCastNumber>

<!-- <SizeOfBatchInTonnes> ... </SizeOfBatchInTonnes>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SizeOfBatchInTonnes codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SizeOfBatchInTonnes>

<!-- <NameOfStockistCompany> ... </NameOfStockistCompany>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NameOfStockistCompany languageCode="[Please Edit]">[Please Edit]</NameOfStockistCompany>

</SampleDetailsRecordContent>

<!-- <NumberOfCertificatesAttached> ... </NumberOfCertificatesAttached>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfCertificatesAttached codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfCertificatesAttached>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AuthorizationContent>

<!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

```
-->      <!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->      <KeyInfo Id="[Please Edit]">

      <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <KeyName>[Please Edit]</KeyName>

      <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <KeyValue>

      <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>

      </DSAKeyValue>

      <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <RSAKeyValue>

      <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Modulus>[Please Edit]</Modulus>

      <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Exponent>[Please Edit]</Exponent>
```

```
</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>
```

```
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->
    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
-->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

    </X509Data>

    <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PGPData />

    <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKIData>

        <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <SPKISexp>[Please Edit]</SPKISexp>

    </SPKIData>

    <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <MgmtData>[Please Edit]</MgmtData>
```


</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                        <XPath>[Please Edit]</XPath>

                    </Transform>

                </Transforms>

            </Reference>

        </SignatureMethod>

    </SignedInfo>

</Signature>
```

```
<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>
```

```
</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>
```

```
<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>
```

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

<!-- <SampleLabelIDInfo> ... </SampleLabelIDInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<SampleLabelIDInfo>

<!-- <SetNumber> ... </SetNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<SetNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</SetNumber>
```

```
<!-- <NominalSize> ... </NominalSize>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
```

```
<NominalSize codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</NominalSize>
```

```
<!-- <SampleLabelT> ... </SampleLabelT>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<SampleLabelT codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</SampleLabelT>
```

```
<!-- <SampleLabelB> ... </SampleLabelB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<SampleLabelB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</SampleLabelB>
```

```
<!-- <SampleLabelRB> ... </SampleLabelRB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
<SampleLabelRB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</SampleLabelRB>
```

```
</SampleLabelIDInfo>
```

```
</TestingRequestForSteelBars>
```


B-2.13.6 WDD-12.5 Request for Miscellaneous Steel Sample Testing - Form 2404 (WDD-12.5-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForMiscellaneousSteelSamples> ... </TestingRequestForMiscellaneousSteelSamples>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForMiscellaneousSteelSamples xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.5-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <Sample> ... </Sample>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Sample languageCode="[Please Edit]">[Please Edit]</Sample>

```
<!-- <Test> ... </Test>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Test languageCode="[Please Edit]">[Please Edit]</Test>

<!-- <TestType> ... </TestType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestType> ... </TestType>: Admissable values: BS means BS. -->
<!-- <TestType> ... </TestType>: Admissable values: GS means GS. -->
<TestType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestType>

<!-- <TestNumber> ... </TestNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TestNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</TestNumber>

<!-- <YearOfTestStandard> ... </YearOfTestStandard>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<YearOfTestStandard>[Please Edit]</YearOfTestStandard>

</TestRequestedContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<SampleDetailsContent>

<!-- <SampleDetailsRecordInfo> ... </SampleDetailsRecordInfo>. Type : Complex. Optional. If not used, please delete the section. If
used, repeat for any times. -->
<SampleDetailsRecordInfo>

<!-- <LabSampleNumber> ... </LabSampleNumber>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<LabSampleNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</LabSampleNumber>

<!-- <ClientSampleRefNumber> ... </ClientSampleRefNumber>. Data Type : String. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
```

<ClientSampleRefNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleRefNumber>

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <OriginalProductSizeW> ... </OriginalProductSizeW>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeW codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeW>

<!-- <OriginalProductSizeL> ... </OriginalProductSizeL>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeL codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeL>

<!-- <OriginalProductSizeD> ... </OriginalProductSizeD>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeD codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeD>

<!-- <GradeOfSample> ... </GradeOfSample>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GradeOfSample languageCode="[Please Edit]">[Please Edit]</GradeOfSample>

<!-- <NumberOfSpecimen> ... </NumberOfSpecimen>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimen codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimen>

<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>

<!-- <SampleRemarks> ... </SampleRemarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleRemarks languageCode="[Please Edit]">[Please Edit]</SampleRemarks>

```
</SampleDetailsRecordInfo>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<AuthorizationContent>

    <!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
    <DeliverySupervisedBySignature>

        <!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Signature Id="[Please Edit]">

            <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <SignedInfo Id="[Please Edit]">

                <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <CanonicalizationMethod Algorithm="[Please Edit]" />

                <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                -->
                <SignatureMethod Algorithm="[Please Edit]">

                    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
                    <HMACOutputLength>[Please Edit]</HMACOutputLength>
```

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

```
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>
```



```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
-->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
```

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

```

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

    </Reference>

    </SignedInfo>

    <!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

    <!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
    <KeyInfo Id="[Please Edit]">

        <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <KeyName>[Please Edit]</KeyName>

        <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <KeyValue>

            <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <DSAKeyValue>

                <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
                <G>[Please Edit]</G>

                <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <Y>[Please Edit]</Y>

                <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
                <J>[Please Edit]</J>

            </DSAKeyValue>

```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>
```

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeTpe="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

```
<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredInfo> ... </ToBeDeliveredInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<ToBeDeliveredInfo>

    <!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <ToBeCollected>[Please Edit]</ToBeCollected>

    <!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

    <!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredInfo>

</TestingRequestForMiscellaneousSteelSamples>
```


B-2.13.7 WDD-12.6 Request for Cast Iron Drainage Goods Testing - Form 2405 (WDD-12.6-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForCastIronDrainageGoods> ... </TestingRequestForCastIronDrainageGoods>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForCastIronDrainageGoods xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.6-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: GS means GS 1992. -->

`<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: PS means PS Attached. -->`
`<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: OS means Others. -->`
`<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"`
`codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>`

`<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>`

`</TestRequestedContent>`

`<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<SampleDetailsContent>`

`<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->`
`<SampleDetailsRecordContent>`

`<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]"`
`agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>`

`<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>`

`<!-- <DrawingNumber> ... </DrawingNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<DrawingNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"`
`schemeName="[Please Edit]">[Please Edit]</DrawingNumber>`

`<!-- <Grade> ... </Grade>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<Grade languageCode="[Please Edit]">[Please Edit]</Grade>`

<!-- <TestRequired> ... </TestRequired>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: L means Loading Test. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: W means Mass Determination. -->
<TestRequired codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequired>

<!-- <TestRequirementsInfo> ... </TestRequirementsInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TestRequirementsInfo>

<!-- <TestLoad> ... </TestLoad>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TestLoad codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestLoad>

<!-- <BearingBlockDiameter> ... </BearingBlockDiameter>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<BearingBlockDiameter codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</BearingBlockDiameter>

<!-- <MinimumMassFrame> ... </MinimumMassFrame>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<MinimumMassFrame codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MinimumMassFrame>

<!-- <MinimumMassCover> ... </MinimumMassCover>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<MinimumMassCover codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MinimumMassCover>

<!-- <MinimumMassTotal> ... </MinimumMassTotal>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<MinimumMassTotal codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MinimumMassTotal>

</TestRequirementsInfo>

</SampleDetailsRecordContent>

<!-- <TestLoadUnit> ... </TestLoadUnit>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <TestLoadUnit> ... </TestLoadUnit>: Admissable values: N means Kilo Newtons. -->

<!-- <TestLoadUnit> ... </TestLoadUnit>: Admissable values: T means Tonnes. -->

<TestLoadUnit codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestLoadUnit>

<!-- <NumberOfDrawingAttached> ... </NumberOfDrawingAttached>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfDrawingAttached codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfDrawingAttached>

<!-- <SourceOfMaterial> ... </SourceOfMaterial>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SourceOfMaterial languageCode="[Please Edit]">[Please Edit]</SourceOfMaterial>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AuthorizationContent>

<!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>
```

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>


```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
    <X509IssuerSerial>

time(s). -->
        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
        <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
            <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
            <X509SerialNumber>[Please Edit]</X509SerialNumber>

            </X509IssuerSerial>

        <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <X509SKI>[Please Edit]</X509SKI>

time(s). -->
            <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
            <X509SubjectName>[Please Edit]</X509SubjectName>

-->
                <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
                <X509Certificate>[Please Edit]</X509Certificate>

                <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <X509CRL>[Please Edit]</X509CRL>

            </X509Data>

    <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAPublicKey> ... </DSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAPublicKey>
 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>
 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>
 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>
 </DSAPublicKey>
 <!-- <RSAPublicKey> ... </RSAPublicKey>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAPublicKey>
 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>
 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>
 </RSAPublicKey>
</PublicKey>
 <!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">
 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
 <Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>
```

```
<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```


<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestingRequestForCastIronDrainageGoods>

B-2.13.8 WDD-12.7 Request for Sample Collection and Testing Request for Chemical Testing Services for Concrete - Form 2201 (WDD-12.7-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionAndTestingRequestForConcrete> ... </SampleCollectionAndTestingRequestForConcrete>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingRequestForConcrete xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.7-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleDetailsContent>

<!-- <SampleDetailsRecordInfo> ... </SampleDetailsRecordInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordInfo>

<!-- <ClientSampleRefNumber> ... </ClientSampleRefNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleRefNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleRefNumber>

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <ProfileGrinding> ... </ProfileGrinding>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProfileGrinding languageCode="[Please Edit]">[Please Edit]</ProfileGrinding>

<!-- <TestRequested> ... </TestRequested>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequested languageCode="[Please Edit]">[Please Edit]</TestRequested>

<!-- <CoreOrSamplingLocation> ... </CoreOrSamplingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CoreOrSamplingLocation languageCode="[Please Edit]">[Please Edit]</CoreOrSamplingLocation>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordInfo>

<!-- <SampleCollectionRequired> ... </SampleCollectionRequired>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionRequired>[Please Edit]</SampleCollectionRequired>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <MobilePhoneNumber> ... </MobilePhoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MobilePhoneNumber languageCode="[Please Edit]">[Please Edit]</MobilePhoneNumber>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <DeliveryFaxNumber> ... </DeliveryFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveryFaxNumber>

<!-- <DeliveryEMailAddress> ... </DeliveryEMailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryEMailAddress protocolCode="[Please Edit]">[Please Edit]</DeliveryEMailAddress>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
-->      <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->      <SignatureMethod Algorithm="[Please Edit]">

          <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
          <HMACOutputLength>[Please Edit]</HMACOutputLength>

      </SignatureMethod>

      <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

          <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
          <Transforms>

              <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
              <Transform Algorithm="[Please Edit]">

                  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                  <XPath>[Please Edit]</XPath>

              </Transform>

          </Transforms>

          <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestMethod Algorithm="[Please Edit]" />

          <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestValue>[Please Edit]</DigestValue>

      </Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>
```


time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

</SampleDetailsContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ConfirmationContent>

<!-- <ConfirmationMode> ... </ConfirmationMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissible values: C means Collected By. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissible values: D means Delivered To. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissible values: T means Tested By. -->

```
<ConfirmationMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ConfirmationMode>
```

```
<!-- <ConfirmationDescription> ... </ConfirmationDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<ConfirmationDescription languageCode="[Please Edit]">[Please Edit]</ConfirmationDescription>
```

```
<!-- <ConfirmationContractNumber> ... </ConfirmationContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
```

```
<ConfirmationContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ConfirmationContractNumber>
```

```
<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionDate>[Please Edit]</CollectionDate>
```

```
<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionTime>[Please Edit]</CollectionTime>
```

```
<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingDate>[Please Edit]</NotifyingDate>
```

```
<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingTime>[Please Edit]</NotifyingTime>
```

```
<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifiedBySigned>
```

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Signature Id="[Please Edit]">
```

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>
```

```
</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>
```

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

time(s). -->
    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
most 1 time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->
    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

-->
    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <HandOverOfSamplesContent> ... </HandOverOfSamplesContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverOfSamplesContent>

<!-- <HandOverMode> ... </HandOverMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <HandOverMode> ... </HandOverMode>: Admissable values: C means Collected By Contract Laboratory on site. -->


```
<!-- <HandOverMode> ... </HandOverMode>. Admissable values: D means Delivered To Contract Laboratory by us. -->
<HandOverMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</HandOverMode>

<!-- <HandOverBySigned> ... </HandOverBySigned>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<HandOverBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>
```

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>
```

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>
```

```
-->      <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->      <X509Certificate>[Please Edit]</X509Certificate>

      <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

      <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</HandOverBySigned>

<!-- <HandOverByName> ... </HandOverByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>      <HandOverByName languageCode="[Please Edit]">[Please Edit]</HandOverByName>
```

<!-- <HandOverByPost> ... </HandOverByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HandOverByPost languageCode="[Please Edit]"[Please Edit]</HandOverByPost>

<!-- <HandOverByDate> ... </HandOverByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByDate>[Please Edit]</HandOverByDate>

<!-- <HandOverByTime> ... </HandOverByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByTime>[Please Edit]</HandOverByTime>

<!-- <TotalSamplesCollection> ... </TotalSamplesCollection>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalSamplesCollection codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]"[Please Edit]</TotalSamplesCollection>

<!-- <ReceivedBySigned> ... </ReceivedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ReceivedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

>
<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>


```

    </RSAKeyValue>

    </KeyValue>

    <!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

    </RetrievalMethod>

    <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Data>

        <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerSerial>

            <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
            <X509IssuerName>[Please Edit]</X509IssuerName>

        </X509IssuerSerial>

    </X509Data>


```

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivedBySigned>

<!-- <ReceivedByName> ... </ReceivedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByName languageCode="[Please Edit]">[Please Edit]</ReceivedByName>

<!-- <ReceivedByPost> ... </ReceivedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByPost languageCode="[Please Edit]">[Please Edit]</ReceivedByPost>

<!-- <ReceivedByDate> ... </ReceivedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByDate>[Please Edit]</ReceivedByDate>

<!-- <ReceivedByTime> ... </ReceivedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByTime>[Please Edit]</ReceivedByTime>

<!-- <PWLTelphoneNumber> ... </PWLTelphoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelphoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelphoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</HandOverOfSamplesContent>

</SampleCollectionAndTestingRequestForConcrete>

B-2.13.9 WDD-12.8 Request Form for Sample Collection and Testing Request for Chemical Testing Services for Soil - Form 2202 (WDD-12.8-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionAndTestingRequestForSoil> ... </SampleCollectionAndTestingRequestForSoil>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingRequestForSoil xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.8-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleDetailsContent>

<!-- <SampleDetailsRecordInfo> ... </SampleDetailsRecordInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordInfo>

<!-- <ClientSampleRefNumber> ... </ClientSampleRefNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleRefNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleRefNumber>

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <SampleMass> ... </SampleMass>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SampleMass>

<!-- <TestRequested> ... </TestRequested>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequested languageCode="[Please Edit]">[Please Edit]</TestRequested>

<!-- <SamplingLocation> ... </SamplingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplingLocation languageCode="[Please Edit]">[Please Edit]</SamplingLocation>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordInfo>

<!-- <SampleCollectionRequired> ... </SampleCollectionRequired>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionRequired>[Please Edit]</SampleCollectionRequired>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <MobilePhoneNumber> ... </MobilePhoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MobilePhoneNumber languageCode="[Please Edit]">[Please Edit]</MobilePhoneNumber>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <DeliveryFaxNumber> ... </DeliveryFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveryFaxNumber>

<!-- <DeliveryEMailAddress> ... </DeliveryEMailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryEMailAddress protocolCode="[Please Edit]">[Please Edit]</DeliveryEMailAddress>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />


```
-->      <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->      <SignatureMethod Algorithm="[Please Edit]">

          <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
          <HMACOutputLength>[Please Edit]</HMACOutputLength>

      </SignatureMethod>

      <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

          <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
          <Transforms>

              <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
              <Transform Algorithm="[Please Edit]">

                  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                  <XPath>[Please Edit]</XPath>

              </Transform>

          </Transforms>

          <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestMethod Algorithm="[Please Edit]" />

          <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestValue>[Please Edit]</DigestValue>

      </Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>
```

time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

</SampleDetailsContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ConfirmationContent>

<!-- <ConfirmationMode> ... </ConfirmationMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ConfirmationMode> ... </ConfirmationMode>. Admissible values: C means Collected By. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>. Admissible values: D means Delivered To. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>. Admissible values: T means Tested By. -->

```
<ConfirmationMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ConfirmationMode>
```

```
<!-- <ConfirmationDescription> ... </ConfirmationDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<ConfirmationDescription languageCode="[Please Edit]">[Please Edit]</ConfirmationDescription>
```

```
<!-- <ConfirmationContractNumber> ... </ConfirmationContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
```

```
<ConfirmationContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ConfirmationContractNumber>
```

```
<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionDate>[Please Edit]</CollectionDate>
```

```
<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionTime>[Please Edit]</CollectionTime>
```

```
<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingDate>[Please Edit]</NotifyingDate>
```

```
<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingTime>[Please Edit]</NotifyingTime>
```

```
<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifiedBySigned>
```

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Signature Id="[Please Edit]">
```

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>
```


</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerSerial>

time(s). -->
    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->
    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

-->
    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <HandOverOfSamplesContent> ... </HandOverOfSamplesContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverOfSamplesContent>

<!-- <HandOverMode> ... </HandOverMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <HandOverMode> ... </HandOverMode>: Admissable values: C means Collected By Contract Laboratory on site. -->

```
<!-- <HandOverMode> ... </HandOverMode>. Admissable values: D means Delivered To Contract Laboratory by us. -->
<HandOverMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please
Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</HandOverMode>

<!-- <HandOverBySigned> ... </HandOverBySigned>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<HandOverBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>
```

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>
```

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>
```

```
-->      <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->      <X509Certificate>[Please Edit]</X509Certificate>

      <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

      <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</HandOverBySigned>

<!-- <HandOverByName> ... </HandOverByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>      <HandOverByName languageCode="[Please Edit]">[Please Edit]</HandOverByName>
```


<!-- <HandOverByPost> ... </HandOverByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HandOverByPost languageCode="[Please Edit]"[Please Edit]</HandOverByPost>

<!-- <HandOverByDate> ... </HandOverByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByDate>[Please Edit]</HandOverByDate>

<!-- <HandOverByTime> ... </HandOverByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByTime>[Please Edit]</HandOverByTime>

<!-- <TotalSamplesCollection> ... </TotalSamplesCollection>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalSamplesCollection codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]"[Please Edit]</TotalSamplesCollection>

<!-- <ReceivedBySigned> ... </ReceivedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ReceivedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```

    </RSAKeyValue>

    </KeyValue>

    <!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

    </RetrievalMethod>

    <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Data>

        <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerSerial>

            <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
            <X509IssuerName>[Please Edit]</X509IssuerName>

        </X509IssuerSerial>

    </X509Data>


```

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivedBySigned>

<!-- <ReceivedByName> ... </ReceivedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByName languageCode="[Please Edit]">[Please Edit]</ReceivedByName>

<!-- <ReceivedByPost> ... </ReceivedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByPost languageCode="[Please Edit]">[Please Edit]</ReceivedByPost>

<!-- <ReceivedByDate> ... </ReceivedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByDate>[Please Edit]</ReceivedByDate>

<!-- <ReceivedByTime> ... </ReceivedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByTime>[Please Edit]</ReceivedByTime>

<!-- <PWLTelphoneNumber> ... </PWLTelphoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelphoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelphoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</HandOverOfSamplesContent>

</SampleCollectionAndTestingRequestForSoil>

B-2.13.10 WDD-12.9 Request Form for Sample Collection and Testing Services for Clay/Concrete Paving Blocks Provided by PWL Contract Laboratory - Form 2316 (WDD-12.9-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionAndTestingRequestForClayConcretePavingBlocks> ...

</SampleCollectionAndTestingRequestForClayConcretePavingBlocks>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingRequestForClayConcretePavingBlocks xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.9-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->


```
<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>
```

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>
```

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Client languageCode="[Please Edit]">[Please Edit]</Client>
```

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>
```

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</JobNumber>
```

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>
```

```
</AccountInfoContent>
```

<!-- <SampleCollectionAndTestingContent> ... </SampleCollectionAndTestingContent>. Type : Complex. Mandatory. Repeat at least 1 time(s) and at most 1 time(s). -->

```
<SampleCollectionAndTestingContent>
```

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

```
<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<RSAKeyValue>

  <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Modulus>[Please Edit]</Modulus>

  <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>
```

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

```
<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <SampleDetailsAndTestRequirements> ... </SampleDetailsAndTestRequirements>. Type : Complex. Mandatory. Repeat at
least 1time(s) and at most 1 time(s). -->
<SampleDetailsAndTestRequirements>

<!-- <ClientSpecimenReferenceNumber> ... </ClientSpecimenReferenceNumber>. Data Type : String. Mandatory. Repeat at least
1time(s) and at most 1 time(s). -->
```

<ClientSpecimenReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSpecimenReferenceNumber>

<!-- <NominalSampleSize> ... </NominalSampleSize>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NominalSampleSize languageCode="[Please Edit]">[Please Edit]</NominalSampleSize>

<!-- <SampleTestRequirements> ... </SampleTestRequirements>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleTestRequirements>

<!-- <TestDescription> ... </TestDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: D_DESC means Dimension tests in accordance with BS 6677:Part1:1986 (24 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: T_DESC means Transverse breaking load tests in accordance with BS 6677:Part1:1986 (10 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: S_DESC means Skid resistance tests in accordance with BS 6677:Part1:1986 (5 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: W_DESC means Water absorption tests in accordance with AS/NZS 4456.14-1997 (both 24 hours cold immersion method and 5 hours boiling method.) (10 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: C_DESC means Characteristic compressive strength tests in accordance with GS Clause 11.75 to 11.78 (includes dimension check) (5 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: B_DESC means Overall Dimension and thickness test in accordance with Annex B of BS 6717:2001 (8 blocks per set). -->

<!-- <TestDescription> ... </TestDescription>: Admissible values: F_DESC means Overall Dimension and thickness test in accordance with Annex B of BS 7263-1:2001 (6 flags per set). -->

<TestDescription codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestDescription>

<!-- <NumberOfSet> ... </NumberOfSet>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSet codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSet>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleTestRequirements>

</SampleDetailsAndTestRequirements>

</SampleCollectionAndTestingContent>

<!-- <WorksOrderedContent> ... </WorksOrderedContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorksOrderedContent>

<!-- <PWLReferenceNumber> ... </PWLReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<PWLReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</PWLReferenceNumber>

<!-- <WorksOrderedRecordContent> ... </WorksOrderedRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<WorksOrderedRecordContent>

<!-- <TestRequired> ... </TestRequired>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: D_REQD means Dimension. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: T_REQD means Transverse breaking load. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: S_REQD means Skid resistance. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: W_REQD means Water Absorption. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: C_REQD means Characteristic compressive Strength. -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: B_REQD means Overall dimension and thickness (block). -->
<!-- <TestRequired> ... </TestRequired>: Admissable values: F_REQD means Overall dimension and thickness (flag). -->
<TestRequired codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequired>

<!-- <NoOfSetsOfSamplesCollectedAndTestedByContractLab> ... </NoOfSetsOfSamplesCollectedAndTestedByContractLab>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NoOfSetsOfSamplesCollectedAndTestedByContractLab codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NoOfSetsOfSamplesCollectedAndTestedByContractLab>

<!-- <NoOfSetsOfSamplesCollectedAndDeliverToPWL> ... </NoOfSetsOfSamplesCollectedAndDeliverToPWL>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NoOfSetsOfSamplesCollectedAndDeliverToPWL codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NoOfSetsOfSamplesCollectedAndDeliverToPWL>

</WorksOrderedRecordContent>

<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionDate>[Please Edit]</CollectionDate>

<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionTime>[Please Edit]</CollectionTime>

<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifyingDate>[Please Edit]</NotifyingDate>

<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifyingTime>[Please Edit]</NotifyingTime>

<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifiedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Signature Id="[Please Edit]">

  <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

      <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
      <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

      <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
      <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

          <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <XPath>[Please Edit]</XPath>

        </Transform>

      </Transforms>

    </Reference>

  </SignedInfo>

</Signature>
```

```
<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>
```

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

time(s). -->
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerSerial>

time(s). -->
<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</WorksOrderedContent>

<!-- <HandOverOfSamplesContent> ... </HandOverOfSamplesContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<HandOverOfSamplesContent>

```
<!-- <HandOverBySigned> ... </HandOverBySigned>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<HandOverBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```



```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      >
      <G>[Please Edit]</G>
```

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

```

    </Transform>

    </Transforms>

    </RetrievalMethod>

    <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Data>

time(s). -->    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerSerial>

    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerName>[Please Edit]</X509IssuerName>

    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509SubjectName>[Please Edit]</X509SubjectName>

-->    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->    <X509Certificate>[Please Edit]</X509Certificate>

```

```
<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</HandOverBySigned>

<!-- <HandOverByName> ... </HandOverByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<HandOverByName languageCode="[Please Edit]">[Please Edit]</HandOverByName>

<!-- <HandOverByPost> ... </HandOverByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<HandOverByPost languageCode="[Please Edit]">[Please Edit]</HandOverByPost>
```

<!-- <HandOverByDate> ... </HandOverByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByDate>[Please Edit]</HandOverByDate>

<!-- <HandOverByTime> ... </HandOverByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByTime>[Please Edit]</HandOverByTime>

<!-- <ReceivedBySigned> ... </ReceivedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ReceivedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

    <!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

    <!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
    <KeyInfo Id="[Please Edit]">

        <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

 </SPKIData>

 <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <MgmtData>[Please Edit]</MgmtData>

 </KeyInfo>

 <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
 <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

 </Signature>

</ReceivedBySigned>

<!-- <ReceivedByName> ... </ReceivedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByName languageCode="[Please Edit]">[Please Edit]</ReceivedByName>

<!-- <ReceivedByPost> ... </ReceivedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByPost languageCode="[Please Edit]">[Please Edit]</ReceivedByPost>

<!-- <ReceivedByDate> ... </ReceivedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByDate>[Please Edit]</ReceivedByDate>

<!-- <ReceivedByTime> ... </ReceivedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByTime>[Please Edit]</ReceivedByTime>

<!-- <PWLTelephoneNumber> ... </PWLTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelephoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</HandOverOfSamplesContent>

</SampleCollectionAndTestingRequestForClayConcretePavingBlocks>

B-2.13.11 WDD-12.10 Request Form for Sample Collection Service and Testing Request for Grade A Concrete Paving Blocks - Form 2319 (WDD-12.10-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionAndTestingRequestForGradeAConcrete> ... </SampleCollectionAndTestingRequestForGradeAConcrete>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingRequestForGradeAConcrete xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.10-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleCollectionAndTestingContent> ... </SampleCollectionAndTestingContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingContent>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
-->      <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->      <SignatureMethod Algorithm="[Please Edit]">

          <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
          <HMACOutputLength>[Please Edit]</HMACOutputLength>

      </SignatureMethod>

      <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

          <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
          <Transforms>

              <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
              <Transform Algorithm="[Please Edit]">

                  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                  <XPath>[Please Edit]</XPath>

              </Transform>

          </Transforms>

          <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestMethod Algorithm="[Please Edit]" />

          <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DigestValue>[Please Edit]</DigestValue>

      </Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>
```


<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <SampleDetailsAndTestRequired> ... </SampleDetailsAndTestRequired>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleDetailsAndTestRequired>

<!-- <ClientSpecimenReferenceNumber> ... </ClientSpecimenReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientSpecimenReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSpecimenReferenceNumber>

<!-- <NominalSampleSize> ... </NominalSampleSize>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NominalSampleSize languageCode="[Please Edit]">[Please Edit]</NominalSampleSize>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordContent>

<!-- <SampleTestRequired> ... </SampleTestRequired>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <SampleTestRequired> ... </SampleTestRequired>: Admissable values: T_DESC means Transverse breaking load test in accordance with BS 6677:Part1:1986. (6 blocks per set). -->

<!-- <SampleTestRequired> ... </SampleTestRequired>: Admissable values: W_DESC means Water absorption test in accordance with AS/NZS 4456.14-1997 (both 24 hours cold immersion method and 6 hours boiling method.) (6 blocks per set). -->

<!-- <SampleTestRequired> ... </SampleTestRequired>: Admissable values: C_DESC means Characteristic compressive strength tests in accordance with GS Clause 11.75 to 11.78 (includes dimension check) (8 blocks per set). -->

<!-- <SampleTestRequired> ... </SampleTestRequired>: Admissable values: O_DESC means Overall dimension and thickness test in accordance with Annex B of BS 7263-1:2001 (8 flags per set). -->

<SampleTestRequired codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SampleTestRequired>

<!-- <NumberOfSet> ... </NumberOfSet>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSet codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSet>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordContent>

</SampleDetailsAndTestRequired>

</SampleCollectionAndTestingContent>

<!-- <WorksOrderedContent> ... </WorksOrderedContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<WorksOrderedContent>

<!-- <WorksOrderedRecordContent> ... </WorksOrderedRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<WorksOrderedRecordContent>

<!-- <TestRequired> ... </TestRequired>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <TestRequired> ... </TestRequired>: Admissable values: T_REQD means Transverse breaking load. -->

<!-- <TestRequired> ... </TestRequired>: Admissable values: W_REQD means Water absorption. -->

<!-- <TestRequired> ... </TestRequired>: Admissable values: C_REQD means Characteristic compressive strength. -->

<!-- <TestRequired> ... </TestRequired>: Admissable values: O_REQD means Overall dimension and thickness. -->

<TestRequired codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequired>

<!-- <NoOfSetsOfSamplesCollectedAndTestedByContractLab> ... </NoOfSetsOfSamplesCollectedAndTestedByContractLab>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NoOfSetsOfSamplesCollectedAndTestedByContractLab codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NoOfSetsOfSamplesCollectedAndTestedByContractLab>

<!-- <NoOfSetsOfSamplesCollectedAndDeliverToPWL> ... </NoOfSetsOfSamplesCollectedAndDeliverToPWL>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NoOfSetsOfSamplesCollectedAndDeliverToPWL codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NoOfSetsOfSamplesCollectedAndDeliverToPWL>

</WorksOrderedRecordContent>

<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionDate>[Please Edit]</CollectionDate>

<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionTime>[Please Edit]</CollectionTime>

<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifyingDate>[Please Edit]</NotifyingDate>

<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifyingTime>[Please Edit]</NotifyingTime>

<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NotifiedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <Transforms>

 <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
 <Transform Algorithm="[Please Edit]">

 <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <XPath>[Please Edit]</XPath>

 </Transform>

 </Transforms>

 </RetrievalMethod>

 <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509Data>

 <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509IssuerSerial>

 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509IssuerName>[Please Edit]</X509IssuerName>

 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SerialNumber>[Please Edit]</X509SerialNumber>


```
</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
-->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
```

```
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</WorksOrderedContent>

<!-- <HandOverOfSamplesContent> ... </HandOverOfSamplesContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<HandOverOfSamplesContent>

<!-- <HandOverBySigned> ... </HandOverBySigned>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<HandOverBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">
```

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```

    </RSAKeyValue>

    </KeyValue>

    <!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

    </RetrievalMethod>

    <!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Data>

        <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerSerial>

            <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
            <X509IssuerName>[Please Edit]</X509IssuerName>

        </X509IssuerSerial>

    </X509Data>


```

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</HandOverBySigned>

<!-- <HandOverByName> ... </HandOverByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<HandOverByName languageCode="[Please Edit]">[Please Edit]</HandOverByName>

<!-- <HandOverByPost> ... </HandOverByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<HandOverByPost languageCode="[Please Edit]">[Please Edit]</HandOverByPost>

<!-- <HandOverByDate> ... </HandOverByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<HandOverByDate>[Please Edit]</HandOverByDate>

<!-- <HandOverByTime> ... </HandOverByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<HandOverByTime>[Please Edit]</HandOverByTime>

<!-- <ReceivedBySigned> ... </ReceivedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<ReceivedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DigestMethod Algorithm="[Please Edit]" />
    </Reference>
</SignedInfo>
```



```

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

    </Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>

            <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
            <G>[Please Edit]</G>

            <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <Y>[Please Edit]</Y>

            <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
            <J>[Please Edit]</J>

        </DSAKeyValue>
    </KeyValue>
</KeyInfo>

```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

>
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivedBySigned>

<!-- <ReceivedByName> ... </ReceivedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ReceivedByName languageCode="[Please Edit]">[Please Edit]</ReceivedByName>

<!-- <ReceivedByPost> ... </ReceivedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ReceivedByPost languageCode="[Please Edit]">[Please Edit]</ReceivedByPost>

<!-- <ReceivedByDate> ... </ReceivedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<ReceivedByDate>[Please Edit]</ReceivedByDate>

<!-- <ReceivedByTime> ... </ReceivedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<ReceivedByTime>[Please Edit]</ReceivedByTime>

<!-- <PWLTelphoneNumber> ... </PWLTelphoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelphoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelphoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</HandOverOfSamplesContent>

</SampleCollectionAndTestingRequestForGradeAConcrete>

B-2.13.12 WDD-12.11 Request Form for Structural Steel Section and Reinforcement Connector Sample Collection Service (For PWCL) - Form 2407 (WDD-12.11-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionAndTestingRequestForSteelSectionsAndConnectors> ...

</SampleCollectionAndTestingRequestForSteelSectionsAndConnectors>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionAndTestingRequestForSteelSectionsAndConnectors xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.11-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>
```

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>
```

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Client languageCode="[Please Edit]">[Please Edit]</Client>
```

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>
```

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</JobNumber>
```

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>
```

```
</AccountInfoContent>
```

<!-- <SampleCollectionAndTestingContent> ... </SampleCollectionAndTestingContent>. Type : Complex. Mandatory. Repeat at least 1 time(s) and at most 1 time(s). -->

```
<SampleCollectionAndTestingContent>
```

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <NumberOfSamplesToBeCollected> ... </NumberOfSamplesToBeCollected>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSamplesToBeCollected codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSamplesToBeCollected>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">


```
<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<RSAKeyValue>

  <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Modulus>[Please Edit]</Modulus>

  <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>
```

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

```
<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <SampleTestingDetails> ... </SampleTestingDetails>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<SampleTestingDetails>

<!-- <TestToBePerformed> ... </TestToBePerformed>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: T_1986 means Structural steel section for tensile test in accordance with BS 4360:1986. -->
<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: T_1990 means Structural steel section for tensile test in accordance with BS 4360:1990. -->
<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: I_1990 means Structural steel section for Charpy V Notch impact test in accordance with BSEN 10045-1:1990. -->
<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: E_1997 means Steel coupler for permanent elongation & tensile strength test in accordance with BS 8110:1997. -->
<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: E_2001 means Steel coupler for permanent elongation & tensile strength test in accordance with GS 1992 with Corrigendum 2/2001. -->
<!-- <TestToBePerformed> ... </TestToBePerformed>: Admissable values: S_1992 means Steel coupler for the slip & tensile strength test in accordance with GS 1992 Clause 15:33. -->
<TestToBePerformed codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestToBePerformed>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<SampleDetailsRecordContent>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <OriginalProductSizeW> ... </OriginalProductSizeW>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OriginalProductSizeW codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeW>

<!-- <OriginalProductSizeL> ... </OriginalProductSizeL>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OriginalProductSizeL codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeL>

<!-- <OriginalProductSizeD> ... </OriginalProductSizeD>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeD codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeD>

<!-- <SampleThicknessAsReceived> ... </SampleThicknessAsReceived>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleThicknessAsReceived codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</SampleThicknessAsReceived>

<!-- <GradeOfSample> ... </GradeOfSample>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GradeOfSample languageCode="[Please Edit]">[Please Edit]</GradeOfSample>

<!-- <NumberOfSpecimen> ... </NumberOfSpecimen>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimen codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimen>

<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordContent>

</SampleTestingDetails>

</SampleCollectionAndTestingContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ConfirmationContent>

<!-- <DeliveredTo> ... </DeliveredTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeliveredTo languageCode="[Please Edit]">[Please Edit]</DeliveredTo>

<!-- <DeliveredToSupplement> ... </DeliveredToSupplement>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveredToSupplement languageCode="[Please Edit]">[Please Edit]</DeliveredToSupplement>

<!-- <ContractAllocated> ... </ContractAllocated>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractAllocated languageCode="[Please Edit]">[Please Edit]</ContractAllocated>

<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionDate>[Please Edit]</CollectionDate>

<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionTime>[Please Edit]</CollectionTime>

<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingDate>[Please Edit]</NotifyingDate>

<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingTime>[Please Edit]</NotifyingTime>

<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifiedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DigestMethod Algorithm="[Please Edit]" />
    </Reference>
</SignedInfo>
```

```

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

    </Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>

            <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
            >
            <G>[Please Edit]</G>

            <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <Y>[Please Edit]</Y>

            <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
            <J>[Please Edit]</J>

        </DSAKeyValue>
    </KeyValue>
</KeyInfo>

```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

>
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

```
<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<AuthorizationContent>

    <!-- <AgreedBySigned> ... </AgreedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <AgreedBySigned>
```

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

  <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

      <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
      <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

      <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
      <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

          <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <XPath>[Please Edit]</XPath>

        </Transform>

      </Transforms>

    </Reference>

  </SignedInfo>

</Signature>
```

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

```
<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>
```


</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerSerial>

time(s). -->
<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AgreedBySigned>

<!-- <AgreedByName> ... </AgreedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByName languageCode="[Please Edit]">[Please Edit]</AgreedByName>

<!-- <AgreedByPost> ... </AgreedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AgreedByPost languageCode="[Please Edit]">[Please Edit]</AgreedByPost>

<!-- <AgreedByDate> ... </AgreedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByDate>[Please Edit]</AgreedByDate>

<!-- <AgreedByTime> ... </AgreedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByTime>[Please Edit]</AgreedByTime>

<!-- <TotalNumberOfSpecimens> ... </TotalNumberOfSpecimens>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalNumberOfSpecimens codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalNumberOfSpecimens>

<!-- <CompletedBySigned> ... </CompletedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompletedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

 </SPKIData>

 <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <MgmtData>[Please Edit]</MgmtData>

 </KeyInfo>

 <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
 <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

 </Signature>

</CompletedBySigned>

<!-- <CompletedByName> ... </CompletedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletedByName languageCode="[Please Edit]">[Please Edit]</CompletedByName>

<!-- <CompletedByPost> ... </CompletedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletedByPost languageCode="[Please Edit]">[Please Edit]</CompletedByPost>

<!-- <CompletedByDate> ... </CompletedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletedByDate>[Please Edit]</CompletedByDate>

<!-- <CompletedByTime> ... </CompletedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CompletedByTime>[Please Edit]</CompletedByTime>

<!-- <PWLTelephoneNumber> ... </PWLTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelephoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</AuthorizationContent>

</SampleCollectionAndTestingRequestForSteelSectionsAndConnectors>

B-2.13.13 WDD-12.12 Request Form for Steel Bar Sample Collection and Testing Services Provided by PWL Contract Laboratory - Form 2408 (WDD-12.12-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SampleCollectionRequestForSteelBarsByContractLab> ... </SampleCollectionRequestForSteelBarsByContractLab>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionRequestForSteelBarsByContractLab xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.12-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleAndTestingDetailsContent> ... </SampleAndTestingDetailsContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleAndTestingDetailsContent>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <TestRequest> ... </TestRequest>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequest> ... </TestRequest>: Admissable values: C means CS2:1995. -->

<!-- <TestRequest> ... </TestRequest>: Admissable values: B means BS4449:1988. -->

<!-- <TestRequest> ... </TestRequest>: Admissable values: O means Others. -->

<TestRequest codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequest>

<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordContent>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <NominalSize> ... </NominalSize>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NominalSize codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</NominalSize>

<!-- <Grade> ... </Grade>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Grade languageCode="[Please Edit]">[Please Edit]</Grade>

<!-- <NumberOfSpecimenT> ... </NumberOfSpecimenT>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimenT codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenT>

<!-- <NumberOfSpecimenB> ... </NumberOfSpecimenB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimenB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenB>

<!-- <NumberOfSpecimenRB> ... </NumberOfSpecimenRB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimenRB codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimenRB>

<!-- <BarPatternCode> ... </BarPatternCode>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BarPatternCode languageCode="[Please Edit]">[Please Edit]</BarPatternCode>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

</SampleDetailsRecordContent>

</SampleAndTestingDetailsContent>

<!-- <SampleCollectionContent> ... </SampleCollectionContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionContent>

<!-- <SampleCollectionRequired> ... </SampleCollectionRequired>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionRequired>[Please Edit]</SampleCollectionRequired>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <MobilePhoneNumber> ... </MobilePhoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<MobilePhoneNumber languageCode="[Please Edit]">[Please Edit]</MobilePhoneNumber>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <DeliveryFaxNumber> ... </DeliveryFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveryFaxNumber>

<!-- <DeliveryEMailAddress> ... </DeliveryEMailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryEMailAddress protocolCode="[Please Edit]">[Please Edit]</DeliveryEMailAddress>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

```
<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>
```


time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

</SampleCollectionContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ConfirmationContent>

<!-- <ConfirmationMode> ... </ConfirmationMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissable values: C means Collected By. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissable values: D means Delivered To. -->

<!-- <ConfirmationMode> ... </ConfirmationMode>: Admissable values: T means Tested By. -->

```
<ConfirmationMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ConfirmationMode>
```

```
<!-- <ConfirmationDescription> ... </ConfirmationDescription>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<ConfirmationDescription languageCode="[Please Edit]">[Please Edit]</ConfirmationDescription>
```

```
<!-- <ConfirmationContractNumber> ... </ConfirmationContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s)
and at most 1 time(s). -->
```

```
<ConfirmationContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ConfirmationContractNumber>
```

```
<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionDate>[Please Edit]</CollectionDate>
```

```
<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<CollectionTime>[Please Edit]</CollectionTime>
```

```
<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingDate>[Please Edit]</NotifyingDate>
```

```
<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifyingTime>[Please Edit]</NotifyingTime>
```

```
<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<NotifiedBySigned>
```

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Signature Id="[Please Edit]">
```

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>
```

```
</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>
```

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerSerial>

time(s). -->
    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->
    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

-->
    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />
```

```
<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <HandOverOfSamplsContent> ... </HandOverOfSamplsContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<HandOverOfSamplsContent>

    <!-- <HandOverMode> ... </HandOverMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <!-- <HandOverMode> ... </HandOverMode>: Admissable values: C means Collected By Contract Laboratory on site. -->
```


<!-- <HandOverMode> ... </HandOverMode>. Admissible values: D means Delivered To Contract Laboratory by us. -->
<HandOverMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</HandOverMode>

<!-- <HandOverBySigned> ... </HandOverBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HandOverBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>
```

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

 </KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

 <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <Transforms>

 <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>
```

```
-->      <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->      <X509Certificate>[Please Edit]</X509Certificate>

      <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

      <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</HandOverBySigned>

<!-- <HandOverByName> ... </HandOverByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>      <HandOverByName languageCode="[Please Edit]">[Please Edit]</HandOverByName>
```

<!-- <HandOverByPost> ... </HandOverByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HandOverByPost languageCode="[Please Edit]">[Please Edit]</HandOverByPost>

<!-- <HandOverByDate> ... </HandOverByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<HandOverByDate>[Please Edit]</HandOverByDate>

<!-- <HandOverByTime> ... </HandOverByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<HandOverByTime>[Please Edit]</HandOverByTime>

<!-- <TotalSamplesCollection> ... </TotalSamplesCollection>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalSamplesCollection codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalSamplesCollection>

<!-- <ReceivedNumberMode> ... </ReceivedNumberMode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <ReceivedNumberMode> ... </ReceivedNumberMode>: Admissable values: P means PWL test no.. -->

<!-- <ReceivedNumberMode> ... </ReceivedNumberMode>: Admissable values: L means Logistic request no.. -->

<ReceivedNumberMode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ReceivedNumberMode>

<!-- <ReceivedNumber> ... </ReceivedNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ReceivedNumber>

<!-- <ReceivedBySigned> ... </ReceivedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>
```

```
<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

>
<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>
```



```
</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

>
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>
```

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ReceivedBySigned>

<!-- <ReceivedByName> ... </ReceivedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByName languageCode="[Please Edit]">[Please Edit]</ReceivedByName>

<!-- <ReceivedByPost> ... </ReceivedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReceivedByPost languageCode="[Please Edit]">[Please Edit]</ReceivedByPost>

<!-- <ReceivedByDate> ... </ReceivedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByDate>[Please Edit]</ReceivedByDate>

<!-- <ReceivedByTime> ... </ReceivedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<ReceivedByTime>[Please Edit]</ReceivedByTime>

<!-- <PWLTelephoneNumber> ... </PWLTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelephoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</HandOverOfSamplsContent>

</SampleCollectionRequestForSteelBarsByContractLab>

B-2.13.14 WDD-12.13 Request Form for Sample Collection Service and Testing Request For 7-Wire Strand (For PWL) - Form 2410 (WDD-12.13-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <SampleCollectionAndTestingRequestForSevenWireStrand> ... </SampleCollectionAndTestingRequestForSevenWireStrand>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<SampleCollectionAndTestingRequestForSevenWireStrand xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.13-1.0.xsd">
```

```
  <!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
    <LabInfoContent>
```

```
      <!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
        <CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>
```

```
      <!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
        <TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>
```

```
    </LabInfoContent>
```

```
  <!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
    <AccountInfoContent>
```

```
      <!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
        <AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>
```

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <SampleCollectionContent> ... </SampleCollectionContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SampleCollectionContent>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <NumberOfSamplesToBeCollected> ... </NumberOfSamplesToBeCollected>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSamplesToBeCollected codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSamplesToBeCollected>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>
```


</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

```
<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

<X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1

<X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the
section. If used, repeat for any times. -->
<SampleDetailsRecordContent>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>
```

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <OriginalProductSizeW> ... </OriginalProductSizeW>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeW codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeW>

<!-- <OriginalProductSizeL> ... </OriginalProductSizeL>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeL codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeL>

<!-- <OriginalProductSizeD> ... </OriginalProductSizeD>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OriginalProductSizeD codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OriginalProductSizeD>

<!-- <GradeOfSample> ... </GradeOfSample>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GradeOfSample languageCode="[Please Edit]">[Please Edit]</GradeOfSample>

<!-- <NumberOfSpecimen> ... </NumberOfSpecimen>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSpecimen codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSpecimen>

<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>

<!-- <SampleRemarks> ... </SampleRemarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleRemarks languageCode="[Please Edit]">[Please Edit]</SampleRemarks>

</SampleDetailsRecordContent>

</SampleCollectionContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ConfirmationContent>

<!-- <DeliveredTo> ... </DeliveredTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeliveredTo languageCode="[Please Edit]">[Please Edit]</DeliveredTo>

<!-- <ContractAllocated> ... </ContractAllocated>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractAllocated languageCode="[Please Edit]">[Please Edit]</ContractAllocated>

<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionDate>[Please Edit]</CollectionDate>

<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionTime>[Please Edit]</CollectionTime>

<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingDate>[Please Edit]</NotifyingDate>

<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingTime>[Please Edit]</NotifyingTime>

<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifiedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>

        <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
      >
      <G>[Please Edit]</G>

      <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <Y>[Please Edit]</Y>

      <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      <J>[Please Edit]</J>
```


</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerSerial>

time(s). -->
        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
        time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
            <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
            most 1 time(s). -->
            <X509SerialNumber>[Please Edit]</X509SerialNumber>

        </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->
        <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
        time(s). -->
        <X509SubjectName>[Please Edit]</X509SubjectName>

-->
            <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
            -->
            <X509Certificate>[Please Edit]</X509Certificate>

            <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <X509CRL>[Please Edit]</X509CRL>

        </X509Data>

    <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PGPData />
```

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AuthorizationContent>

<!-- <AgreedBySigned> ... </AgreedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgreedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AgreedBySigned>

<!-- <AgreedByName> ... </AgreedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AgreedByName languageCode="[Please Edit]">[Please Edit]</AgreedByName>

<!-- <AgreedByPost> ... </AgreedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgreedByPost languageCode="[Please Edit]">[Please Edit]</AgreedByPost>

<!-- <AgreedByDate> ... </AgreedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AgreedByDate>[Please Edit]</AgreedByDate>

<!-- <AgreedByTime> ... </AgreedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByTime>[Please Edit]</AgreedByTime>

<!-- <CollectedBySigned> ... </CollectedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>
```

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

  <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>

  <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerName>[Please Edit]</X509IssuerName>

  <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
  <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

time(s). -->
  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>
```

```
-->
    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

    </X509Data>

    <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PGPData />

    <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKIData>

        <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <SPKISexp>[Please Edit]</SPKISexp>

    </SPKIData>

    <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <MgmtData>[Please Edit]</MgmtData>

    </KeyInfo>

    <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
    <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

    </Signature>

    </CollectedBySigned>

    <!-- <CollectedByName> ... </CollectedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <CollectedByName languageCode="[Please Edit]">[Please Edit]</CollectedByName>
```

```
<!-- <CollectedByPost> ... </CollectedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CollectedByPost languageCode="[Please Edit]">[Please Edit]</CollectedByPost>

<!-- <CollectedByDate> ... </CollectedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<CollectedByDate>[Please Edit]</CollectedByDate>

<!-- <CollectedByTime> ... </CollectedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<CollectedByTime>[Please Edit]</CollectedByTime>

<!-- <PWLTelephoneNumber> ... </PWLTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<PWLTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelephoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</AuthorizationContent>

</SampleCollectionAndTestingRequestForSevenWireStrand>
```

B-2.13.15 WDD-12.14 Registration Form for Testing of Construction Materials - Form 2007 (WDD-12.14-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingOnConstructionMaterials> ... </TestingOnConstructionMaterials>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingOnConstructionMaterials xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.14-1.0.xsd">

<!-- <LabContent> ... </LabContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <DateReceived> ... </DateReceived>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateReceived>[Please Edit]</DateReceived>

</LabContent>

<!-- <AccountContent> ... </AccountContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AccountContent>

<!-- <WorksDeptOffice> ... </WorksDeptOffice>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorksDeptOffice languageCode="[Please Edit]">[Please Edit]</WorksDeptOffice>

<!-- <PWPIItemNumber> ... </PWPIItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PWPIItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</PWPIItemNumber>

```
<!-- <ProjectTitle> ... </ProjectTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ProjectTitle languageCode="[Please Edit]">[Please Edit]</ProjectTitle>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<TestRequestedContent>

<!-- <MaterialTestingServices> ... </MaterialTestingServices>. Data Type : String. Mandatory. Repeat at least 1time(s). -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: A means Aggregates. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: B means Bituminous materials. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: C means Concrete cubes and cores. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: S means Soils. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: R means Steel reinforcement. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: P means Steel section/prestressing strand. -->
<!-- <MaterialTestingServices> ... </MaterialTestingServices>: Admissable values: O means Others. -->
```



```
<MaterialTestingServices codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</MaterialTestingServices>
```

<!-- <OthersDescription> ... </OthersDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<OthersDescription languageCode="[Please Edit]">[Please Edit]</OthersDescription>
```

```
</TestRequestedContent>
```

<!-- <CollectionServiceContent> ... </CollectionServiceContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<CollectionServiceContent>
```

<!-- <RequiredCollectionService> ... </RequiredCollectionService>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<RequiredCollectionService>[Please Edit]</RequiredCollectionService>
```

<!-- <GovernmentOfficerInChargeName> ... </GovernmentOfficerInChargeName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<GovernmentOfficerInChargeName languageCode="[Please Edit]">[Please Edit]</GovernmentOfficerInChargeName>
```

<!-- <GovernmentOfficerInChargePost> ... </GovernmentOfficerInChargePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<GovernmentOfficerInChargePost languageCode="[Please Edit]">[Please Edit]</GovernmentOfficerInChargePost>
```

<!-- <GovernmentOfficerInChargeTelephoneNumber> ... </GovernmentOfficerInChargeTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<GovernmentOfficerInChargeTelephoneNumber languageCode="[Please Edit]">[Please
Edit]</GovernmentOfficerInChargeTelephoneNumber>
```

<!-- <GovernmentOfficerInChargeFaxNumber> ... </GovernmentOfficerInChargeFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<GovernmentOfficerInChargeFaxNumber languageCode="[Please Edit]">[Please Edit]</GovernmentOfficerInChargeFaxNumber>
```

<!-- <GovernmentOfficerInChargeAddress> ... </GovernmentOfficerInChargeAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GovernmentOfficerInChargeAddress languageCode="[Please Edit]">[Please Edit]</GovernmentOfficerInChargeAddress>

<!-- <GovernmentOfficerInChargeEMail> ... </GovernmentOfficerInChargeEMail>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<GovernmentOfficerInChargeEMail protocolCode="[Please Edit]">[Please Edit]</GovernmentOfficerInChargeEMail>

<!-- <ConsultantInChargeName> ... </ConsultantInChargeName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargeName languageCode="[Please Edit]">[Please Edit]</ConsultantInChargeName>

<!-- <ConsultantInChargePost> ... </ConsultantInChargePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargePost languageCode="[Please Edit]">[Please Edit]</ConsultantInChargePost>

<!-- <ConsultantInChargeTelephoneNumber> ... </ConsultantInChargeTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargeTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ConsultantInChargeTelephoneNumber>

<!-- <ConsultantInChargeFaxNumber> ... </ConsultantInChargeFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargeFaxNumber languageCode="[Please Edit]">[Please Edit]</ConsultantInChargeFaxNumber>

<!-- <ConsultantInChargeAddress> ... </ConsultantInChargeAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargeAddress languageCode="[Please Edit]">[Please Edit]</ConsultantInChargeAddress>

<!-- <ConsultantInChargeEMail> ... </ConsultantInChargeEMail>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantInChargeEMail protocolCode="[Please Edit]">[Please Edit]</ConsultantInChargeEMail>

<!-- <RepresentativeOnSiteName> ... </RepresentativeOnSiteName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RepresentativeOnSiteName languageCode="[Please Edit]">[Please Edit]</RepresentativeOnSiteName>

<!-- <RepresentativeOnSitePost> ... </RepresentativeOnSitePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RepresentativeOnSitePost languageCode="[Please Edit]">[Please Edit]</RepresentativeOnSitePost>

<!-- <RepresentativeOnSiteTelephoneNumber> ... </RepresentativeOnSiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RepresentativeOnSiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RepresentativeOnSiteTelephoneNumber>

<!-- <RepresentativeOnSiteFaxNumber> ... </RepresentativeOnSiteFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RepresentativeOnSiteFaxNumber languageCode="[Please Edit]">[Please Edit]</RepresentativeOnSiteFaxNumber>

<!-- <DeliveredBySitePersonOneName> ... </DeliveredBySitePersonOneName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonOneName languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonOneName>

<!-- <DeliveredBySitePersonOnePost> ... </DeliveredBySitePersonOnePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonOnePost languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonOnePost>

<!-- <DeliveredBySitePersonOneTelephoneNumber> ... </DeliveredBySitePersonOneTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonOneTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonOneTelephoneNumber>

<!-- <DeliveredBySitePersonOneFaxNumber> ... </DeliveredBySitePersonOneFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonOneFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonOneFaxNumber>

<!-- <DeliveredBySitePersonTwoName> ... </DeliveredBySitePersonTwoName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonTwoName languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonTwoName>

<!-- <DeliveredBySitePersonTwoPost> ... </DeliveredBySitePersonTwoPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonTwoPost languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonTwoPost>

<!-- <DeliveredBySitePersonTwoTelephoneNumber> ... </DeliveredBySitePersonTwoTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonTwoTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonTwoTelephoneNumber>

<!-- <DeliveredBySitePersonTwoFaxNumber> ... </DeliveredBySitePersonTwoFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveredBySitePersonTwoFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveredBySitePersonTwoFaxNumber>

<!-- <SiteContactPersonForSampleName> ... </SiteContactPersonForSampleName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPersonForSampleName languageCode="[Please Edit]">[Please Edit]</SiteContactPersonForSampleName>

<!-- <SiteContactPersonForSamplePost> ... </SiteContactPersonForSamplePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPersonForSamplePost languageCode="[Please Edit]">[Please Edit]</SiteContactPersonForSamplePost>

<!-- <SiteContactPersonForSampleTelephoneNumber> ... </SiteContactPersonForSampleTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPersonForSampleTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteContactPersonForSampleTelephoneNumber>

<!-- <SiteContactPersonForSampleFaxNumber> ... </SiteContactPersonForSampleFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPersonForSampleFaxNumber languageCode="[Please Edit]">[Please Edit]</SiteContactPersonForSampleFaxNumber>

<!-- <SiteContactPersonForSampleEMail> ... </SiteContactPersonForSampleEMail>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPersonForSampleEMail protocolCode="[Please Edit]">[Please Edit]</SiteContactPersonForSampleEMail>

<!-- <RecipientOfResultsName> ... </RecipientOfResultsName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RecipientOfResultsName languageCode="[Please Edit]">[Please Edit]</RecipientOfResultsName>

<!-- <RecipientOfResultsPost> ... </RecipientOfResultsPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfResultsPost languageCode="[Please Edit]">[Please Edit]</RecipientOfResultsPost>

<!-- <RecipientOfResultsTelephoneNumber> ... </RecipientOfResultsTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfResultsTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RecipientOfResultsTelephoneNumber>

<!-- <RecipientOfResultsFaxNumber> ... </RecipientOfResultsFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfResultsFaxNumber languageCode="[Please Edit]">[Please Edit]</RecipientOfResultsFaxNumber>

<!-- <RecipientOfResultsEMail> ... </RecipientOfResultsEMail>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfResultsEMail protocolCode="[Please Edit]">[Please Edit]</RecipientOfResultsEMail>

<!-- <RecipientOfTestCertificatesName> ... </RecipientOfTestCertificatesName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RecipientOfTestCertificatesName languageCode="[Please Edit]">[Please Edit]</RecipientOfTestCertificatesName>

<!-- <RecipientOfTestCertificatesPost> ... </RecipientOfTestCertificatesPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfTestCertificatesPost languageCode="[Please Edit]">[Please Edit]</RecipientOfTestCertificatesPost>

<!-- <RecipientOfTestCertificatesTelephoneNumber> ... </RecipientOfTestCertificatesTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfTestCertificatesTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RecipientOfTestCertificatesTelephoneNumber>

<!-- <RecipientOfTestCertificatesFaxNumber> ... </RecipientOfTestCertificatesFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfTestCertificatesFaxNumber languageCode="[Please Edit]">[Please Edit]</RecipientOfTestCertificatesFaxNumber>

<!-- <RecipientOfTestCertificatesAddress> ... </RecipientOfTestCertificatesAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RecipientOfTestCertificatesAddress languageCode="[Please Edit]">[Please Edit]</RecipientOfTestCertificatesAddress>

<!-- <PersonToCollectTestCertificateName> ... </PersonToCollectTestCertificateName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PersonToCollectTestCertificateName languageCode="[Please Edit]">[Please Edit]</PersonToCollectTestCertificateName>

<!-- <PersonToCollectTestCertificatePost> ... </PersonToCollectTestCertificatePost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PersonToCollectTestCertificatePost languageCode="[Please Edit]">[Please Edit]</PersonToCollectTestCertificatePost>

<!-- <PersonToCollectTestCertificateTelephoneNumber> ... </PersonToCollectTestCertificateTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PersonToCollectTestCertificateTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PersonToCollectTestCertificateTelephoneNumber>

<!-- <PersonToCollectTestCertificateFaxNumber> ... </PersonToCollectTestCertificateFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PersonToCollectTestCertificateFaxNumber languageCode="[Please Edit]">[Please Edit]</PersonToCollectTestCertificateFaxNumber>

</CollectionServiceContent>

<!-- <TestRequirementContent> ... </TestRequirementContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequirementContent>

<!-- <DateOfContractCommencement> ... </DateOfContractCommencement>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateOfContractCommencement>[Please Edit]</DateOfContractCommencement>

<!-- <DateOfEstimatedContractCompletion> ... </DateOfEstimatedContractCompletion>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateOfEstimatedContractCompletion>[Please Edit]</DateOfEstimatedContractCompletion>

<!-- <TestRequirementsRecordContent> ... </TestRequirementsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<TestRequirementsRecordContent>

<!-- <MaterialName> ... </MaterialName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: A means Aggregates. -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: B means Bituminous materials. -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: C means Concrete cubes and cores. -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: I means Soils (In-situ). -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: L means Soils (Laboratory). -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: R means Steel reinforcement. -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: P means Steel section/prestressing strand. -->

<!-- <MaterialName> ... </MaterialName>: Admissible values: O means Others. -->

<MaterialName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</MaterialName>

<!-- <TypeOfTest> ... </TypeOfTest>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TypeOfTest languageCode="[Please Edit]">[Please Edit]</TypeOfTest>

<!-- <EstimatedDateOfCommencement> ... </EstimatedDateOfCommencement>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedDateOfCommencement>[Please Edit]</EstimatedDateOfCommencement>

<!-- <EstimatedTotalForMonth1-6> ... </EstimatedTotalForMonth1-6>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth1-6 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth1-6>

<!-- <EstimatedTotalForMonth7-12> ... </EstimatedTotalForMonth7-12>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth7-12 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth7-12>

<!-- <EstimatedTotalForMonth13-18> ... </EstimatedTotalForMonth13-18>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth13-18 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth13-18>

<!-- <EstimatedTotalForMonth19-24> ... </EstimatedTotalForMonth19-24>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth19-24 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth19-24>

<!-- <EstimatedTotalForMonth25-30> ... </EstimatedTotalForMonth25-30>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth25-30 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth25-30>

<!-- <EstimatedTotalForMonth31-36> ... </EstimatedTotalForMonth31-36>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForMonth31-36 codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForMonth31-36>

<!-- <EstimatedTotalForRemainder> ... </EstimatedTotalForRemainder>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedTotalForRemainder codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedTotalForRemainder>

</TestRequirementsRecordContent>

<!-- <Notes> ... </Notes>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Notes languageCode="[Please Edit]">[Please Edit]</Notes>

</TestRequirementContent>

<!-- <RequestedByContent> ... </RequestedByContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByContent>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByEmailAddress> ... </RequestedByEmailAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByEmailAddress protocolCode="[Please Edit]">[Please Edit]</RequestedByEmailAddress>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

```

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

    </Reference>

    </SignedInfo>

    <!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

    <!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
    <KeyInfo Id="[Please Edit]">

        <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <KeyName>[Please Edit]</KeyName>

        <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <KeyValue>

            <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <DSAKeyValue>

                <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
                <G>[Please Edit]</G>

                <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <Y>[Please Edit]</Y>

                <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
                <J>[Please Edit]</J>

            </DSAKeyValue>

```

```
<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>
```

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
<X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

</RequestedByContent>

</TestingOnConstructionMaterials>

B-2.13.16 WDD-12.15 Request Form for Calibration / Checking of Equipment - Form 2017 (WDD-12.15-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingOnCalibrationOrCheckingOfEquipment> ... </TestingOnCalibrationOrCheckingOfEquipment>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingOnCalibrationOrCheckingOfEquipment xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.15-1.0.xsd">

<!-- <CalibrateOrCheck> ... </CalibrateOrCheck>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CalibrateOrCheck>[Please Edit]</CalibrateOrCheck>

<!-- <CalibrationUnitUseContent> ... </CalibrationUnitUseContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CalibrationUnitUseContent>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

<!-- <EstimatedCompletionDate> ... </EstimatedCompletionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedCompletionDate>[Please Edit]</EstimatedCompletionDate>

</CalibrationUnitUseContent>

<!-- <AccountContent> ... </AccountContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AccountContent>

<!-- <Client> ... </Client>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ClientReferenceNumber> ... </ClientReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClientReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientReferenceNumber>

</AccountContent>

<!-- <EquipmentContent> ... </EquipmentContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EquipmentContent>

<!-- <TypeOfEquipment> ... </TypeOfEquipment>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TypeOfEquipment languageCode="[Please Edit]">[Please Edit]</TypeOfEquipment>

<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>

<!-- <EquipmentIDNumber> ... </EquipmentIDNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EquipmentIDNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</EquipmentIDNumber>

<!-- <ModelNumber> ... </ModelNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ModelNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ModelNumber>

<!-- <SerialNumber> ... </SerialNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SerialNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SerialNumber>

<!-- <DateOfExpired> ... </DateOfExpired>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DateOfExpired>[Please Edit]</DateOfExpired>

</EquipmentContent>

<!-- <CalibrateOrCheckingRequirements> ... </CalibrateOrCheckingRequirements>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CalibrateOrCheckingRequirements>

<!-- <Scope> ... </Scope>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Scope languageCode="[Please Edit]">[Please Edit]</Scope>

<!-- <RangeOrValue> ... </RangeOrValue>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RangeOrValue>[Please Edit]</RangeOrValue>

<!-- <DefinitionOfRangesValues> ... </DefinitionOfRangesValues>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DefinitionOfRangesValues languageCode="[Please Edit]">[Please Edit]</DefinitionOfRangesValues>

<!-- <RequiredAccuracies> ... </RequiredAccuracies>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequiredAccuracies languageCode="[Please Edit]">[Please Edit]</RequiredAccuracies>

<!-- <OtherRequirements> ... </OtherRequirements>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherRequirements languageCode="[Please Edit]">[Please Edit]</OtherRequirements>

</CalibrateOrCheckingRequirements>

<!-- <RequesterContent> ... </RequesterContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequesterContent>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                        <XPath>[Please Edit]</XPath>

                    </Transform>
```

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

```
<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>
```

```
</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerSerial>

time(s). -->    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->    <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

time(s). -->    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->    <X509SubjectName>[Please Edit]</X509SubjectName>

-->    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

</X509Data>
```

```
<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>
```

```
<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</RequesterContent>

<!-- <CompletedByContent> ... </CompletedByContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<CompletedByContent>

<!-- <CompletedBySignature> ... </CompletedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<CompletedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<SignatureMethod Algorithm="[Please Edit]">
```

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

-->
<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

>
<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```
</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>
```

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CompletedBySignature>

<!-- <CompletedByName> ... </CompletedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<CompletedByName languageCode="[Please Edit]">[Please Edit]</CompletedByName>

<!-- <CompletedByPost> ... </CompletedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompletedByPost languageCode="[Please Edit]">[Please Edit]</CompletedByPost>

<!-- <CompletedByDate> ... </CompletedByDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CompletedByDate>[Please Edit]</CompletedByDate>

</CompletedByContent>

</TestingOnCalibrationOrCheckingOfEquipment>

B-2.13.17 WDD-12.16 Request Form for Steel Fabric Sample Collection Service (For PWCL) - Form 2409 (WDD-12.16-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <SteelFabricSampleCollectionService> ... </SteelFabricSampleCollectionService>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SteelFabricSampleCollectionService xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.16-1.0.xsd">

<!-- <RequestContent> ... </RequestContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestContent>

<!-- <Job> ... </Job>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Job languageCode="[Please Edit]">[Please Edit]</Job>

<!-- <JobContractNumber> ... </JobContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobContractNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ClientReferenceNumber> ... </ClientReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientReferenceNumber>

<!-- <NumberOfSampleCollected> ... </NumberOfSampleCollected>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfSampleCollected codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfSampleCollected>

<!-- <LocationOfSampleCollected> ... </LocationOfSampleCollected>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOfSampleCollected languageCode="[Please Edit]">[Please Edit]</LocationOfSampleCollected>

<!-- <SiteContactPerson> ... </SiteContactPerson>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteContactPerson languageCode="[Please Edit]">[Please Edit]</SiteContactPerson>

<!-- <SiteTelephoneNumber> ... </SiteTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SiteTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SiteTelephoneNumber>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

<!-- <RequestedBySigned> ... </RequestedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

```
<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>


```
<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509IssuerSerial>
```

time(s). -->
 <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509IssuerName>[Please Edit]</X509IssuerName>

 <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
 <X509SerialNumber>[Please Edit]</X509SerialNumber>

 </X509IssuerSerial>

 <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</RequestedBySigned>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s).

-->

<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <SampleCollectionRecordContent> ... </SampleCollectionRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleCollectionRecordContent>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <SampleDescription> ... </SampleDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<SampleDescription languageCode="[Please Edit]">[Please Edit]</SampleDescription>

<!-- <TypeOfWire> ... </TypeOfWire>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TypeOfWire languageCode="[Please Edit]">[Please Edit]</TypeOfWire>

<!-- <BSReferenceNumber> ... </BSReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<BSReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</BSReferenceNumber>

<!-- <DiameterOfLongitudinal> ... </DiameterOfLongitudinal>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DiameterOfLongitudinal codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DiameterOfLongitudinal>

<!-- <DiameterOfCrossWire> ... </DiameterOfCrossWire>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DiameterOfCrossWire codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DiameterOfCrossWire>

<!-- <GradeOfWire> ... </GradeOfWire>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<GradeOfWire languageCode="[Please Edit]">[Please Edit]</GradeOfWire>

<!-- <Manufacturer> ... </Manufacturer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Manufacturer languageCode="[Please Edit]">[Please Edit]</Manufacturer>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleCollectionRecordContent>

</RequestContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ConfirmationContent>

<!-- <DeliveredTo> ... </DeliveredTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeliveredTo languageCode="[Please Edit]">[Please Edit]</DeliveredTo>

<!-- <ContractAllocated> ... </ContractAllocated>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractAllocated languageCode="[Please Edit]">[Please Edit]</ContractAllocated>

<!-- <CollectionDate> ... </CollectionDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionDate>[Please Edit]</CollectionDate>

<!-- <CollectionTime> ... </CollectionTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectionTime>[Please Edit]</CollectionTime>

<!-- <NotifyingDate> ... </NotifyingDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingDate>[Please Edit]</NotifyingDate>

<!-- <NotifyingTime> ... </NotifyingTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifyingTime>[Please Edit]</NotifyingTime>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

<!-- <NotifiedBySigned> ... </NotifiedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NotifiedBySigned>

```
<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

    <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SignedInfo Id="[Please Edit]">

        <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
        <CanonicalizationMethod Algorithm="[Please Edit]" />

        <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
        <SignatureMethod Algorithm="[Please Edit]">

            <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
            <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                        <XPath>[Please Edit]</XPath>

                    </Transform>
```

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

```
<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>
    </Transforms>
</RetrievalMethod>
</>
```


</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->

<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->

<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</NotifiedBySigned>

<!-- <NotifiedByName> ... </NotifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByName languageCode="[Please Edit]">[Please Edit]</NotifiedByName>

<!-- <NotifiedByPost> ... </NotifiedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NotifiedByPost languageCode="[Please Edit]">[Please Edit]</NotifiedByPost>

</ConfirmationContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>

<AuthorizationContent>

<!-- <AgreedBySigned> ... </AgreedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AgreedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

```
<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>
```

```
<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">
```

```
<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). --> <X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509SubjectName>[Please Edit]</X509SubjectName>
```

```
-->
    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>

    </X509Data>

    <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <PGPData />

    <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKIData>

        <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <SPKISexp>[Please Edit]</SPKISexp>

    </SPKIData>

    <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <MgmtData>[Please Edit]</MgmtData>

    </KeyInfo>

    <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
    <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

    </Signature>

    </AgreedBySigned>

    <!-- <AgreedByName> ... </AgreedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <AgreedByName languageCode="[Please Edit]">[Please Edit]</AgreedByName>
```

<!-- <AgreedByPost> ... </AgreedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AgreedByPost languageCode="[Please Edit]">[Please Edit]</AgreedByPost>

<!-- <AgreedByDate> ... </AgreedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByDate>[Please Edit]</AgreedByDate>

<!-- <AgreedByTime> ... </AgreedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<AgreedByTime>[Please Edit]</AgreedByTime>

<!-- <CollectedBySigned> ... </CollectedBySigned>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CollectedBySigned>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->


```
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

```
<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

        <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
        <G>[Please Edit]</G>

        <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Y>[Please Edit]</Y>

        <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
        <J>[Please Edit]</J>

    </DSAKeyValue>

    <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <RSAKeyValue>

        <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Modulus>[Please Edit]</Modulus>

        <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <Exponent>[Please Edit]</Exponent>

    </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">
```

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```

</CollectedBySigned>

<!-- <CollectedByName> ... </CollectedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CollectedByName languageCode="[Please Edit]">[Please Edit]</CollectedByName>

<!-- <CollectedByPost> ... </CollectedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CollectedByPost languageCode="[Please Edit]">[Please Edit]</CollectedByPost>

<!-- <CollectedByDate> ... </CollectedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<CollectedByDate>[Please Edit]</CollectedByDate>

<!-- <CollectedByTime> ... </CollectedByTime>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

>

<CollectedByTime>[Please Edit]</CollectedByTime>

<!-- <PWLTelephoneNumber> ... </PWLTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLTelephoneNumber languageCode="[Please Edit]">[Please Edit]</PWLTelephoneNumber>

<!-- <PWLFaxNumber> ... </PWLFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PWLFaxNumber languageCode="[Please Edit]">[Please Edit]</PWLFaxNumber>

</AuthorizationContent>

</SteelFabricSampleCollectionService>

B-2.13.18 WDD-12.17 Request Form for Soil Testing For Checking of Compliance with Specification Requirements - Form 2509 (WDD-12.17-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestingRequestForSoilMaterialsWithSpecificationRequirements> ...

</TestingRequestForSoilMaterialsWithSpecificationRequirements>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TestingRequestForSoilMaterialsWithSpecificationRequirements xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.17-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</AccountNumber>
```

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>
```

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<Client languageCode="[Please Edit]">[Please Edit]</Client>
```

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>
```

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</JobNumber>
```

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>
```

```
</AccountInfoContent>
```

<!-- <SampleContent> ... </SampleContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<SampleContent>
```

<!-- <SamplingLocation> ... </SamplingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplingLocation languageCode="[Please Edit]">[Please Edit]</SamplingLocation>

<!-- <SamplingType> ... </SamplingType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SamplingType languageCode="[Please Edit]">[Please Edit]</SamplingType>

</SampleContent>

<!-- <TestRequestContent> ... </TestRequestContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<TestRequestContent>

<!-- <LabSampleReferenceNumber> ... </LabSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LabSampleReferenceNumber>

<!-- <ReceivedSampleMass> ... </ReceivedSampleMass>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReceivedSampleMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ReceivedSampleMass>

<!-- <ClientSampleReferenceNumber> ... </ClientSampleReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientSampleReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientSampleReferenceNumber>

<!-- <TestRequested> ... </TestRequested>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequested languageCode="[Please Edit]">[Please Edit]</TestRequested>

<!-- <DryingMethod> ... </DryingMethod>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DryingMethod languageCode="[Please Edit]">[Please Edit]</DryingMethod>

<!-- <AdditionalInformationAndRequirements> ... </AdditionalInformationAndRequirements>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AdditionalInformationAndRequirements languageCode="[Please Edit]">[Please Edit]</AdditionalInformationAndRequirements>

</TestRequestContent>

<!-- <ConfirmationContent> ... </ConfirmationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ConfirmationContent>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>
```

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<X509SKI>[Please Edit]</X509SKI>

time(s). -->
<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

-->
<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>
```

```
</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
-->
<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
-->
<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<RequestedByDate>[Please Edit]</RequestedByDate>

<!-- <ConsultantSignature> ... </ConsultantSignature>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
-->
<ConsultantSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
-->
<CanonicalizationMethod Algorithm="[Please Edit]" />
```

```
<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
-->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>
```

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
  <X509IssuerSerial>
```

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ConsultantSignature>

<!-- <ConsultantName> ... </ConsultantName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantName languageCode="[Please Edit]">[Please Edit]</ConsultantName>

<!-- <ConsultantPost> ... </ConsultantPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantPost languageCode="[Please Edit]">[Please Edit]</ConsultantPost>

<!-- <ConsultantTelephoneNumber> ... </ConsultantTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantTelephoneNumber languageCode="[Please Edit]">[Please Edit]</ConsultantTelephoneNumber>

<!-- <ConsultantFaxNumber> ... </ConsultantFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantFaxNumber languageCode="[Please Edit]">[Please Edit]</ConsultantFaxNumber>

<!-- <ConsultantDate> ... </ConsultantDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConsultantDate>[Please Edit]</ConsultantDate>

<!-- <DeliveredByName> ... </DeliveredByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeliveredByName languageCode="[Please Edit]">[Please Edit]</DeliveredByName>

<!-- <DeliveredByPost> ... </DeliveredByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DeliveredByPost languageCode="[Please Edit]">[Please Edit]</DeliveredByPost>

<!-- <DeliveredByTelephoneNumber> ... </DeliveredByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveredByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliveredByTelephoneNumber>

<!-- <DeliveredByFaxNumber> ... </DeliveredByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveredByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliveredByFaxNumber>

</ConfirmationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestingRequestForSoilMaterialsWithSpecificationRequirements>

B-2.13.19 WDD-12.18 Request Form for Laboratory Soil Testing - Form 2510 (WDD-12.18-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <TestRequestForLaboratorySoilTesting> ... </TestRequestForLaboratorySoilTesting>. Type : Complex. Mandatory. Repeat at least 1 time(s) and at most 1 time(s). -->

<TestRequestForLaboratorySoilTesting xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-12.18-1.0.xsd">

<!-- <LabInfoContent> ... </LabInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LabInfoContent>

<!-- <CollectionRequestNumber> ... </CollectionRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CollectionRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CollectionRequestNumber>

<!-- <TestRequestNumber> ... </TestRequestNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</TestRequestNumber>

</LabInfoContent>

<!-- <AccountInfoContent> ... </AccountInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountInfoContent>

<!-- <AccountNumber> ... </AccountNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AccountNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</AccountNumber>

<!-- <ClientTestRequestReferenceNumber> ... </ClientTestRequestReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClientTestRequestReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ClientTestRequestReferenceNumber>

<!-- <Client> ... </Client>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Client languageCode="[Please Edit]">[Please Edit]</Client>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <JobTitle> ... </JobTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobTitle languageCode="[Please Edit]">[Please Edit]</JobTitle>

<!-- <JobNumber> ... </JobNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<JobNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</JobNumber>

<!-- <WorkSiteLocation> ... </WorkSiteLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkSiteLocation languageCode="[Please Edit]">[Please Edit]</WorkSiteLocation>

</AccountInfoContent>

<!-- <TestRequestedContent> ... </TestRequestedContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TestRequestedContent>

<!-- <DeterminationOfMoistureContentInfo> ... </DeterminationOfMoistureContentInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfMoistureContentInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T2.3.2A means Test 2.3.2 A of GEO Report No. 36. ->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T2.3.2B means Test 2.3.2 B of GEO Report No. 36. ->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM5.1 means Test Method 5.1 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM5.2 means Test Method 5.2 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 2.2(a). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means SOL 2.2(b). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 3 means GSP 5.1. -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 4 means GSP 5.2. -->
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfMoistureContentInfo>

<!-- <ComparativeTestForDeterminationOfMoistureContentInfo> ... </ComparativeTestForDeterminationOfMoistureContentInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ComparativeTestForDeterminationOfMoistureContentInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T2.3.2C means Test 2.3.2C of GEO Report No. 36. ->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM5.3 means Test Method 5.3 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 1 means SOL 2.2(c). -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 2 means GSP 5.3. -->

<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</ComparativeTestForDeterminationOfMoistureContentInfo>

<!-- <DeterminationOfLiquidLimitByTheConePenetrometerMethodInfo> ...

</DeterminationOfLiquidLimitByTheConePenetrometerMethodInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfLiquidLimitByTheConePenetrometerMethodInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T2.4.3 means Test 2.4.3 of GEO Report No. 36. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 1 means SOL 2.4. -->

<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</DeterminationOfLiquidLimitByTheConePenetrometerMethodInfo>

<!-- <DeterminationOfPlasticLimitInfo> ... </DeterminationOfPlasticLimitInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfPlasticLimitInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T2.5.3 means Test 2.5.3 of GEO Report No. 36. -->


```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

```
<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 2.8. -->
```

```
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>
```

```
</DeterminationOfPlasticLimitInfo>
```

```
<!-- <DeterminationOfLiquidLimitInfo> ... </DeterminationOfLiquidLimitInfo>. Type : Complex. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
```

```
<DeterminationOfLiquidLimitInfo>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM6.1 means Test Method 6.1 of Geospec 3. -->
```

```
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>
```

```
<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means GSP 6.1. -->
```

```
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>
```

```
</DeterminationOfLiquidLimitInfo>
```

```
<!-- <DeterminationOfLiquidityIndexInfo> ... </DeterminationOfLiquidityIndexInfo>. Type : Complex. Optional. If not used, please
delete the section. If used, repeat at most 1 time(s). -->
```

```
<DeterminationOfLiquidityIndexInfo>
```

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
```

```
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM6.2 means Test Method 6.2 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 1 means GSP 6.2. -->
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfLiquidityIndexInfo>

<!-- <DeterminationOfParticleSizeDistributionByWetSievingInfo> ... </DeterminationOfParticleSizeDistributionByWetSievingInfo>.
Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeterminationOfParticleSizeDistributionByWetSievingInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: T2.9.2A means Test 2.9.2 A of GEO Report No. 36. -
->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: T2.9.2B means Test 2.9.2 B of GEO Report No. 36. -
->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM8.1 means Test Method 8.1 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM8.2 means Test Method 8.2 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>. Data Type : String. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>: Admissible values: A means Method A. -->
<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>: Admissible values: B means Method B. -->
<RequestedUsingMethod codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</RequestedUsingMethod>
```

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 1 means SOL 2.10(a). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 2 means SOL 2.10(b). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 3 means GSP 8.1. -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 4 means GSP 8.2. -->
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfParticleSizeDistributionByWetSievingInfo>

<!-- <DeterminationOfParticleSizeDistributionByHydrometerMethodInfo> ...
</DeterminationOfParticleSizeDistributionByHydrometerMethodInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeterminationOfParticleSizeDistributionByHydrometerMethodInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: T2.9.5A means Test 2.9.5 A of GEO Report No. 36. -
->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: T2.9.5B means Test 2.9.5 B of GEO Report No. 36. -
->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM8.5 means Test Method 8.5 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM8.6 means Test Method 8.6 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>: Admissible values: A means Method A. -->
<!-- <RequestedUsingMethod> ... </RequestedUsingMethod>: Admissible values: B means Method B. -->
<RequestedUsingMethod codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</RequestedUsingMethod>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 1 means SOL 2.11(a). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 2 means SOL 2.11(b). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 3 means GSP 8.5. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 4 means GSP 8.6. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfParticleSizeDistributionByHydrometerMethodInfo>

<!-- <ConstructionOfContinuousSizeDistributionCurveInfo> ... </ConstructionOfContinuousSizeDistributionCurveInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ConstructionOfContinuousSizeDistributionCurveInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: T2.9.6 means Test 2.9.6 of GEO Report No. 36. -->

<!-- <TestRequestedName> ... </TestRequestedName>: Admissible values: TM8.7 means Test Method 8.7 of Geospec 3. -->

<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 1 means SOL 2.12. -->

<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissible values: 2 means GSP 8.7. -->

<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</ConstructionOfContinuousSizeDistributionCurveInfo>

<!-- <DeterminationOfDryDensityAndMoistureContent2point5KgRammerInfo> ...
</DeterminationOfDryDensityAndMoistureContent2point5KgRammerInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeterminationOfDryDensityAndMoistureContent2point5KgRammerInfo>

```
<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.3A means Test 4.3.3(A) of GEO Report No. 36.
-->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.3B means Test 4.3.3(B) of GEO Report No. 36.
-->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.4A means Test 4.3.4(A) of GEO Report No. 36.
-->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T4.3.4B means Test 4.3.4(B) of GEO Report No. 36.
-->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.1 means Test Method 10.1 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.2 means Test Method 10.2 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.3 means Test Method 10.3 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.4 means Test Method 10.4 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTMTNumber> ... </PWLTMTNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 1 means SOL 4.1(a). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 2 means SOL 4.1(b). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 3 means SOL 4.1(c). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 4 means SOL 4.1(d). -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 5 means GSP 10.1. -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 6 means GSP 10.2. -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 7 means GSP 10.3. -->
<!-- <PWLTMTNumber> ... </PWLTMTNumber>: Admissable values: 8 means GSP 10.4. -->
<PWLTMTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTMTNumber>

</DeterminationOfDryDensityAndMoistureContent2point5KgRammerInfo>

<!-- <DeterminationOfDryDensityAndMoistureContent4point5KgRammerInfo> ...
</DeterminationOfDryDensityAndMoistureContent4point5KgRammerInfo>. Type : Complex. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
```

<DeterminationOfDryDensityAndMoistureContent4point5KgRammerInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: T13 means BS1377:1975 Test 13 with modification. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.5 means Test Method 10.5 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.6 means Test Method 10.6 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.7 means Test Method 10.7 of Geospec 3. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM10.8 means Test Method 10.8 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 1 means SOL 4.2(a). -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 2 means GSP 10.5. -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 3 means GSP 10.6. -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 4 means GSP 10.7. -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 5 means GSP 10.8. -->
<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</DeterminationOfDryDensityAndMoistureContent4point5KgRammerInfo>

<!-- <DeterminationOfLaboratoryCbrInfo> ... </DeterminationOfLaboratoryCbrInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DeterminationOfLaboratoryCbrInfo>

<!-- <TestRequestedName> ... </TestRequestedName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: CL7 means BS1377:1990 Cl. 7 with modification. -->
<!-- <TestRequestedName> ... </TestRequestedName>: Admissable values: TM12.1 means Test Method 12.1 of Geospec 3. -->
<TestRequestedName codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TestRequestedName>

<!-- <DegreeOfCompaction> ... </DegreeOfCompaction>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DegreeOfCompaction>[Please Edit]</DegreeOfCompaction>

<!-- <MoistureContent> ... </MoistureContent>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MoistureContent>[Please Edit]</MoistureContent>

<!-- <IsSoaked> ... </IsSoaked>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<IsSoaked>[Please Edit]</IsSoaked>

<!-- <Surcharge> ... </Surcharge>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Surcharge codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Surcharge>

<!-- <PWLTNumber> ... </PWLTNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 1 means SOL 4.3. -->
<!-- <PWLTNumber> ... </PWLTNumber>: Admissable values: 2 means GSP 12.1. -->
<PWLTNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PWLTNumber>

</DeterminationOfLaboratoryCbrInfo>

<!-- <Others> ... </Others>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Others>[Please Edit]</Others>

<!-- <OtherDescription> ... </OtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<OtherDescription languageCode="[Please Edit]">[Please Edit]</OtherDescription>

</TestRequestedContent>

<!-- <SampleDetailsContent> ... </SampleDetailsContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleDetailsContent>

<!-- <SampleTestingLocation> ... </SampleTestingLocation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleTestingLocation languageCode="[Please Edit]">[Please Edit]</SampleTestingLocation>

<!-- <SampleType> ... </SampleType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <SampleType> ... </SampleType>: Admissable values: B means Bulk Samples. -->

<!-- <SampleType> ... </SampleType>: Admissable values: V means Vibro-cores. -->

<!-- <SampleType> ... </SampleType>: Admissable values: O means Others. -->

<SampleType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SampleType>

<!-- <OtherSampleType> ... </OtherSampleType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherSampleType languageCode="[Please Edit]">[Please Edit]</OtherSampleType>

<!-- <SampleDetailsRecordContent> ... </SampleDetailsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<SampleDetailsRecordContent>

<!-- <SampleNumber> ... </SampleNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SampleNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SampleNumber>

<!-- <AdditionalInformation> ... </AdditionalInformation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AdditionalInformation languageCode="[Please Edit]">[Please Edit]</AdditionalInformation>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</SampleDetailsRecordContent>

</SampleDetailsContent>

<!-- <OtherInfoContent> ... </OtherInfoContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<OtherInfoContent>

<!-- <OvenDryTemperature> ... </OvenDryTemperature>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: L means 45+/-5 degree. -->

<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: H means 105+/-5 degree. -->

<!-- <OvenDryTemperature> ... </OvenDryTemperature>: Admissable values: M means Microwave Oven. -->

<OvenDryTemperature codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</OvenDryTemperature>

<!-- <PreliminaryTestResult> ... </PreliminaryTestResult>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PreliminaryTestResult>[Please Edit]</PreliminaryTestResult>

<!-- <PreliminaryTestResultFaxNumber> ... </PreliminaryTestResultFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreliminaryTestResultFaxNumber languageCode="[Please Edit]">[Please Edit]</PreliminaryTestResultFaxNumber>

</OtherInfoContent>

<!-- <AuthorizationContent> ... </AuthorizationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AuthorizationContent>

<!-- <DeliverySupervisedBySignature> ... </DeliverySupervisedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

```
<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

    <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CanonicalizationMethod Algorithm="[Please Edit]" />

    <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <SignatureMethod Algorithm="[Please Edit]">

        <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
        <HMACOutputLength>[Please Edit]</HMACOutputLength>

    </SignatureMethod>

    <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

        <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
        <Transforms>

            <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Transform Algorithm="[Please Edit]">

                <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
                <XPath>[Please Edit]</XPath>

            </Transform>

        </Transforms>
```

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).

-->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

```
</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

    <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Modulus>[Please Edit]</Modulus>

    <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

>
<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>
```

```
<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). --> <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509IssuerSerial>

time(s). --> <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). --> <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). --> <X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

time(s). --> <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). --> <X509SubjectName>[Please Edit]</X509SubjectName>

--> <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
--> <X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</DeliverySupervisedBySignature>

<!-- <DeliverySupervisedByName> ... </DeliverySupervisedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByName languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByName>

<!-- <DeliverySupervisedByPost> ... </DeliverySupervisedByPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByPost languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByPost>

<!-- <DeliverySupervisedByTelephoneNumber> ... </DeliverySupervisedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByTelephoneNumber>

<!-- <DeliverySupervisedByFaxNumber> ... </DeliverySupervisedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliverySupervisedByFaxNumber languageCode="[Please Edit]">[Please Edit]</DeliverySupervisedByFaxNumber>

<!-- <DeliverySupervisedByDate> ... </DeliverySupervisedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DeliverySupervisedByDate>[Please Edit]</DeliverySupervisedByDate>

<!-- <RequestedBySignature> ... </RequestedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedBySignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

```
<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

    </Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```


<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --

>

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --

>

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509SKI>[Please Edit]</X509SKI>

time(s). -->
 <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
 <X509SubjectName>[Please Edit]</X509SubjectName>

-->
 <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
 <X509Certificate>[Please Edit]</X509Certificate>

 <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <X509CRL>[Please Edit]</X509CRL>

 </X509Data>

 <!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <PGPData />

 <!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKIData>

 <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <SPKISexp>[Please Edit]</SPKISexp>

 </SPKIData>

 <!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <MgmtData>[Please Edit]</MgmtData>

 </KeyInfo>

 <!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
 <Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

 </Signature>

</RequestedBySignature>

<!-- <RequestedByName> ... </RequestedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByName languageCode="[Please Edit]">[Please Edit]</RequestedByName>

<!-- <RequestedByPost> ... </RequestedByPost>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByPost languageCode="[Please Edit]">[Please Edit]</RequestedByPost>

<!-- <RequestedByTelephoneNumber> ... </RequestedByTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByTelephoneNumber languageCode="[Please Edit]">[Please Edit]</RequestedByTelephoneNumber>

<!-- <RequestedByFaxNumber> ... </RequestedByFaxNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RequestedByFaxNumber languageCode="[Please Edit]">[Please Edit]</RequestedByFaxNumber>

<!-- <RequestedByDate> ... </RequestedByDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RequestedByDate>[Please Edit]</RequestedByDate>

</AuthorizationContent>

<!-- <ToBeDeliveredContent> ... </ToBeDeliveredContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeDeliveredContent>

<!-- <ToBeCollected> ... </ToBeCollected>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ToBeCollected>[Please Edit]</ToBeCollected>

<!-- <DeliveryName> ... </DeliveryName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryName languageCode="[Please Edit]">[Please Edit]</DeliveryName>

<!-- <DeliveryAddress> ... </DeliveryAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryAddress languageCode="[Please Edit]">[Please Edit]</DeliveryAddress>

</ToBeDeliveredContent>

</TestRequestForLaboratorySoilTesting>

B-2.14 WDD-13 Works Order

B-2.14.1 GF 521 Works Order (WDD-13.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <WorksOrderLogistics> ... </WorksOrderLogistics>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<WorksOrderLogistics xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-13.0-1.0.xsd">
```

```
<!-- <WorksOrderNumber> ... </WorksOrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<WorksOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</WorksOrderNumber>
```

```
<!-- <Department> ... </Department>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Department languageCode="[Please Edit]">[Please Edit]</Department>
```

```
<!-- <FromName> ... </FromName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<FromName languageCode="[Please Edit]">[Please Edit]</FromName>
```

```
<!-- <FromAddress> ... </FromAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<FromAddress languageCode="[Please Edit]">[Please Edit]</FromAddress>
```

```
<!-- <ToName> ... </ToName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ToName languageCode="[Please Edit]">[Please Edit]</ToName>
```

```
<!-- <ToAddress> ... </ToAddress>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<ToAddress languageCode="[Please Edit]">[Please Edit]</ToAddress>
```

```
<!-- <CommencePeriodFlag> ... </CommencePeriodFlag>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). Length: 1. -->
```

```
<!-- <CommencePeriodFlag> ... </CommencePeriodFlag>. Admissable values: 1 means on. -->
<!-- <CommencePeriodFlag> ... </CommencePeriodFlag>. Admissable values: 2 means within. -->
<CommencePeriodFlag codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CommencePeriodFlag>

<!-- <CommencingOn> ... </CommencingOn>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CommencingOn>[Please Edit]</CommencingOn>

<!-- <CompletedOn> ... </CompletedOn>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CompletedOn>[Please Edit]</CompletedOn>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <PWPNumber> ... </PWPNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PWPNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</PWPNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <OrderPersonSignature> ... </OrderPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<OrderPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
```

```
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
    If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
    1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>

</Reference>
```


</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

```
<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>
```

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</OrderPersonSignature>

<!-- <OrderPersonName> ... </OrderPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderPersonName languageCode="[Please Edit]">[Please Edit]</OrderPersonName>

<!-- <InspectorOfWorks> ... </InspectorOfWorks>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InspectorOfWorks languageCode="[Please Edit]">[Please Edit]</InspectorOfWorks>

<!-- <OrderPersonDesignation> ... </OrderPersonDesignation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderPersonDesignation languageCode="[Please Edit]">[Please Edit]</OrderPersonDesignation>

<!-- <OrderPersonTitle> ... </OrderPersonTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Length: 1. -->

<!-- <OrderPersonTitle> ... </OrderPersonTitle>: Admissable values: E means Engineer. -->

<!-- <OrderPersonTitle> ... </OrderPersonTitle>: Admissable values: R means Engineer's Representative. -->

<OrderPersonTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</OrderPersonTitle>

<!-- <OrderDate> ... </OrderDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderDate>[Please Edit]</OrderDate>

```
<!-- <ItemInformationContent> ... </ItemInformationContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<ItemInformationContent>

    <!-- <ItemRecordInfoContent> ... </ItemRecordInfoContent>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <ItemRecordInfoContent>

        <!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

        <!-- <LocationOfWorks> ... </LocationOfWorks>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
        <LocationOfWorks languageCode="[Please Edit]">[Please Edit]</LocationOfWorks>

        <!-- <DescriptionOfWorks> ... </DescriptionOfWorks>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <DescriptionOfWorks languageCode="[Please Edit]">[Please Edit]</DescriptionOfWorks>

    </ItemRecordInfoContent>

    <!-- <EstimatedValueOfWorks> ... </EstimatedValueOfWorks>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <EstimatedValueOfWorks currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</EstimatedValueOfWorks>

</ItemInformationContent>

<!-- <CertifiedCompletionContent> ... </CertifiedCompletionContent>. Type : Complex. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<CertifiedCompletionContent>

    <!-- <CertifiedCompletionDate> ... </CertifiedCompletionDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
    <CertifiedCompletionDate>[Please Edit]</CertifiedCompletionDate>
```

```
<!-- <CertifiedBySignature> ... </CertifiedBySignature>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
<CertifiedBySignature>

    <!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Signature Id="[Please Edit]">

        <!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <SignedInfo Id="[Please Edit]">

            <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
            <CanonicalizationMethod Algorithm="[Please Edit]" />

            <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
            <SignatureMethod Algorithm="[Please Edit]">

                <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
                <HMACOutputLength>[Please Edit]</HMACOutputLength>

            </SignatureMethod>

            <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
            <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

                <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
                <Transforms>

                    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
                    <Transform Algorithm="[Please Edit]">

                        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
-->
<KeyInfo Id="[Please Edit]">

  <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyName>[Please Edit]</KeyName>

  <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <KeyValue>

    <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DSAKeyValue>

      <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
      >
      <G>[Please Edit]</G>
```

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>


```

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

time(s). -->
  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1
  time(s). -->
  <X509IssuerSerial>

time(s). -->
    <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
    time(s). -->
    <X509IssuerName>[Please Edit]</X509IssuerName>

most 1 time(s). -->
    <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
    most 1 time(s). -->
    <X509SerialNumber>[Please Edit]</X509SerialNumber>

  </X509IssuerSerial>

  <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <X509SKI>[Please Edit]</X509SKI>

time(s). -->
  <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
  time(s). -->
  <X509SubjectName>[Please Edit]</X509SubjectName>

-->
  <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
  -->
  <X509Certificate>[Please Edit]</X509Certificate>

```

```
<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CertifiedBySignature>

<!-- <CertifiedByName> ... </CertifiedByName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CertifiedByName languageCode="[Please Edit]">[Please Edit]</CertifiedByName>

<!-- <CertifiedDesignation> ... </CertifiedDesignation>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<CertifiedDesignation languageCode="[Please Edit]">[Please Edit]</CertifiedDesignation>
```

<!-- <CertifiedByTitle> ... </CertifiedByTitle>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Length: 1. -->
<!-- <CertifiedByTitle> ... </CertifiedByTitle>: Admissable values: E means Engineer. -->
<!-- <CertifiedByTitle> ... </CertifiedByTitle>: Admissable values: R means Engineer's Representative. -->
<CertifiedByTitle codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CertifiedByTitle>

<!-- <CertifiedDate> ... </CertifiedDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CertifiedDate>[Please Edit]</CertifiedDate>

</CertifiedCompletionContent>

<!-- <VoteRecordContent> ... </VoteRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<VoteRecordContent>

<!-- <UserCodes1> ... </UserCodes1>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<UserCodes1 languageCode="[Please Edit]">[Please Edit]</UserCodes1>

<!-- <UserCodes2> ... </UserCodes2>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<UserCodes2 languageCode="[Please Edit]">[Please Edit]</UserCodes2>

<!-- <FAOrAW> ... </FAOrAW>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<FAOrAW languageCode="[Please Edit]">[Please Edit]</FAOrAW>

<!-- <FileEnclosureNumber> ... </FileEnclosureNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<FileEnclosureNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</FileEnclosureNumber>

<!-- <FileReferenceNumber> ... </FileReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<FileReferenceNumber languageCode="[Please Edit]">[Please Edit]</FileReferenceNumber>

<!-- <CommitmentRecordBy> ... </CommitmentRecordBy>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CommitmentRecordBy languageCode="[Please Edit]">[Please Edit]</CommitmentRecordBy>

<!-- <CommitmentRecordDate> ... </CommitmentRecordDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CommitmentRecordDate>[Please Edit]</CommitmentRecordDate>

</VoteRecordContent>

</WorksOrderLogistics>

B-2.14.2 Variation Order (WDD-13.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <VariationOrder> ... </VariationOrder>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<VariationOrder xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-13.1-1.0.xsd">

<!-- <VariationOrderNumber> ... </VariationOrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<VariationOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</VariationOrderNumber>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <OrderContent> ... </OrderContent>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderContent languageCode="[Please Edit]">[Please Edit]</OrderContent>

<!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ItemNumber languageCode="[Please Edit]">[Please Edit]</ItemNumber>

<!-- <PersonName> ... </PersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PersonName languageCode="[Please Edit]">[Please Edit]</PersonName>

<!-- <PersonTitle> ... </PersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PersonTitle languageCode="[Please Edit]">[Please Edit]</PersonTitle>

<!-- <PersonSignature> ... </PersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>


```
</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>
```

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</PersonSignature>

<!-- <CCPerson> ... </CCPerson>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). Length: 1. -->

<!-- <CCPerson> ... </CCPerson>: Admissable values: E means Engineer. -->

<!-- <CCPerson> ... </CCPerson>: Admissable values: R means Engineer's Representative. -->

<CCPerson codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</CCPerson>

</VariationOrder>

B-2.14.3 Standard Letter for Variation Order (WDD-13.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ValuationOfVariationOrder> ... </ValuationOfVariationOrder>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ValuationOfVariationOrder xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-13.2-1.0.xsd">

<!-- <VariationOrderNumber> ... </VariationOrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<VariationOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</VariationOrderNumber>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <OrderNumber> ... </OrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</OrderNumber>

<!-- <OrderDate> ... </OrderDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderDate>[Please Edit]</OrderDate>

<!-- <OrderItem> ... </OrderItem>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<OrderItem>

<!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>

<!-- <ItemDescription> ... </ItemDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<ItemDescription languageCode="[Please Edit]">[Please Edit]</ItemDescription>

<!-- <OrderQuantity> ... </OrderQuantity>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<OrderQuantity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</OrderQuantity>

<!-- <Rate> ... </Rate>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Rate currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Rate>

<!-- <Amount> ... </Amount>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<Amount currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Amount>

</OrderItem>

<!-- <ChoicePricesCurrentAtTimeOfTender> ... </ChoicePricesCurrentAtTimeOfTender>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
<!-- <ChoicePricesCurrentAtTimeOfTender> ... </ChoicePricesCurrentAtTimeOfTender>: Admissable values: 1 means Valuation is. -->
<!-- <ChoicePricesCurrentAtTimeOfTender> ... </ChoicePricesCurrentAtTimeOfTender>: Admissable values: 2 means Items Nos are.
-->
<!-- <ChoicePricesCurrentAtTimeOfTender> ... </ChoicePricesCurrentAtTimeOfTender>: Admissable values: 3 means Not used. -->
<ChoicePricesCurrentAtTimeOfTender codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please
Edit]</ChoicePricesCurrentAtTimeOfTender>

<!-- <NumberListForCurrentAtTimeOfTender> ... </NumberListForCurrentAtTimeOfTender>. Data Type : String. Optional. If not used,
please delete the section. If used, repeat at most 1 time(s). -->
<NumberListForCurrentAtTimeOfTender languageCode="[Please Edit]">[Please Edit]</NumberListForCurrentAtTimeOfTender>
```

<!-- <ChoicePricesCurrentOnTheDates> ... </ChoicePricesCurrentOnTheDates>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <ChoicePricesCurrentOnTheDates> ... </ChoicePricesCurrentOnTheDates>: Admissable values: 1 means Valuation is. -->

<!-- <ChoicePricesCurrentOnTheDates> ... </ChoicePricesCurrentOnTheDates>: Admissable values: 2 means Items Nos are. -->

<!-- <ChoicePricesCurrentOnTheDates> ... </ChoicePricesCurrentOnTheDates>: Admissable values: 3 means Not used. -->

<ChoicePricesCurrentOnTheDates codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ChoicePricesCurrentOnTheDates>

<!-- <NumberListForCurrentOnTheDate> ... </NumberListForCurrentOnTheDate>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberListForCurrentOnTheDate languageCode="[Please Edit]">[Please Edit]</NumberListForCurrentOnTheDate>

<!-- <OrderPersonName> ... </OrderPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<OrderPersonName languageCode="[Please Edit]">[Please Edit]</OrderPersonName>

<!-- <OrderPersonTitle> ... </OrderPersonTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OrderPersonTitle languageCode="[Please Edit]">[Please Edit]</OrderPersonTitle>

<!-- <OrderPersonSignature> ... </OrderPersonSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OrderPersonSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```
</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>
```



```
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

  <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>
```

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</OrderPersonSignature>

</ValuationOfVariationOrder>

B-2.14.4 Current Financial Statement (WDD-13.3-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <CurrentFinancialStatement> ... </CurrentFinancialStatement>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CurrentFinancialStatement xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-13.3-1.0.xsd">

<!-- <ValuationOfVariationOrderNumber> ... </ValuationOfVariationOrderNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ValuationOfVariationOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ValuationOfVariationOrderNumber>

<!-- <Department> ... </Department>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Department languageCode="[Please Edit]">[Please Edit]</Department>

<!-- <Division> ... </Division>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Division languageCode="[Please Edit]">[Please Edit]</Division>

<!-- <DivisionType> ... </DivisionType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <DivisionType> ... </DivisionType>: Admissable values: O means Office. -->

<!-- <DivisionType> ... </DivisionType>: Admissable values: R means Region. -->

<!-- <DivisionType> ... </DivisionType>: Admissable values: D means Division. -->

<DivisionType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</DivisionType>

<!-- <CurrentApprovedContractSum> ... </CurrentApprovedContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CurrentApprovedContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</CurrentApprovedContractSum>

<!-- <ApprovalReference> ... </ApprovalReference>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ApprovalReference schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ApprovalReference>

<!-- <ApprovalDate> ... </ApprovalDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ApprovalDate>[Please Edit]</ApprovalDate>

<!-- <AnticipatedBilledItems> ... </AnticipatedBilledItems>. Data Type : Decimal. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<AnticipatedBilledItems currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AnticipatedBilledItems>

<!-- <IssuedVOValue> ... </IssuedVOValue>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<IssuedVOValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</IssuedVOValue>

<!-- <OtherCertifiedToDateValue> ... </OtherCertifiedToDateValue>. Data Type : Decimal. Optional. If not used, please delete the
section. If used, repeat at most 1 time(s). -->
<OtherCertifiedToDateValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please
Edit]</OtherCertifiedToDateValue>

<!-- <CPFCertifiedToDateValue> ... </CPFCertifiedToDateValue>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<CPFCertifiedToDateValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</CPFCertifiedToDateValue>

<!-- <IssuedValueSubTotal> ... </IssuedValueSubTotal>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<IssuedValueSubTotal currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</IssuedValueSubTotal>

<!-- <ContingencyAvailableBeforeValuation> ... </ContingencyAvailableBeforeValuation>. Data Type : Decimal. Mandatory. Repeat at
least 1time(s) and at most 1 time(s). -->
<ContingencyAvailableBeforeValuation currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please
Edit]</ContingencyAvailableBeforeValuation>

<!-- <ValuationValue> ... </ValuationValue>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ValuationValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ValuationValue>

<!-- <ContingencyAvailableAfterValuationValue> ... </ContingencyAvailableAfterValuationValue>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContingencyAvailableAfterValuationValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ContingencyAvailableAfterValuationValue>

<!-- <OtherWorkNotYetCoveredEstimatedValue> ... </OtherWorkNotYetCoveredEstimatedValue>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherWorkNotYetCoveredEstimatedValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</OtherWorkNotYetCoveredEstimatedValue>

<!-- <AnticipatedOutstandingClaims> ... </AnticipatedOutstandingClaims>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AnticipatedOutstandingClaims currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AnticipatedOutstandingClaims>

<!-- <AnticipatedFurtherSumAgainstCPF> ... </AnticipatedFurtherSumAgainstCPF>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AnticipatedFurtherSumAgainstCPF currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AnticipatedFurtherSumAgainstCPF>

<!-- <OtherItemsValue> ... </OtherItemsValue>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherItemsValue currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</OtherItemsValue>

<!-- <OtherItemsDetailsDescription> ... </OtherItemsDetailsDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<OtherItemsDetailsDescription languageCode="[Please Edit]">[Please Edit]</OtherItemsDetailsDescription>

<!-- <EstimatedValueSubTotal> ... </EstimatedValueSubTotal>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EstimatedValueSubTotal currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</EstimatedValueSubTotal>

<!-- <AnticipatedFurtherIncreaseInContractSum> ... </AnticipatedFurtherIncreaseInContractSum>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

```
<AnticipatedFurtherIncreaseInContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AnticipatedFurtherIncreaseInContractSum>
```

<!-- <AnticipatedFinalContractSum> ... </AnticipatedFinalContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<AnticipatedFinalContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AnticipatedFinalContractSum>
```

<!-- <OriginalContractSum> ... </OriginalContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<OriginalContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</OriginalContractSum>
```

<!-- <OriginalContingency> ... </OriginalContingency>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<OriginalContingency currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</OriginalContingency>
```

```
</CurrentFinancialStatement>
```

B-2.15 WDD-14 Contractor Submission

B-2.15.1 WDD-14.0 Contractor's General Submission (WDD-14.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ContractorGeneralSubmission> ... </ContractorGeneralSubmission>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractorGeneralSubmission xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.0-1.0.xsd">
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>
```

```
    <!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
    <ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
    <!-- <SubmissionTo> ... </SubmissionTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <SubmissionTo languageCode="[Please Edit]">[Please Edit]</SubmissionTo>
```

```
    <!-- <TitleOfSubmission> ... </TitleOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <TitleOfSubmission languageCode="[Please Edit]">[Please Edit]</TitleOfSubmission>
```

```
    <!-- <SubmissionReferenceNumber> ... </SubmissionReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
```

```
    <SubmissionReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SubmissionReferenceNumber>
```

<!-- <ProposedLocationOfWorks> ... </ProposedLocationOfWorks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProposedLocationOfWorks languageCode="[Please Edit]">[Please Edit]</ProposedLocationOfWorks>

<!-- <DescriptionOfContents> ... </DescriptionOfContents>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DescriptionOfContents languageCode="[Please Edit]">[Please Edit]</DescriptionOfContents>

<!-- <SpecificationReference> ... </SpecificationReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SpecificationReference languageCode="[Please Edit]">[Please Edit]</SpecificationReference>

<!-- <DrawingReference> ... </DrawingReference>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DrawingReference languageCode="[Please Edit]">[Please Edit]</DrawingReference>

<!-- <ReferToAttachmentIndicator> ... </ReferToAttachmentIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReferToAttachmentIndicator>[Please Edit]</ReferToAttachmentIndicator>

<!-- <NumberOfHardcopies> ... </NumberOfHardcopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfHardcopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfHardcopies>

<!-- <NumberOfElectronicCopies> ... </NumberOfElectronicCopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfElectronicCopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfElectronicCopies>

<!-- <IncludeDetailsDescriptionIndicator> ... </IncludeDetailsDescriptionIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<IncludeDetailsDescriptionIndicator>[Please Edit]</IncludeDetailsDescriptionIndicator>

<!-- <DetailsDescription> ... </DetailsDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DetailsDescription languageCode="[Please Edit]">[Please Edit]</DetailsDescription>

<!-- <Originator> ... </Originator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Originator languageCode="[Please Edit]">[Please Edit]</Originator>

<!-- <CheckedBy> ... </CheckedBy>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CheckedBy languageCode="[Please Edit]">[Please Edit]</CheckedBy>

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissable values: A means For Approval. -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissable values: I means For Information. -->

<PurposeOfSubmission codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PurposeOfSubmission>

<!-- <SubmissionFrom> ... </SubmissionFrom>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFrom languageCode="[Please Edit]">[Please Edit]</SubmissionFrom>

<!-- <SubmissionFromName> ... </SubmissionFromName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFromName languageCode="[Please Edit]">[Please Edit]</SubmissionFromName>

<!-- <SubmissionFromSignature> ... </SubmissionFromSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmissionFromSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

```
<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />

    <!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestValue>[Please Edit]</DigestValue>
```

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

```
<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

  <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
  <Transforms>

    <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
    <Transform Algorithm="[Please Edit]">

      <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
      <XPath>[Please Edit]</XPath>

    </Transform>

  </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

  <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
  <X509IssuerSerial>
```

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</SubmissionFromSignature>

<!-- <SubmissionFromDate> ... </SubmissionFromDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmissionFromDate>[Please Edit]</SubmissionFromDate>

<!-- <AcknowledgeReceiptName> ... </AcknowledgeReceiptName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AcknowledgeReceiptName languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptName>

<!-- <AcknowledgeReceiptDesignation> ... </AcknowledgeReceiptDesignation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptDesignation languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptDesignation>

<!-- <AcknowledgeReceiptSignature> ... </AcknowledgeReceiptSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<SignedInfo Id="[Please Edit]">

  <!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
  <CanonicalizationMethod Algorithm="[Please Edit]" />

  <!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
  <SignatureMethod Algorithm="[Please Edit]">

    <!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
    <HMACOutputLength>[Please Edit]</HMACOutputLength>

  </SignatureMethod>

  <!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
  <Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

      <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <Transform Algorithm="[Please Edit]">

        <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <XPath>[Please Edit]</XPath>

      </Transform>

    </Transforms>

    <!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <DigestMethod Algorithm="[Please Edit]" />
```

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

```
<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>
```

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AcknowledgeReceiptSignature>

<!-- <AcknowledgeReceiptDate> ... </AcknowledgeReceiptDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AcknowledgeReceiptDate>[Please Edit]</AcknowledgeReceiptDate>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</ContractorGeneralSubmission>

B-2.15.2 WDD-14.1 Inventory Record Form for Furniture and Equipment Which Shall be Returned to the Contractor (WDD-14.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <InventoryForReturned> ... </InventoryForReturned>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InventoryForReturned xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.1-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <InventoryForReturnedDetails> ... </InventoryForReturnedDetails>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<InventoryForReturnedDetails>

<!-- <ReferenceClauseNumber> ... </ReferenceClauseNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReferenceClauseNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ReferenceClauseNumber>

<!-- <DetailDescriptionOfItems> ... </DetailDescriptionOfItems>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DetailDescriptionOfItems languageCode="[Please Edit]">[Please Edit]</DetailDescriptionOfItems>

<!-- <AckByGovtStaffName> ... </AckByGovtStaffName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AckByGovtStaffName languageCode="[Please Edit]">[Please Edit]</AckByGovtStaffName>

<!-- <AckByGovtStaffDesignation> ... </AckByGovtStaffDesignation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AckByGovtStaffDesignation languageCode="[Please Edit]">[Please Edit]</AckByGovtStaffDesignation>

<!-- <AckByGovtStaffSignature> ... </AckByGovtStaffSignature>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AckByGovtStaffSignature languageCode="[Please Edit]">[Please Edit]</AckByGovtStaffSignature>

<!-- <AckByGovtStaffDate> ... </AckByGovtStaffDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AckByGovtStaffDate>[Please Edit]</AckByGovtStaffDate>

<!-- <AckByContractorName> ... </AckByContractorName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AckByContractorName languageCode="[Please Edit]">[Please Edit]</AckByContractorName>

<!-- <AckByContractorSignature> ... </AckByContractorSignature>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AckByContractorSignature languageCode="[Please Edit]">[Please Edit]</AckByContractorSignature>

<!-- <AckByContractorDate> ... </AckByContractorDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AckByContractorDate>[Please Edit]</AckByContractorDate>

</InventoryForReturnedDetails>

</InventoryForReturned>

B-2.15.3 WDD-14.2 Record Form For Bituminous Materials Delivered To Site (WDD-14.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <BituminousMaterialDelivered> ... </BituminousMaterialDelivered>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<BituminousMaterialDelivered xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.2-1.0.xsd">

<!-- <TypeOfBituminousMaterial> ... </TypeOfBituminousMaterial>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TypeOfBituminousMaterial languageCode="[Please Edit]">[Please Edit]</TypeOfBituminousMaterial>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Date>[Please Edit]</Date>

<!-- <QuarryOrderNumber> ... </QuarryOrderNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<QuarryOrderNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</QuarryOrderNumber>

<!-- <Weather> ... </Weather>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Weather languageCode="[Please Edit]">[Please Edit]</Weather>

<!-- <Temperature> ... </Temperature>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Temperature codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</Temperature>

<!-- <BituminousMaterialDeliveredDetails> ... </BituminousMaterialDeliveredDetails>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<BituminousMaterialDeliveredDetails>

<!-- <Location> ... </Location>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Location languageCode="[Please Edit]">[Please Edit]</Location>

<!-- <SourceOfSupply> ... </SourceOfSupply>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SourceOfSupply languageCode="[Please Edit]">[Please Edit]</SourceOfSupply>

<!-- <DeliveryChitNumber> ... </DeliveryChitNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DeliveryChitNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</DeliveryChitNumber>

<!-- <LorryNumber> ... </LorryNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LorryNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</LorryNumber>

<!-- <TimeLeftQuarry> ... </TimeLeftQuarry>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TimeLeftQuarry>[Please Edit]</TimeLeftQuarry>

<!-- <TimeArrivedSite> ... </TimeArrivedSite>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TimeArrivedSite>[Please Edit]</TimeArrivedSite>

<!-- <TimeDepartedSite> ... </TimeDepartedSite>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TimeDepartedSite>[Please Edit]</TimeDepartedSite>

<!-- <TemperatureAtMixingPlant> ... </TemperatureAtMixingPlant>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TemperatureAtMixingPlant codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TemperatureAtMixingPlant>

<!-- <TemperatureOnArrival> ... </TemperatureOnArrival>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<TemperatureOnArrival codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TemperatureOnArrival>

<!-- <TemperatureWhenPlacing> ... </TemperatureWhenPlacing>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
<TemperatureWhenPlacing codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TemperatureWhenPlacing>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</BituminousMaterialDeliveredDetails>

<!-- <RecordedBy> ... </RecordedBy>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RecordedBy languageCode="[Please Edit]">[Please Edit]</RecordedBy>

<!-- <Designation> ... </Designation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<Designation languageCode="[Please Edit]">[Please Edit]</Designation>

</BituminousMaterialDelivered>
```


B-2.15.4 WDD-14.3 Mandatory Provident Fund Notification Form (WDD-14.3-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <MPFNotificationForm> ... </MPFNotificationForm>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MPFNotificationForm xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.3-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <ContractSum> ... </ContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ContractSum>

<!-- <DateForTheCommencementOfContract> ... </DateForTheCommencementOfContract>. Data Type : DateTime. Mandatory.
Repeat at least 1time(s) and at most 1 time(s). -->
<DateForTheCommencementOfContract>[Please Edit]</DateForTheCommencementOfContract>

<!-- <ConstructionPeriodFrom> ... </ConstructionPeriodFrom>. Data Type : DateTime. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<ConstructionPeriodFrom>[Please Edit]</ConstructionPeriodFrom>

<!-- <ConstructionPeriodTo> ... </ConstructionPeriodTo>. Data Type : DateTime. Optional. If not used, please delete the section. If
used, repeat at most 1 time(s). -->
<ConstructionPeriodTo>[Please Edit]</ConstructionPeriodTo>

<!-- <LocationOfSite> ... </LocationOfSite>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<LocationOfSite languageCode="[Please Edit]">[Please Edit]</LocationOfSite>

<!-- <TypesOfWorks> ... </TypesOfWorks>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MaxLength: 1. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: A means Foundation works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: B means Civil engineering work. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: C means Demolition and structural alternation works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: D means Refurbishment and maintenance works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: E means General building construction works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: F means Fire services, mechanical and electrical works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: G means Gas, plumbing and drainage works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: H means Interior fitting out works. -->
<!-- <TypesOfWorks> ... </TypesOfWorks>: Admissable values: I means Others. -->
<TypesOfWorks codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TypesOfWorks>

<!-- <NameOfContractor> ... </NameOfContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NameOfContractor languageCode="[Please Edit]">[Please Edit]</NameOfContractor>

<!-- <CompanyAddressOfContractor> ... </CompanyAddressOfContractor>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CompanyAddressOfContractor languageCode="[Please Edit]">[Please Edit]</CompanyAddressOfContractor>

<!-- <TelephoneNumber> ... </TelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TelephoneNumber languageCode="[Please Edit]">[Please Edit]</TelephoneNumber>

<!-- <FacsimileNumber> ... </FacsimileNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<FacsimileNumber languageCode="[Please Edit]">[Please Edit]</FacsimileNumber>

<!-- <NameOfContactPerson> ... </NameOfContactPerson>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NameOfContactPerson languageCode="[Please Edit]">[Please Edit]</NameOfContactPerson>

<!-- <EstimatedNumberOfWorkersUnderDirectEmployment> ... </EstimatedNumberOfWorkersUnderDirectEmployment>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedNumberOfWorkersUnderDirectEmployment codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedNumberOfWorkersUnderDirectEmployment>

<!-- <EstimatedNumberOfWorkersEmployedBySub-contractors> ... </EstimatedNumberOfWorkersEmployedBySub-contractors>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedNumberOfWorkersEmployedBySub-contractors codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedNumberOfWorkersEmployedBySub-contractors>

<!-- <EstimatedNumberOfWorkerTotalNumber> ... </EstimatedNumberOfWorkerTotalNumber>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<EstimatedNumberOfWorkerTotalNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</EstimatedNumberOfWorkerTotalNumber>

<!-- <NameOfNominatedSub-contractor> ... </NameOfNominatedSub-contractor>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<NameOfNominatedSub-contractor languageCode="[Please Edit]">[Please Edit]</NameOfNominatedSub-contractor>

<!-- <NameOfDomesticSub-contractor> ... </NameOfDomesticSub-contractor>. Data Type : String. Optional. If not used, please delete the section. If used, repeat for any times. -->

<NameOfDomesticSub-contractor languageCode="[Please Edit]">[Please Edit]</NameOfDomesticSub-contractor>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

<!-- <SubmittedToName> ... </SubmittedToName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmittedToName languageCode="[Please Edit]">[Please Edit]</SubmittedToName>

<!-- <SubmittedToPost> ... </SubmittedToPost>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittedToPost languageCode="[Please Edit]">[Please Edit]</SubmittedToPost>

<!-- <SubmittedToOffice> ... </SubmittedToOffice>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittedToOffice>

<!-- <SubmittedToOfficeType> ... </SubmittedToOfficeType>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MaxLength: 1. -->

<!-- <SubmittedToOfficeType> ... </SubmittedToOfficeType>: Admissable values: O means Office. -->

<!-- <SubmittedToOfficeType> ... </SubmittedToOfficeType>: Admissable values: D means Department. -->

<!-- <SubmittedToOfficeType> ... </SubmittedToOfficeType>: Admissable values: C means Consultant. -->

<SubmittedToOfficeType codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]"
codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</SubmittedToOfficeType>

<!-- <SubmittedToOfficeName> ... </SubmittedToOfficeName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmittedToOfficeName languageCode="[Please Edit]">[Please Edit]</SubmittedToOfficeName>

</SubmittedToOffice>

<!-- <SubmittedToTelephoneNumber> ... </SubmittedToTelephoneNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmittedToTelephoneNumber languageCode="[Please Edit]">[Please Edit]</SubmittedToTelephoneNumber>

<!-- <SubmittedToDate> ... </SubmittedToDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmittedToDate>[Please Edit]</SubmittedToDate>

</MPFNotificationForm>

B-2.15.5 WDD-14.4 Shotfirer's Charging Details (WDD-14.4-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ShotfirersCharging> ... </ShotfirersCharging>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ShotfirersCharging xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.4-1.0.xsd">

<!-- <Date> ... </Date>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Date>[Please Edit]</Date>

<!-- <NameOfContractor> ... </NameOfContractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NameOfContractor languageCode="[Please Edit]">[Please Edit]</NameOfContractor>

<!-- <SiteCode> ... </SiteCode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SiteCode schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</SiteCode>

<!-- <ShotfirerInfoContent> ... </ShotfirerInfoContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 4 time(s). -->
<ShotfirerInfoContent>

<!-- <NameOfShotfirer> ... </NameOfShotfirer>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<NameOfShotfirer languageCode="[Please Edit]">[Please Edit]</NameOfShotfirer>

<!-- <MBCNumber> ... </MBCNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<MBCNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</MBCNumber>

</ShotfirerInfoContent>

<!-- <TimeOfBlasting> ... </TimeOfBlasting>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 3 time(s). -->

<TimeOfBlasting>[Please Edit]</TimeOfBlasting>

<!-- <ShotfirersChargingBlastRecord> ... </ShotfirersChargingBlastRecord>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<ShotfirersChargingBlastRecord>

<!-- <BlastCode> ... </BlastCode>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <BlastCode> ... </BlastCode>: Admissable values: C means Cartridged Explosives. -->

<!-- <BlastCode> ... </BlastCode>: Admissable values: B means Bulk Explosives. -->

<!-- <BlastCode> ... </BlastCode>: Admissable values: D means Detonators. -->

<!-- <BlastCode> ... </BlastCode>: Admissable values: A means Accessories. -->

<BlastCode codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</BlastCode>

<!-- <BlastType> ... </BlastType>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BlastType languageCode="[Please Edit]">[Please Edit]</BlastType>

<!-- <BlastQtyReceived> ... </BlastQtyReceived>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BlastQtyReceived codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</BlastQtyReceived>

<!-- <BlastQtyConsumed> ... </BlastQtyConsumed>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BlastQtyConsumed codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</BlastQtyConsumed>

<!-- <BlastQtyDestroyed> ... </BlastQtyDestroyed>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<BlastQtyDestroyed codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please
Edit]" agencyId="[Please Edit]">[Please Edit]</BlastQtyDestroyed>

</ShotfirersChargingBlastRecord>

<!-- <ShotfirerICName> ... </ShotfirerICName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ShotfirerICName languageCode="[Please Edit]">[Please Edit]</ShotfirerICName>

<!-- <ShotfirerICSignature> ... </ShotfirerICSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ShotfirerICSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>
```

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</ShotfirerICSignature>

<!-- <CountersignedBySupervisorNumber> ... </CountersignedBySupervisorNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CountersignedBySupervisorNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</CountersignedBySupervisorNumber>

<!-- <CountersignedBySupervisorSignature> ... </CountersignedBySupervisorSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<CountersignedBySupervisorSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

```
</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>
```

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CountersignedBySupervisorSignature>

</ShotfirersCharging>

B-2.15.6 WDD-14.5 Contractor's Design Submission (WDD-14.5-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ContractorDesignSubmission> ... </ContractorDesignSubmission>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractorDesignSubmission xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.5-1.0.xsd">

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <SubmissionTo> ... </SubmissionTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SubmissionTo languageCode="[Please Edit]">[Please Edit]</SubmissionTo>

<!-- <TitleOfSubmission> ... </TitleOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TitleOfSubmission languageCode="[Please Edit]">[Please Edit]</TitleOfSubmission>

<!-- <SubmissionReferenceNumber> ... </SubmissionReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SubmissionReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SubmissionReferenceNumber>

<!-- <DescriptionOfContents> ... </DescriptionOfContents>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DescriptionOfContents languageCode="[Please Edit]">[Please Edit]</DescriptionOfContents>

<!-- <ReferToAttachmentIndicator> ... </ReferToAttachmentIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReferToAttachmentIndicator>[Please Edit]</ReferToAttachmentIndicator>

<!-- <NumberOfHardcopies> ... </NumberOfHardcopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfHardcopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfHardcopies>

<!-- <NumberOfElectronicCopies> ... </NumberOfElectronicCopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfElectronicCopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfElectronicCopies>

<!-- <IncludeDetailsDescriptionIndicator> ... </IncludeDetailsDescriptionIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<IncludeDetailsDescriptionIndicator>[Please Edit]</IncludeDetailsDescriptionIndicator>

<!-- <DetailsDescription> ... </DetailsDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DetailsDescription languageCode="[Please Edit]">[Please Edit]</DetailsDescription>

<!-- <WorksDiscipline> ... </WorksDiscipline>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorksDiscipline languageCode="[Please Edit]">[Please Edit]</WorksDiscipline>

<!-- <Designer> ... </Designer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Designer languageCode="[Please Edit]">[Please Edit]</Designer>

<!-- <IndependentCheckingEngineer> ... </IndependentCheckingEngineer>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<IndependentCheckingEngineer languageCode="[Please Edit]">[Please Edit]</IndependentCheckingEngineer>

<!-- <NatureOfWorks> ... </NatureOfWorks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<!-- <NatureOfWorks> ... </NatureOfWorks>: Admissable values: P means Permanent. -->

<!-- <NatureOfWorks> ... </NatureOfWorks>: Admissable values: T means Temporary. -->

<NatureOfWorks codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NatureOfWorks>

<!-- <ApplicableStandard> ... </ApplicableStandard>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ApplicableStandard languageCode="[Please Edit]">[Please Edit]</ApplicableStandard>

<!-- <DesignDrawingsProvided> ... </DesignDrawingsProvided>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DesignDrawingsProvided>[Please Edit]</DesignDrawingsProvided>

<!-- <DesignCalculationProvided> ... </DesignCalculationProvided>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DesignCalculationProvided>[Please Edit]</DesignCalculationProvided>

<!-- <Originator> ... </Originator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Originator languageCode="[Please Edit]">[Please Edit]</Originator>

<!-- <CheckedBy> ... </CheckedBy>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CheckedBy languageCode="[Please Edit]">[Please Edit]</CheckedBy>

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissable values: A means For Approval. -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissable values: I means For Information. -->

<PurposeOfSubmission codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PurposeOfSubmission>

<!-- <SubmissionFrom> ... </SubmissionFrom>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFrom languageCode="[Please Edit]">[Please Edit]</SubmissionFrom>

<!-- <SubmissionFromName> ... </SubmissionFromName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFromName languageCode="[Please Edit]">[Please Edit]</SubmissionFromName>

<!-- <SubmissionFromSignature> ... </SubmissionFromSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmissionFromSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

```
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
        <DSAKeyValue>
```

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>
```

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</SubmissionFromSignature>

<!-- <SubmissionFromDate> ... </SubmissionFromDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<SubmissionFromDate>[Please Edit]</SubmissionFromDate>

<!-- <AcknowledgeReceiptName> ... </AcknowledgeReceiptName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AcknowledgeReceiptName languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptName>

<!-- <AcknowledgeReceiptDesignation> ... </AcknowledgeReceiptDesignation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptDesignation languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptDesignation>

<!-- <AcknowledgeReceiptSignature> ... </AcknowledgeReceiptSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

```
<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>
<KeyInfo Id="[Please Edit]">

    <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyName>[Please Edit]</KeyName>

    <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <KeyValue>

        <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

```

    <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

```

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AcknowledgeReceiptSignature>

<!-- <AcknowledgeReceiptDate> ... </AcknowledgeReceiptDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AcknowledgeReceiptDate>[Please Edit]</AcknowledgeReceiptDate>

```
<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->  
<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>  
</ContractorDesignSubmission>
```

B-2.15.7 WDD-14.6 Contractor's Material Submission (WDD-14.6-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ContractorMaterialSubmission> ... </ContractorMaterialSubmission>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractorMaterialSubmission xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-14.6-1.0.xsd">
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <Contractor> ... </Contractor>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <Contractor languageCode="[Please Edit]">[Please Edit]</Contractor>
```

```
    <!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
    <ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
    <!-- <SubmissionTo> ... </SubmissionTo>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SubmissionTo languageCode="[Please Edit]">[Please Edit]</SubmissionTo>
```

```
    <!-- <TitleOfSubmission> ... </TitleOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <TitleOfSubmission languageCode="[Please Edit]">[Please Edit]</TitleOfSubmission>
```

```
    <!-- <SubmissionReferenceNumber> ... </SubmissionReferenceNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
    <SubmissionReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]"
agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SubmissionReferenceNumber>
```

```
    <!-- <DescriptionOfContents> ... </DescriptionOfContents>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). -->
    <DescriptionOfContents languageCode="[Please Edit]">[Please Edit]</DescriptionOfContents>
```

<!-- <ReferToAttachmentIndicator> ... </ReferToAttachmentIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ReferToAttachmentIndicator>[Please Edit]</ReferToAttachmentIndicator>

<!-- <NumberOfHardcopies> ... </NumberOfHardcopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfHardcopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfHardcopies>

<!-- <NumberOfElectronicCopies> ... </NumberOfElectronicCopies>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NumberOfElectronicCopies codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfElectronicCopies>

<!-- <IncludeDetailsDescriptionIndicator> ... </IncludeDetailsDescriptionIndicator>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<IncludeDetailsDescriptionIndicator>[Please Edit]</IncludeDetailsDescriptionIndicator>

<!-- <DetailsDescription> ... </DetailsDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<DetailsDescription languageCode="[Please Edit]">[Please Edit]</DetailsDescription>

<!-- <TypeOfProductOrServices> ... </TypeOfProductOrServices>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TypeOfProductOrServices languageCode="[Please Edit]">[Please Edit]</TypeOfProductOrServices>

<!-- <NameOfProductOrServices> ... </NameOfProductOrServices>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NameOfProductOrServices languageCode="[Please Edit]">[Please Edit]</NameOfProductOrServices>

<!-- <NameOfOrigin> ... </NameOfOrigin>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NameOfOrigin languageCode="[Please Edit]">[Please Edit]</NameOfOrigin>

<!-- <SupplierName> ... </SupplierName>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SupplierName languageCode="[Please Edit]">[Please Edit]</SupplierName>

<!-- <QuantitySubmittedAndOtherDescription> ... </QuantitySubmittedAndOtherDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<QuantitySubmittedAndOtherDescription languageCode="[Please Edit]">[Please Edit]</QuantitySubmittedAndOtherDescription>

<!-- <ProposedLocationOfUse> ... </ProposedLocationOfUse>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ProposedLocationOfUse languageCode="[Please Edit]">[Please Edit]</ProposedLocationOfUse>

<!-- <ApplicableSpecificationClause> ... </ApplicableSpecificationClause>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ApplicableSpecificationClause languageCode="[Please Edit]">[Please Edit]</ApplicableSpecificationClause>

<!-- <Originator> ... </Originator>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Originator languageCode="[Please Edit]">[Please Edit]</Originator>

<!-- <CheckedBy> ... </CheckedBy>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CheckedBy languageCode="[Please Edit]">[Please Edit]</CheckedBy>

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissible values: A means For Approval. -->

<!-- <PurposeOfSubmission> ... </PurposeOfSubmission>: Admissible values: I means For Information. -->

<PurposeOfSubmission codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]" codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</PurposeOfSubmission>

<!-- <SubmissionFrom> ... </SubmissionFrom>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFrom languageCode="[Please Edit]">[Please Edit]</SubmissionFrom>

<!-- <SubmissionFromName> ... </SubmissionFromName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SubmissionFromName languageCode="[Please Edit]">[Please Edit]</SubmissionFromName>

<!-- <SubmissionFromSignature> ... </SubmissionFromSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmissionFromSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

```
</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>

    <!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509CRL>[Please Edit]</X509CRL>
```

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</SubmissionFromSignature>

<!-- <SubmissionFromDate> ... </SubmissionFromDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SubmissionFromDate>[Please Edit]</SubmissionFromDate>

<!-- <AcknowledgeReceiptName> ... </AcknowledgeReceiptName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AcknowledgeReceiptName languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptName>

<!-- <AcknowledgeReceiptDesignation> ... </AcknowledgeReceiptDesignation>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptDesignation languageCode="[Please Edit]">[Please Edit]</AcknowledgeReceiptDesignation>

<!-- <AcknowledgeReceiptSignature> ... </AcknowledgeReceiptSignature>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AcknowledgeReceiptSignature>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Exponent>[Please Edit]</Exponent>

</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

```
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>

        <!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
        <X509SerialNumber>[Please Edit]</X509SerialNumber>

    </X509IssuerSerial>

    <!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <X509SKI>[Please Edit]</X509SKI>

    <!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
    <X509SubjectName>[Please Edit]</X509SubjectName>

    <!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
    <X509Certificate>[Please Edit]</X509Certificate>
```

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

<!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</AcknowledgeReceiptSignature>

<!-- <AcknowledgeReceiptDate> ... </AcknowledgeReceiptDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AcknowledgeReceiptDate>[Please Edit]</AcknowledgeReceiptDate>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

</ContractorMaterialSubmission>

B-2.16 WDD-15 Construction Milestone Data

B-2.16.1 WDD-15.0 Construction Milestone Data

Not Applicable.

B-2.17 WDD-16 BoQ/SoR

B-2.17.1 WDD-16.0 BoQ / SoR

Not Applicable.

B-2.18 WDD-17 CBS Standard / Cost Data

B-2.18.1 WDD-17.0 Running Abstract (WDD-17.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <CostBreakdownRunningAbstract> ... </CostBreakdownRunningAbstract>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<CostBreakdownRunningAbstract xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-17.0-1.0.xsd">
```

```
<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
<!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>
```

```
<!-- <ItemDescription> ... </ItemDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<ItemDescription languageCode="[Please Edit]">[Please Edit]</ItemDescription>
```

```
<!-- <ItemQuantity> ... </ItemQuantity>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ItemQuantity codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</ItemQuantity>
```

```
<!-- <UnitOfMeasure> ... </UnitOfMeasure>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<UnitOfMeasure languageCode="[Please Edit]">[Please Edit]</UnitOfMeasure>
```

```
<!-- <ItemRate> ... </ItemRate>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ItemRate currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ItemRate>
```

<!-- <SheetNumber> ... </SheetNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SheetNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</SheetNumber>

<!-- <CostBreakdownDataContent> ... </CostBreakdownDataContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<CostBreakdownDataContent>

<!-- <AbstractedDate> ... </AbstractedDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AbstractedDate>[Please Edit]</AbstractedDate>

<!-- <AbstractedFrom> ... </AbstractedFrom>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AbstractedFrom languageCode="[Please Edit]">[Please Edit]</AbstractedFrom>

<!-- <AbstractedQuantity> ... </AbstractedQuantity>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<AbstractedQuantity codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</AbstractedQuantity>

<!-- <RunningTotal> ... </RunningTotal>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<RunningTotal currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</RunningTotal>

<!-- <LocationOrRemarks> ... </LocationOrRemarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<LocationOrRemarks languageCode="[Please Edit]">[Please Edit]</LocationOrRemarks>

<!-- <InterimPaymentNumber> ... </InterimPaymentNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<InterimPaymentNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</InterimPaymentNumber>

</CostBreakdownDataContent>

</CostBreakdownRunningAbstract>

B-2.19 WDD-18 Contract Rates Statistics

B-2.19.1 WDD-18.0 Contract Rate Statistics (WDD-18.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ContractRateStatistics> ... </ContractRateStatistics>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractRateStatistics xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-18.0-1.0.xsd">
```

```
  <!-- <ContractRateRecordContent> ... </ContractRateRecordContent>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
  <ContractRateRecordContent>
```

```
    <!-- <CodeID> ... </CodeID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <CodeID schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</CodeID>
```

```
    <!-- <ItemID> ... </ItemID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ItemID schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemID>
```

```
    <!-- <WorksDescription> ... </WorksDescription>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
    <WorksDescription languageCode="[Please Edit]">[Please Edit]</WorksDescription>
```

```
    <!-- <ItemQuantity> ... </ItemQuantity>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
```

```
    <ItemQuantity codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</ItemQuantity>
```

```
    <!-- <FirstTenderRate> ... </FirstTenderRate>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
```

```
    <FirstTenderRate>[Please Edit]</FirstTenderRate>
```

<!-- <SecondTenderRate> ... </SecondTenderRate>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<SecondTenderRate>[Please Edit]</SecondTenderRate>

<!-- <ThirdTenderRate> ... </ThirdTenderRate>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ThirdTenderRate>[Please Edit]</ThirdTenderRate>

<!-- <CurrentAwardRate> ... </CurrentAwardRate>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CurrentAwardRate>[Please Edit]</CurrentAwardRate>

<!-- <Remarks> ... </Remarks>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Remarks languageCode="[Please Edit]">[Please Edit]</Remarks>

<!-- <PercentageOfContractSum> ... </PercentageOfContractSum>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PercentageOfContractSum>[Please Edit]</PercentageOfContractSum>

<!-- <ReportMonth> ... </ReportMonth>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportMonth>[Please Edit]</ReportMonth>

<!-- <ReportYear> ... </ReportYear>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ReportYear>[Please Edit]</ReportYear>

<!-- <TenderTime> ... </TenderTime>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TenderTime>[Please Edit]</TenderTime>

<!-- <Particular> ... </Particular>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Particular languageCode="[Please Edit]">[Please Edit]</Particular>

<!-- <Rank> ... </Rank>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Rank languageCode="[Please Edit]">[Please Edit]</Rank>

<!-- <ReferenceNumber> ... </ReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<ReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ReferenceNumber>

<!-- <District> ... </District>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<District languageCode="[Please Edit]">[Please Edit]</District>

<!-- <NewSCC> ... </NewSCC>. Data Type : Boolean. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<NewSCC>[Please Edit]</NewSCC>

</ContractRateRecordContent>

</ContractRateStatistics>

B-2.19.2 WDD-18.1 Contract Rate Information (WDD-18.1-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <ContractRateInformation> ... </ContractRateInformation>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractRateInformation xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-18.1-1.0.xsd">
```

```
    <!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
    <!-- <ContractSum> ... </ContractSum>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <ContractSum currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</ContractSum>
```

```
    <!-- <TenderClosingDate> ... </TenderClosingDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <TenderClosingDate>[Please Edit]</TenderClosingDate>
```

```
    <!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
    <ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>
```

```
    <!-- <NewSCC> ... </NewSCC>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <NewSCC>[Please Edit]</NewSCC>
```

```
    <!-- <District> ... </District>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
    <!-- <District> ... </District>. Admissable values: CTL means Central & Western. -->
```

```
    <!-- <District> ... </District>. Admissable values: EST means Eastern. -->
```

```
    <!-- <District> ... </District>. Admissable values: ISL means Islands. -->
```

```
    <!-- <District> ... </District>. Admissable values: KWL means Kowloon City. -->
```

```
    <!-- <District> ... </District>. Admissable values: KTS means Kwai Tsing. -->
```

```
    <!-- <District> ... </District>. Admissable values: KNT means Kwun Tong. -->
```

```
<!-- <District> ... </District>: Admissable values: NTH means North. -->
<!-- <District> ... </District>: Admissable values: SKG means Sai Kung. -->
<!-- <District> ... </District>: Admissable values: STN means Sha Tin. -->
<!-- <District> ... </District>: Admissable values: SSP means Sham Shui Po. -->
<!-- <District> ... </District>: Admissable values: STH means Southern. -->
<!-- <District> ... </District>: Admissable values: TPO means Tai Po. -->
<!-- <District> ... </District>: Admissable values: TSW means Tsuen Wan. -->
<!-- <District> ... </District>: Admissable values: TNM means Tuen Mun. -->
<!-- <District> ... </District>: Admissable values: WNC means Wan Chai. -->
<!-- <District> ... </District>: Admissable values: WTS means Wong Tai Sin. -->
<!-- <District> ... </District>: Admissable values: YTM means Yau Tsim Mong. -->
<!-- <District> ... </District>: Admissable values: YLN means Yuen Long. -->
<District codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</District>

<!-- <ReferenceNumber> ... </ReferenceNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat
at most 1 time(s). -->
<ReferenceNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ReferenceNumber>

<!-- <ContractParticular> ... </ContractParticular>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<ContractParticular languageCode="[Please Edit]">[Please Edit]</ContractParticular>

<!-- <ContractRateRecordContent> ... </ContractRateRecordContent>. Type : Complex. Optional. If not used, please delete the section.
If used, repeat for any times. -->
<ContractRateRecordContent>

<!-- <Code> ... </Code>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Code schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</Code>

<!-- <ItemNumber> ... </ItemNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<!-- <ItemNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ItemNumber>
```

```
<!-- <Description> ... </Description>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<Description languageCode="[Please Edit]">[Please Edit]</Description>
```

```
<!-- <Quantity> ... </Quantity>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

```
<Quantity codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]"
agencyId="[Please Edit]">[Please Edit]</Quantity>
```

```
<!-- <Unit> ... </Unit>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: % means Percent. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: DAY means Day. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: HA means Hectare. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: HR means Hour. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: ITEM means Item. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: KG means Kilogram. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: M means Meter. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: M2 means Square Meter. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: M3 means Cubic Meter. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: MM means Millimetre. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: MM2 means Square Millimetre. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: MTH means Month. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: N-D means Number-Day. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: NR means Number. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: N-WK means Number-Week. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: SET means Set. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: T means Tonne. -->
```

```
<!-- <Unit> ... </Unit>: Admissable values: WK means Week. -->
```

```
<Unit codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Unit>
```

```
<!-- <Rate> ... </Rate>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Rate currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</Rate>

<!-- <Remark> ... </Remark>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). --
>
<Remark languageCode="[Please Edit]">[Please Edit]</Remark>

</ContractRateRecordContent>

</ContractRateInformation>
```


B-2.20 WDD-19 Reinforced Bar Schedule

B-2.20.1 WDD-19.0 Reinforced Bar Schedule (WDD-19.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <BarBendingSchedule> ... </BarBendingSchedule>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<BarBendingSchedule xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-19.0-1.0.xsd">
```

```
<!-- <OfficeOrDivision> ... </OfficeOrDivision>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
```

```
<OfficeOrDivision languageCode="[Please Edit]">[Please Edit]</OfficeOrDivision>
```

```
<!-- <Department> ... </Department>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<Department languageCode="[Please Edit]">[Please Edit]</Department>
```

```
<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>
```

```
<!-- <BarScheduleNumber> ... </BarScheduleNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
```

```
<BarScheduleNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please
Edit]" schemeName="[Please Edit]">[Please Edit]</BarScheduleNumber>
```

```
<!-- <VersionNumber> ... </VersionNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<VersionNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</VersionNumber>
```

```
<!-- <Title> ... </Title>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
```

```
<Title languageCode="[Please Edit]">[Please Edit]</Title>
```

```
<!-- <DrawingNumber> ... </DrawingNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DrawingNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</DrawingNumber>

<!-- <BarBendingScheduleRecordDetails> ... </BarBendingScheduleRecordDetails>. Type : Complex. Mandatory. Repeat at least
1time(s). -->
<BarBendingScheduleRecordDetails>

<!-- <LocationAndMember> ... </LocationAndMember>. Data Type : String. Optional. If not used, please delete the section. If used,
repeat at most 1 time(s). MaxLength: 2. -->
<LocationAndMember languageCode="[Please Edit]">[Please Edit]</LocationAndMember>

<!-- <BarMark> ... </BarMark>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MaxLength: 8. -->
<BarMark schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</BarMark>

<!-- <Type> ... </Type>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MaxLength: 1. -->
<!-- <Type> ... </Type>: Admissable values: T means Type T. -->
<!-- <Type> ... </Type>: Admissable values: R means Type R. -->
<Type codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Type>

<!-- <Size> ... </Size>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). MaxLength: 2. -->
<!-- <Size> ... </Size>: Admissable values: 06 means Size 06. -->
<!-- <Size> ... </Size>: Admissable values: 08 means Size 08. -->
<!-- <Size> ... </Size>: Admissable values: 10 means Size 10. -->
<!-- <Size> ... </Size>: Admissable values: 12 means Size 12. -->
<!-- <Size> ... </Size>: Admissable values: 16 means Size 16. -->
<!-- <Size> ... </Size>: Admissable values: 20 means Size 20. -->
<!-- <Size> ... </Size>: Admissable values: 25 means Size 25. -->
<!-- <Size> ... </Size>: Admissable values: 32 means Size 32. -->
<!-- <Size> ... </Size>: Admissable values: 40 means Size 40. -->
<!-- <Size> ... </Size>: Admissable values: 50 means Size 50. -->
<Size codeListId="[Please Edit]" agencyName="[Please Edit]" codeListName="[Please Edit]" codeListVersion="[Please Edit]"
codeName="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Size>
```

<!-- <NumberOfMembers> ... </NumberOfMembers>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NumberOfMembers codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfMembers>

<!-- <NumberOfBarsInEach> ... </NumberOfBarsInEach>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NumberOfBarsInEach codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfBarsInEach>

<!-- <TotalNumberOfBars> ... </TotalNumberOfBars>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalNumberOfBars codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</TotalNumberOfBars>

<!-- <ShapeDetails> ... </ShapeDetails>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ShapeDetails>

<!-- <ShapeCode> ... </ShapeCode>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ShapeCode schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ShapeCode>

<!-- <ShapeDrawingAttachment> ... </ShapeDrawingAttachment>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ShapeDrawingAttachment>

<!-- <File> ... </File>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<File languageCode="[Please Edit]">[Please Edit]</File>

<!-- <Description> ... </Description>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Description languageCode="[Please Edit]">[Please Edit]</Description>

</ShapeDrawingAttachment>

<!-- <DimensionA> ... </DimensionA>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DimensionA codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DimensionA>

<!-- <DimensionB> ... </DimensionB>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DimensionB codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DimensionB>

<!-- <DimensionC> ... </DimensionC>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DimensionC codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DimensionC>

<!-- <DimensionD> ... </DimensionD>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DimensionD codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DimensionD>

<!-- <DimensionER> ... </DimensionER>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<DimensionER codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</DimensionER>

</ShapeDetails>

<!-- <LengthOfEachBar> ... </LengthOfEachBar>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<LengthOfEachBar codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</LengthOfEachBar>

<!-- <TotalLength> ... </TotalLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<TotalLength codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalLength>

<!-- <MassPerMetre> ... </MassPerMetre>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<MassPerMetre codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</MassPerMetre>

<!-- <TotalMass> ... </TotalMass>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<TotalMass codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalMass>

</BarBendingScheduleRecordDetails>

<!-- <PrepareByPersonName> ... </PrepareByPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PrepareByPersonName languageCode="[Please Edit]">[Please Edit]</PrepareByPersonName>

<!-- <PreparedByTitle> ... </PreparedByTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreparedByTitle languageCode="[Please Edit]">[Please Edit]</PreparedByTitle>

<!-- <PrepareDate> ... </PrepareDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<PrepareDate>[Please Edit]</PrepareDate>

<!-- <PreparedByDesignation> ... </PreparedByDesignation>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<PreparedByDesignation>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<KeyInfo Id="[Please Edit]">

 <!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyName>[Please Edit]</KeyName>

 <!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <KeyValue>

 <!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <DSAKeyValue>

 <!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <G>[Please Edit]</G>

 <!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Y>[Please Edit]</Y>

 <!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
 <J>[Please Edit]</J>

 </DSAKeyValue>

 <!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <RSAKeyValue>

 <!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Modulus>[Please Edit]</Modulus>

 <!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
 <Exponent>[Please Edit]</Exponent>

 </RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509Data>

<!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerSerial>

<!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<X509IssuerName>[Please Edit]</X509IssuerName>

<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->


```
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --
>
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>

</KeyInfo>
```

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->
<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</PreparedByDesignation>

<!-- <CheckedByPersonName> ... </CheckedByPersonName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CheckedByPersonName languageCode="[Please Edit]">[Please Edit]</CheckedByPersonName>

<!-- <CheckedByTitle> ... </CheckedByTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CheckedByTitle languageCode="[Please Edit]">[Please Edit]</CheckedByTitle>

<!-- <CheckDate> ... </CheckDate>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CheckDate>[Please Edit]</CheckDate>

<!-- <CheckedByDesignation> ... </CheckedByDesignation>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<CheckedByDesignation>

<!-- <Signature> ... </Signature>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Signature Id="[Please Edit]">

<!-- <SignedInfo> ... </SignedInfo>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignedInfo Id="[Please Edit]">

<!-- <CanonicalizationMethod> ... </CanonicalizationMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<CanonicalizationMethod Algorithm="[Please Edit]" />

<!-- <SignatureMethod> ... </SignatureMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureMethod Algorithm="[Please Edit]">

<!-- <HMACOutputLength> ... </HMACOutputLength>. Data Type : Decimal. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<HMACOutputLength>[Please Edit]</HMACOutputLength>

</SignatureMethod>

<!-- <Reference> ... </Reference>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Reference Id="[Please Edit]" Type="[Please Edit]" URI="[Please Edit]">

<!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<Transforms>

<!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Transform Algorithm="[Please Edit]">

<!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<XPath>[Please Edit]</XPath>

</Transform>

</Transforms>

<!-- <DigestMethod> ... </DigestMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestMethod Algorithm="[Please Edit]" />

<!-- <DigestValue> ... </DigestValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DigestValue>[Please Edit]</DigestValue>

</Reference>

</SignedInfo>

<!-- <SignatureValue> ... </SignatureValue>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SignatureValue Id="[Please Edit]">[Please Edit]</SignatureValue>

<!-- <KeyInfo> ... </KeyInfo>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
>

<KeyInfo Id="[Please Edit]">

<!-- <KeyName> ... </KeyName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyName>[Please Edit]</KeyName>

<!-- <KeyValue> ... </KeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<KeyValue>

<!-- <DSAKeyValue> ... </DSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DSAKeyValue>

<!-- <G> ... </G>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<G>[Please Edit]</G>

<!-- <Y> ... </Y>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Y>[Please Edit]</Y>

<!-- <J> ... </J>. Data Type : Byte[]. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<J>[Please Edit]</J>

</DSAKeyValue>

<!-- <RSAKeyValue> ... </RSAKeyValue>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RSAKeyValue>

<!-- <Modulus> ... </Modulus>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Modulus>[Please Edit]</Modulus>

<!-- <Exponent> ... </Exponent>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Exponent>[Please Edit]</Exponent>

```
</RSAKeyValue>

</KeyValue>

<!-- <RetrievalMethod> ... </RetrievalMethod>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<RetrievalMethod Type="[Please Edit]" URI="[Please Edit]">

    <!-- <Transforms> ... </Transforms>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
    <Transforms>

        <!-- <Transform> ... </Transform>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
        <Transform Algorithm="[Please Edit]">

            <!-- <XPath> ... </XPath>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
            <XPath>[Please Edit]</XPath>

        </Transform>

    </Transforms>

</RetrievalMethod>

<!-- <X509Data> ... </X509Data>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Data>

    <!-- <X509IssuerSerial> ... </X509IssuerSerial>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
    <X509IssuerSerial>

        <!-- <X509IssuerName> ... </X509IssuerName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1
time(s). -->
        <X509IssuerName>[Please Edit]</X509IssuerName>
```

```
<!-- <X509SerialNumber> ... </X509SerialNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SerialNumber>[Please Edit]</X509SerialNumber>

</X509IssuerSerial>

<!-- <X509SKI> ... </X509SKI>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SKI>[Please Edit]</X509SKI>

<!-- <X509SubjectName> ... </X509SubjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509SubjectName>[Please Edit]</X509SubjectName>

<!-- <X509Certificate> ... </X509Certificate>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509Certificate>[Please Edit]</X509Certificate>

<!-- <X509CRL> ... </X509CRL>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<X509CRL>[Please Edit]</X509CRL>

</X509Data>

<!-- <PGPData> ... </PGPData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<PGPData />

<!-- <SPKIData> ... </SPKIData>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SPKIData>

    <!-- <SPKISexp> ... </SPKISexp>. Data Type : Byte[]. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
    <SPKISexp>[Please Edit]</SPKISexp>

</SPKIData>

<!-- <MgmtData> ... </MgmtData>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<MgmtData>[Please Edit]</MgmtData>
```

</KeyInfo>

<!-- <Object> ... </Object>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<Object Id="[Please Edit]" Encoding="[Please Edit]" MimeType="[Please Edit]" />

</Signature>

</CheckedByDesignation>

<!-- <Amendments> ... </Amendments>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Amendments languageCode="[Please Edit]">[Please Edit]</Amendments>

</BarBendingSchedule>

B-2.21 WDD-20 Bore-hole Information

B-2.21.1 WDD-20.0 Bore Hole Information

Not Applicable.

B-2.22 WDD-21 Landslide Information

B-2.22.1 WDD-21.0 Slope Information

Not Applicable.

B-2.23 WDD-22 Rain-gauge

B-2.23.1 WDD-22.0 Rain Gauge (WDD-22.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <RainGauge> ... </RainGauge>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<RainGauge xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"  
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-22.0-1.0.xsd">
```

```
<!-- <TableName> ... </TableName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<TableName languageCode="[Please Edit]">[Please Edit]</TableName>
```

```
<!-- <DateFrom> ... </DateFrom>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<DateFrom>[Please Edit]</DateFrom>
```

```
<!-- <DateTo> ... </DateTo>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<DateTo>[Please Edit]</DateTo>
```

```
<!-- <TimeInterval> ... </TimeInterval>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<TimeInterval languageCode="[Please Edit]">[Please Edit]</TimeInterval>
```

```
<!-- <MissingDataNote> ... </MissingDataNote>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at  
most 1 time(s). -->
```

```
<MissingDataNote languageCode="[Please Edit]">[Please Edit]</MissingDataNote>
```

```
<!-- <RainGaugeIdentifier> ... </RainGaugeIdentifier>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --  
>
```

```
<RainGaugeIdentifier languageCode="[Please Edit]">[Please Edit]</RainGaugeIdentifier>
```

```
<!-- <RainGaugeDataRecordContent> ... </RainGaugeDataRecordContent>. Type : Complex. Mandatory. Repeat at least 1time(s). -->  
<RainGaugeDataRecordContent>
```

<!-- <DateTimeRangeFrom> ... </DateTimeRangeFrom>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DateTimeRangeFrom>[Please Edit]</DateTimeRangeFrom>

<!-- <DateTimeRangeTo> ... </DateTimeRangeTo>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DateTimeRangeTo>[Please Edit]</DateTimeRangeTo>

<!-- <RainLevel> ... </RainLevel>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RainLevel languageCode="[Please Edit]">[Please Edit]</RainLevel>

</RainGaugeDataRecordContent>

</RainGauge>

B-2.24 WDD-23 Project Management and Programme Data

B-2.24.1 WDD-23.0 Statistic of Claim (WDD-23.0-1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <RainGauge> ... </RainGauge>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<RainGauge xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"  
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-22.0-1.0.xsd">
```

```
<!-- <TableName> ... </TableName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<TableName languageCode="[Please Edit]">[Please Edit]</TableName>
```

```
<!-- <DateFrom> ... </DateFrom>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<DateFrom>[Please Edit]</DateFrom>
```

```
<!-- <DateTo> ... </DateTo>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<DateTo>[Please Edit]</DateTo>
```

```
<!-- <TimeInterval> ... </TimeInterval>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->  
<TimeInterval languageCode="[Please Edit]">[Please Edit]</TimeInterval>
```

```
<!-- <MissingDataNote> ... </MissingDataNote>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at  
most 1 time(s). -->
```

```
<MissingDataNote languageCode="[Please Edit]">[Please Edit]</MissingDataNote>
```

```
<!-- <RainGaugeIdentifier> ... </RainGaugeIdentifier>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). --  
>
```

```
<RainGaugeIdentifier languageCode="[Please Edit]">[Please Edit]</RainGaugeIdentifier>
```

```
<!-- <RainGaugeDataRecordContent> ... </RainGaugeDataRecordContent>. Type : Complex. Mandatory. Repeat at least 1time(s). -->  
<RainGaugeDataRecordContent>
```

<!-- <DateTimeRangeFrom> ... </DateTimeRangeFrom>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DateTimeRangeFrom>[Please Edit]</DateTimeRangeFrom>

<!-- <DateTimeRangeTo> ... </DateTimeRangeTo>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DateTimeRangeTo>[Please Edit]</DateTimeRangeTo>

<!-- <RainLevel> ... </RainLevel>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<RainLevel languageCode="[Please Edit]">[Please Edit]</RainLevel>

</RainGaugeDataRecordContent>

</RainGauge>

B-2.24.2 WDD-23.1 Claim Registry (WDD-23.1-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ClaimRegistry> ... </ClaimRegistry>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ClaimRegistry xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-23.1-1.0.xsd">

<!-- <SituationAsAt> ... </SituationAsAt>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<SituationAsAt>[Please Edit]</SituationAsAt>

<!-- <Department> ... </Department>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Department languageCode="[Please Edit]">[Please Edit]</Department>

<!-- <DevelopmentOffice> ... </DevelopmentOffice>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DevelopmentOffice languageCode="[Please Edit]">[Please Edit]</DevelopmentOffice>

<!-- <ClaimsRecordContent> ... </ClaimsRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used,
repeat for any times. -->
<ClaimsRecordContent>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeld="[Please Edit]" agencyName="[Please Edit]"
schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ClaimsNotifiedRecordContent> ... </ClaimsNotifiedRecordContent>. Type : Complex. Mandatory. Repeat at least 1time(s) and
at most 1 time(s). -->
<ClaimsNotifiedRecordContent>

<!-- <ClaimsNotifiedNumber> ... </ClaimsNotifiedNumber>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
<ClaimsNotifiedNumber codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]"
unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</ClaimsNotifiedNumber>

</ClaimsNotifiedRecordContent>

<!-- <ClaimsResolvedRecordContent> ... </ClaimsResolvedRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClaimsResolvedRecordContent>

<!-- <Number> ... </Number>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Number codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Number>

<!-- <EOTClaimed> ... </EOTClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EOTClaimed codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</EOTClaimed>

<!-- <EOTAwarded> ... </EOTAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EOTAwarded codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</EOTAwarded>

<!-- <AmountClaimed> ... </AmountClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AmountClaimed currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AmountClaimed>

<!-- <AmountAwarded> ... </AmountAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AmountAwarded currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AmountAwarded>

</ClaimsResolvedRecordContent>

<!-- <ClaimsUnresolvedRecordContent> ... </ClaimsUnresolvedRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClaimsUnresolvedRecordContent>

<!-- <Number> ... </Number>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Number codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</Number>

<!-- <NumberOfClaimsForCostOnly> ... </NumberOfClaimsForCostOnly>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NumberOfClaimsForCostOnly codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfClaimsForCostOnly>

<!-- <NumberOfClaimsForTimeOnly> ... </NumberOfClaimsForTimeOnly>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NumberOfClaimsForTimeOnly codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfClaimsForTimeOnly>

<!-- <NumberOfClaimsForCostAndEOT> ... </NumberOfClaimsForCostAndEOT>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<NumberOfClaimsForCostAndEOT codeListId="[Please Edit]" agencyName="[Please Edit]" codeListVersion="[Please Edit]" unitCode="[Please Edit]" agencyId="[Please Edit]">[Please Edit]</NumberOfClaimsForCostAndEOT>

<!-- <EOTClaimed> ... </EOTClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EOTClaimed codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</EOTClaimed>

<!-- <EngEstOnEOT> ... </EngEstOnEOT>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EngEstOnEOT codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</EngEstOnEOT>

<!-- <EOTAwarded> ... </EOTAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EOTAwarded codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</EOTAwarded>

<!-- <AmountClaimed> ... </AmountClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<AmountClaimed currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</AmountClaimed>

<!-- <EngEstLiability> ... </EngEstLiability>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<EngEstLiability currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</EngEstLiability>

<!-- <InterimAward> ... </InterimAward>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<InterimAward currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</InterimAward>

</ClaimsUnresolvedRecordContent>

</ClaimsRecordContent>

<!-- <ClaimsResolvedTotalRecordContent> ... </ClaimsResolvedTotalRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClaimsResolvedTotalRecordContent>

<!-- <TotalEOTClaimed> ... </TotalEOTClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalEOTClaimed codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalEOTClaimed>

<!-- <TotalEOTAwarded> ... </TotalEOTAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalEOTAwarded codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalEOTAwarded>

<!-- <TotalAmountClaimed> ... </TotalAmountClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalAmountClaimed currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalAmountClaimed>

<!-- <TotalAmountAwarded> ... </TotalAmountAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalAmountAwarded currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalAmountAwarded>

</ClaimsResolvedTotalRecordContent>

<!-- <ClaimsUnresolvedTotalRecordContent> ... </ClaimsUnresolvedTotalRecordContent>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ClaimsUnresolvedTotalRecordContent>

<!-- <TotalEOTClaimed> ... </TotalEOTClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalEOTClaimed codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalEOTClaimed>

<!-- <TotalEngEstOnEOT> ... </TotalEngEstOnEOT>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<TotalEngEstOnEOT codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalEngEstOnEOT>

```
<!-- <TotalEOTAwarded> ... </TotalEOTAwarded>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalEOTAwarded codeListVersion="[Please Edit]" unitCode="[Please Edit]">[Please Edit]</TotalEOTAwarded>

<!-- <TotalAmountClaimed> ... </TotalAmountClaimed>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalAmountClaimed currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalAmountClaimed>

<!-- <TotalEngEstLiability> ... </TotalEngEstLiability>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<TotalEngEstLiability currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalEngEstLiability>

<!-- <TotalInterimAward> ... </TotalInterimAward>. Data Type : Decimal. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -
->
<TotalInterimAward currencyCode="[Please Edit]" codeListVersion="[Please Edit]">[Please Edit]</TotalInterimAward>

</ClaimsUnresolvedTotalRecordContent>

</ClaimRegistry>
```

B-2.24.3 WDD-23.2 Contract Information of Claim (WDD-23.2-1.0.tplt)

<?xml version="1.0" encoding="utf-8"?>

<!-- <ContractorInformationClaim> ... </ContractorInformationClaim>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ContractorInformationClaim xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0" xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/WDD-23.2-1.0.xsd">

<!-- <DevelopmentOffice> ... </DevelopmentOffice>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DevelopmentOffice languageCode="[Please Edit]">[Please Edit]</DevelopmentOffice>

<!-- <ClaimRegistry> ... </ClaimRegistry>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ClaimRegistry languageCode="[Please Edit]">[Please Edit]</ClaimRegistry>

<!-- <SituationAsAt> ... </SituationAsAt>. Data Type : DateTime. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<SituationAsAt>[Please Edit]</SituationAsAt>

<!-- <ContractorClaimDetails> ... </ContractorClaimDetails>. Type : Complex. Optional. If not used, please delete the section. If used, repeat for any times. -->

<ContractorClaimDetails>

<!-- <ContractNumber> ... </ContractNumber>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractNumber schemeVersion="[Please Edit]" agencyId="[Please Edit]" schemeId="[Please Edit]" agencyName="[Please Edit]" schemeName="[Please Edit]">[Please Edit]</ContractNumber>

<!-- <ContractTitle> ... </ContractTitle>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<ContractTitle languageCode="[Please Edit]">[Please Edit]</ContractTitle>

<!-- <Consultant> ... </Consultant>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Consultant languageCode="[Please Edit]">[Please Edit]</Consultant>

<!-- <NameOfContractor> ... </NameOfContractor>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<NameOfContractor languageCode="[Please Edit]">[Please Edit]</NameOfContractor>

<!-- <WorkCompletedDate> ... </WorkCompletedDate>. Data Type : DateTime. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorkCompletedDate>[Please Edit]</WorkCompletedDate>

<!-- <WorksOngoing> ... </WorksOngoing>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WorksOngoing languageCode="[Please Edit]">[Please Edit]</WorksOngoing>

</ContractorClaimDetails>

</ContractorInformationClaim>

B-2.25 WDD-24 Knowledge Management Information Distribution Standard

B-2.25.1 WDD-24.0 Knowledge Management Information Distribution

Not Applicable.

B-2.26 DISS Dissemination protocol

B-2.26.1 DISS-V1.0 Dissemination protocol (DISS-V1.0.tplt)

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<!-- <Dissemination> ... </Dissemination>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Dissemination xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.wpis.gov.hk/wpis/wdd/v1.0"
xsi:schemaLocation="http://www.wpis.gov.hk/wpis/wdd/v1.0/DISS-V1.0.xsd">
```

```
<!-- <Sender> ... </Sender>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Sender>
```

```
<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<Name languageCode="[Please Edit]">[Please Edit]</Name>
```

```
<!-- <EmailAddress> ... </EmailAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
```

```
<EmailAddress languageCode="[Please Edit]">[Please Edit]</EmailAddress>
```

```
<!-- <Organization> ... </Organization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<Organization languageCode="[Please Edit]">[Please Edit]</Organization>
```

```
<!-- <Telephone> ... </Telephone>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1
time(s). -->
```

```
<Telephone languageCode="[Please Edit]">[Please Edit]</Telephone>
```

```
<!-- <Facsimile> ... </Facsimile>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s).
-->
```

```
<Facsimile languageCode="[Please Edit]">[Please Edit]</Facsimile>
```

```
</Sender>
```

```
<!-- <Projects> ... </Projects>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
```

<Projects>

<!-- <Project> ... </Project>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<Project>

<!-- <ProjectName> ... </ProjectName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectName languageCode="[Please Edit]">[Please Edit]</ProjectName>

<!-- <ProjectID> ... </ProjectID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<ProjectID languageCode="[Please Edit]">[Please Edit]</ProjectID>

<!-- <Files> ... </Files>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<Files>

<!-- <WDD> ... </WDD>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<WDD>

<!-- <File> ... </File>. Type : Complex. Mandatory. Repeat at least 1time(s). -->

<File>

<!-- <DomainID> ... </DomainID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<DomainID languageCode="[Please Edit]">[Please Edit]</DomainID>

<!-- <DomainVersion> ... </DomainVersion>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

-->

<DomainVersion languageCode="[Please Edit]">[Please Edit]</DomainVersion>

<!-- <DataFileName> ... </DataFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

-->

<DataFileName languageCode="[Please Edit]">[Please Edit]</DataFileName>

<!-- <FileIsEncrypted> ... </FileIsEncrypted>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->

<FileIsEncrypted>[Please Edit]</FileIsEncrypted>

`<!-- <FileIsDigitalSigned> ... </FileIsDigitalSigned>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`
`<FileIsDigitalSigned>[Please Edit]</FileIsDigitalSigned>`

`<!-- <AttachmentFiles> ... </AttachmentFiles>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<AttachmentFiles>`

`<!-- <AttachmentFile> ... </AttachmentFile>. Type : Complex. Mandatory. Repeat at least 1time(s). -->`
`<AttachmentFile>`

`<!-- <FileName> ... </FileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`
`<FileName languageCode="[Please Edit]">[Please Edit]</FileName>`

`<!-- <FileIsEncrypted> ... </FileIsEncrypted>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`
`<FileIsEncrypted>[Please Edit]</FileIsEncrypted>`

`<!-- <FileIsDigitalSigned> ... </FileIsDigitalSigned>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->`
`<FileIsDigitalSigned>[Please Edit]</FileIsDigitalSigned>`

`</AttachmentFile>`

`</AttachmentFiles>`

`</File>`

`</WDD>`

`<!-- <UDD> ... </UDD>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->`
`<UDD>`

`<!-- <File> ... </File>. Type : Complex. Mandatory. Repeat at least 1time(s). -->`
`<File>`

<!-- <DomainID> ... </DomainID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DomainID languageCode="[Please Edit]">[Please Edit]</DomainID>

-->
<!-- <DomainVersion> ... </DomainVersion>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DomainVersion languageCode="[Please Edit]">[Please Edit]</DomainVersion>

-->
<!-- <DataFileName> ... </DataFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<DataFileName languageCode="[Please Edit]">[Please Edit]</DataFileName>

time(s). -->
<!-- <FileIsEncrypted> ... </FileIsEncrypted>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FileIsEncrypted>[Please Edit]</FileIsEncrypted>

1 time(s). -->
<!-- <FileIsDigitalSigned> ... </FileIsDigitalSigned>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FileIsDigitalSigned>[Please Edit]</FileIsDigitalSigned>

repeat at most 1 time(s). -->
<!-- <AttachmentFiles> ... </AttachmentFiles>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->
<AttachmentFiles>

<!-- <AttachmentFile> ... </AttachmentFile>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<AttachmentFile>

<!-- <FileName> ... </FileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FileName languageCode="[Please Edit]">[Please Edit]</FileName>

time(s). -->
<!-- <FileIsEncrypted> ... </FileIsEncrypted>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<FileIsEncrypted>[Please Edit]</FileIsEncrypted>

```
<!-- <FileIsDigitalSigned> ... </FileIsDigitalSigned>. Data Type : Boolean. Mandatory. Repeat at least 1time(s) and at
most 1 time(s). -->
  <FileIsDigitalSigned>[Please Edit]</FileIsDigitalSigned>

  </AttachmentFile>

  </AttachmentFiles>

</File>

</UDD>

<!-- <UDDSchema> ... </UDDSchema>. Type : Complex. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
  <UDDSchema>

    <!-- <SchemaInfo> ... </SchemaInfo>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
      <SchemaInfo>

        <!-- <DomainID> ... </DomainID>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <DomainID languageCode="[Please Edit]">[Please Edit]</DomainID>

        <!-- <DomainVersion> ... </DomainVersion>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s).
-->
          <DomainVersion languageCode="[Please Edit]">[Please Edit]</DomainVersion>

        <!-- <SchemaFiles> ... </SchemaFiles>. Type : Complex. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
          <SchemaFiles>

            <!-- <SchemaFile> ... </SchemaFile>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
              <SchemaFile>

                <!-- <SchemaFileName> ... </SchemaFileName>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most
1 time(s). -->
                  <SchemaFileName languageCode="[Please Edit]">[Please Edit]</SchemaFileName>
```

```
<!-- <CodelistFileName> ... </CodelistFileName>. Data Type : String. Optional. If not used, please delete the section.
If used, repeat at most 1 time(s). -->
<CodelistFileName languageCode="[Please Edit]">[Please Edit]</CodelistFileName>

</SchemaFile>

</SchemaFiles>

</SchemaInfo>

</UDDSchema>

</Files>

<!-- <Recipients> ... </Recipients>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Recipients>

<!-- <Recipient> ... </Recipient>. Type : Complex. Mandatory. Repeat at least 1time(s). -->
<Recipient>

<!-- <Name> ... </Name>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<Name languageCode="[Please Edit]">[Please Edit]</Name>

<!-- <EmailAddress> ... </EmailAddress>. Data Type : String. Mandatory. Repeat at least 1time(s) and at most 1 time(s). -->
<EmailAddress languageCode="[Please Edit]">[Please Edit]</EmailAddress>

<!-- <Organization> ... </Organization>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at
most 1 time(s). -->
<Organization languageCode="[Please Edit]">[Please Edit]</Organization>

<!-- <Telephone> ... </Telephone>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most
1 time(s). -->
<Telephone languageCode="[Please Edit]">[Please Edit]</Telephone>
```

<!-- <Facsimile> ... </Facsimile>. Data Type : String. Optional. If not used, please delete the section. If used, repeat at most 1 time(s). -->

<Facsimile languageCode="[Please Edit]">[Please Edit]</Facsimile>

</Recipient>

</Recipients>

</Project>

</Projects>

</Dissemination>